Yahoo Group Archive:
VX5

Yahoo Group summary: An open VX-5R group

These Yahoo Groups messages were archived in WARC format by ArchiveTeam in 2017. This PDF was generated by Digital Library of Amateur Radio & Communications from the WARC files in 2026.

Date span: 2002-01-08 through 2014-12-27

Source WARC: vx5.94gtvKF.warc.gz

Source item: https://archive.org/details/yahoo-groups-2017-04-01T12-05-09Z-5b1deb

Messages included in this PDF: 350

Message records with no body available in the source archive: 1

Yahoo replaced the domain portions of email addresses with @... in the archived messages. Characters lost in Yahoo's archived text appear as ?.

Messages are presented in ascending Yahoo message-ID order. Gaps indicate records absent from the source WARC or messages omitted from this PDF as spam.

1. yahoo

Yahoo group: VX5
Date: 2002-01-08 16:25:33 UTC
From: bringmethecatsass
Topic: 1 Message: 1

whats going on with yahoo

2. Re: yahoo

Yahoo group: VX5
Date: 2002-01-08 18:57:20 UTC
From: werhr
Topic: 1 Message: 2

I lost a number of groups. Receving "No such Group" message.
YAESUVX5 no longer available.

Frank

Seems Yahoo's screw up with the Ads has bitten it in a bad place.

--- In VX5@y..., "bringmethecatsass" <bringmethecat@m...> wrote:
> whats going on with yahoo

3. Memory Groups

Yahoo group: VX5
Date: 2002-01-13 03:56:04 UTC
From: fraserterry
Topic: 3 Message: 3

Hi guys

Does anyone know how to remove a memory channel from a Memory Group. Once a channel is saved into a memory group, I can't see how it can be deleted.

Thanks

Terry

4. Re: Memory Groups

Yahoo group: VX5
Date: 2002-01-13 23:44:13 UTC
From: werhr
Topic: 3 Message: 4

It cannot be removed. It can only be hidden or over ridden.

Frank

--- In VX5@y..., "fraserterry" <tfraser@g...> wrote:
> Hi guys
>
> Does anyone know how to remove a memory channel from a Memory
Group.
> Once a channel is saved into a memory group, I can't see how it can
be
> deleted.
>
> Thanks
>
> Terry

5. Re: [VX5] Re: Memory Groups

Yahoo group: VX5
Date: 2002-01-15 20:39:28 UTC
From: Terry Fraser
Topic: 3 Message: 5

Frank

Thanks for that...

Terry
VK3RT

werhr wrote:

> It cannot be removed. It can only be hidden or over ridden.
>
> Frank
>
>
> --- In VX5@y..., "fraserterry" <tfraser@g...> wrote:
> > Hi guys
> >
> > Does anyone know how to remove a memory channel from a Memory
> Group.
> > Once a channel is saved into a memory group, I can't see how it can
> be
> > deleted.
> >
> > Thanks
> >
> > Terry
>
>
> Yahoo! Groups Sponsor
ADVERTISEMENT

>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

6. VX-5R Barometer Option

Yahoo group: VX5
Date: 2002-01-17 05:28:13 UTC
From: gnincehelser
Topic: 6 Message: 6

I'm a new ham thinking of getting a VX-5R as my first radio.

I'm kind of interested in the barometer option, but have found little information about it. Is this something that has to be ordered installed from the factory, or is it something that can be added later on.

Thanks
George
KD5QBV

7. Re: VX-5R Barometer Option

Yahoo group: VX5
Date: 2002-01-17 15:10:44 UTC
From: moe19542000
Topic: 6 Message: 7

```
--- In VX5@y..., "gnincehelser" <george@n...> wrote:
> I'm a new ham thinking of getting a VX-5R as my first radio.
>
> I'm kind of interested in the barometer option, but have found
> little information about it. Is this something that has to be
> ordered installed from the factory, or is it something that can be
> added later on.
>
> Thanks
> George
> KD5QBV
George the barometer option can be added later, it is mounted in
under the battery.
Carl
```

8. Re: Memory Groups

Yahoo group: VX5
Date: 2002-01-17 15:54:00 UTC
From: tmoore5
Topic: 3 Message: 8

Darn, I too was looking for a way to remove a freq from a memory
group. Is there a way to remove a stored memory freq??

K4JAR

--- In VX5@y..., "werhr" <werhr@y...> wrote:
> It cannot be removed. It can only be hidden or over ridden.
>
> Frank
>
>
> --- In VX5@y..., "fraserterry" <tfraser@g...> wrote:
> > Hi guys
> >
> > Does anyone know how to remove a memory channel from a Memory
> Group.
> > Once a channel is saved into a memory group, I can't see how it
can
> be
> > deleted.
> >
> > Thanks
> >
> > Terry

9. Re: [VX5] Re: Memory Groups

Yahoo group: VX5
Date: 2002-01-17 18:25:55 UTC
From: Tony Cash [KD4K]
Topic: 3 Message: 9

It cannot be removed. It can only be hidden or over ridden.

Happy New Year
73 de Tony, KD4K

My Weather page = http://home.adelphia.net/~tonycash
My Ham Page = http://home.adelphia.net/~tonycash/kd4k/radio.html
147.150 Repeater Page = http://home.adelphia.net/~tonycash/sawnee/

----- Original Message -----
From: "tmoore5" <k4jar@...>
To: <VX5@yahoogroups.com>
Sent: Thursday, January 17, 2002 10:54 AM
Subject: [VX5] Re: Memory Groups

> Darn, I too was looking for a way to remove a freq from a memory
> group. Is there a way to remove a stored memory freq??
>
> K4JAR
>
>
> --- In VX5@y..., "werhr" <werhr@y...> wrote:
> > It cannot be removed. It can only be hidden or over ridden.
> >
> > Frank
> >
> >
> > --- In VX5@y..., "fraserterry" <tfraser@g...> wrote:
> > > Hi guys
> > >
> > > Does anyone know how to remove a memory channel from a Memory
> > Group.
> > > Once a channel is saved into a memory group, I can't see how it
> can
> > be
> > > deleted.
> > >
> > > Thanks
> > >
> > > Terry
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>

>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

10. Re: [VX5] Re: Memory Groups

Yahoo group: VX5
Date: 2002-01-17 20:55:40 UTC
From: Sidney Ko
Topic: 3 Message: 10

Based on what I know, the only way to get rid of the memory groups is by software connection through your PC. I was able to get rid of some memory channels.

--- "Tony Cash [KD4K]" <kd4k@...> wrote:
> It cannot be removed. It can only be hidden or over
> ridden.
>
> Happy New Year
> 73 de Tony, KD4K
>
> My Weather page = http://home.adelphia.net/~tonycash
> My Ham Page =
> http://home.adelphia.net/~tonycash/kd4k/radio.html
> 147.150 Repeater Page =
> http://home.adelphia.net/~tonycash/sawnee/
>
> ----- Original Message -----
> From: "tmoore5" <k4jar@...>
> To: <VX5@yahoogroups.com>
> Sent: Thursday, January 17, 2002 10:54 AM
> Subject: [VX5] Re: Memory Groups
>
>
> > Darn, I too was looking for a way to remove a freq
> from a memory
> > group. Is there a way to remove a stored memory
> freq??
> >
> > K4JAR
> >
> >
> > --- In VX5@y..., "werhr" <werhr@y...> wrote:
> > > It cannot be removed. It can only be hidden or
> over ridden.
> > >
> > > Frank
> > >
> > >
> > > --- In VX5@y..., "fraserterry" <tfraser@g...>
> wrote:
> > > > Hi guys
> > > >
> > > > Does anyone know how to remove a memory
> channel from a Memory

> > > Group.
> > > > Once a channel is saved into a memory group, I
> can't see how it
> > can
> > > be
> > > > deleted.
> > > >
> > > > Thanks
> > > >
> > > > Terry
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> > VX5-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
> >
> >
> >
>
>

Do You Yahoo!?
Send FREE video emails in Yahoo! Mail!
http://promo.yahoo.com/videomail/

11. Re: Memory Groups

Yahoo group: VX5
Date: 2002-01-18 12:47:07 UTC
From: tmoore5
Topic: 3 Message: 11

So is there a way to UN-Hide an memory channel or do I have to reenter
the data again??

K4JAR

--- In VX5@y..., "Tony Cash [KD4K]" <kd4k@a...> wrote:
> It cannot be removed. It can only be hidden or over ridden.
>
> Happy New Year
> 73 de Tony, KD4K
>
> My Weather page = http://home.adelphia.net/~tonycash
> My Ham Page = http://home.adelphia.net/~tonycash/kd4k/radio.html
> 147.150 Repeater Page = http://home.adelphia.net/~tonycash/sawnee/
>
> ----- Original Message -----
> From: "tmoore5" <k4jar@h...>
> To: <VX5@y...>
> Sent: Thursday, January 17, 2002 10:54 AM
> Subject: [VX5] Re: Memory Groups
>
>
> > Darn, I too was looking for a way to remove a freq from a memory
> > group. Is there a way to remove a stored memory freq??
> >
> > K4JAR
> >
> >
> > --- In VX5@y..., "werhr" <werhr@y...> wrote:
> > > It cannot be removed. It can only be hidden or over ridden.
> > >
> > > Frank
> > >
> > >
> > > --- In VX5@y..., "fraserterry" <tfraser@g...> wrote:
> > > > Hi guys
> > > >
> > > > Does anyone know how to remove a memory channel from a Memory
> > > Group.
> > > > Once a channel is saved into a memory group, I can't see how
it
> > can
> > > be
> > > > deleted.
> > > >

> > > > Thanks
> > > >
> > > > Terry
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> > VX5-unsubscribe@y...
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
> >
> >
> >

12. Beeps during scanning

Yahoo group: VX5
Date: 2002-01-20 19:22:26 UTC
From: tmoore5
Topic: 12 Message: 12

Is there a way to turn off the annoying beeps when scanning? I talking about the beeps when it stops on a freq while scanning.

K4JAR

13. Re: [VX5] Beeps during scanning

Yahoo group: VX5
Date: 2002-01-21 04:38:40 UTC
From: Tony Cash [KD4K]
Topic: 12 Message: 13

Menu function #20 set it to OFF
Instructions on page 35 of the manual, this also turns off the Keypad Beep.

Happy New Year
73 de Tony, KD4K

My Weather page = http://home.adelphia.net/~tonycash
My Ham Page = http://home.adelphia.net/~tonycash/kd4k/radio.html
147.150 Repeater Page = http://home.adelphia.net/~tonycash/sawnee/

----- Original Message -----
From: "tmoore5" <k4jar@...>
To: <VX5@yahoogroups.com>
Sent: Sunday, January 20, 2002 2:22 PM
Subject: [VX5] Beeps during scanning

> Is there a way to turn off the annoying beeps when scanning? I talking
> about the beeps when it stops on a freq while scanning.
>
> K4JAR
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

14. Going simplex

Yahoo group: VX5
Date: 2002-01-21 12:52:10 UTC
From: tmoore5
Topic: 14 Message: 14

Is there a faster easier way to go from repeater operation to simplex on the repeater output freq than going into the menu and scrolling to the #8 and turning off the shift offset?? I don't want to reverse, just want to go simplex on the rep output freq.

K4JAR

15. Re: [VX5] Going simplex

Yahoo group: VX5
Date: 2002-01-22 03:06:20 UTC
From: Tony Cash [KD4K]
Topic: 14 Message: 15

Press FW then 6 then turn knob for SIMP
That's it.

Happy New Year
73 de Tony, KD4K

My Weather page = http://home.adelphia.net/~tonycash
My Ham Page = http://home.adelphia.net/~tonycash/kd4k/radio.html
147.150 Repeater Page = http://home.adelphia.net/~tonycash/sawnee/

----- Original Message -----
From: "tmoore5" <k4jar@...>
To: <VX5@yahoogroups.com>
Sent: Monday, January 21, 2002 7:52 AM
Subject: [VX5] Going simplex

> Is there a faster easier way to go from repeater operation to simplex
> on the repeater output freq than going into the menu and scrolling to
> the #8 and turning off the shift offset?? I don't want to reverse,
> just want to go simplex on the rep output freq.
>
> K4JAR
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

16. EVE program bug - Memory Groups

Yahoo group: VX5
Date: 2002-01-25 15:27:26 UTC
From: tmoore5
Topic: 16 Message: 16

I tried to use the Memory Group function in the EVE program. I set several channels in groups 1 and 5 and in random order. When I dumped it in the HT and did FW then 4 (goes into memory groups) the screen and all functions lock up tight. I have to remove the battery to turn it off. Finally I replaced all the default 256 numbers in the EVE program and dumped that back into the radio. Then I set the Mem Groups via the radio (fw then group #). That works - but not when done thru EVE.

Did the channels need to be in order? Did I do something else wrong - any ideas?

K4JAR

17. EVE program bug - Memory Groups

Yahoo group: VX5
Date: 2002-01-25 15:26:44 UTC
From: tmoore5
Topic: 16 Message: 17

I tried to use the Memory Group function in the EVE program. I set several channels in groups 1 and 5 and in random order. When I dumped it in the HT and did FW then 4 (goes into memory groups) the screen and all functions lock up tight. I have to remove the battery to turn it off. Finally I replaced all the default 256 numbers in the EVE program and dumped that back into the radio. Then I set the Mem Groups via the radio (fw then group #). That works - but not when done thru EVE.

Did the channels need to be in order? Did I do something else wrong - any ideas?

K4JAR

18. VX-5 Stock Antenna

Yahoo group: VX5
Date: 2002-02-08 19:21:02 UTC
From: George D. Nincehelser
Topic: 18 Message: 18

Since this is my first radio I'm curious...

Is the stock antenna good enough, or would I get better performance with a third-party antenna?

Thanks
George

19. RE: [VX5] VX-5 Stock Antenna

Yahoo group: VX5
Date: 2002-02-08 19:46:00 UTC
From: carl.zajac@exeloncorp.com
Topic: 18 Message: 19

I would get another antenna, I think the one I got was a comet tri band
2m/440/6m about 13" long and very happy with it.
Regards
Carl

> -----Original Message-----
> From: George D. Nincehelser [SMTP:george@...]
> Sent: Friday, February 08, 2002 1:21 PM
> To: VX5@yahoogroups.com
> Subject: [VX5] VX-5 Stock Antenna
>
> Since this is my first radio I'm curious...
>
> Is the stock antenna good enough, or would I get better performance with a
> third-party antenna?
>
> Thanks
> George
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
> <http://rd.yahoo.com/M=221000.1882886.3382503.1261774/D=egroupweb/S=170506
> 3108:HM/A=965713/R=0/O=1/I=brandr-promo-flowersale-alerts-lrecg/*http://sh
> opping.yahoo.com/promotions/flowers/index.html>
>
> <http://us.adserver.yahoo.com/l?M=221000.1882886.3382503.1261774/D=egroupm
> ail/S=1705063108:HM/A=965713/rand=153958094>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
> <http://docs.yahoo.com/info/terms/>.

****
This e-mail and any of its attachments may contain Exelon Corporation
proprietary information, which is privileged, confidential, or subject
to copyright belonging to the Exelon Corporation family of Companies.
This e-mail is intended solely for the use of the individual or entity
to which it is addressed. If you are not the intended recipient of this

e-mail, you are hereby notified that any dissemination, distribution, copying, or action taken in relation to the contents of and attachments to this e-mail is strictly prohibited and may be unlawful. If you have received this e-mail in error, please notify the sender immediately and permanently delete the original and any copy of this e-mail and any printout. Thank You.
****

20. Re: VX-5 Stock Antenna

Yahoo group: VX5
Date: 2002-02-08 23:38:56 UTC
From: tmoore5
Topic: 18 Message: 20

The factory antenna is good but not great. I have found that uhf and vhf also improve with the extention on the antenna (the 6m extention) which indicates that the antenna isn't all that great. I tried an MJR long rascal with a loading coil on the end and it was not much better. Don't expect too much. It's a great radio but I sure wish Yeasu would use a bnc connector on the antenna!!

K4JAR

--- In VX5@y..., "George D. Nincehelser" <george@n...> wrote:
> Since this is my first radio I'm curious...
>
> Is the stock antenna good enough, or would I get better performance with a
> third-party antenna?
>
> Thanks
> George

21. VX5

Yahoo group: VX5
Date: 2002-02-13 00:22:02 UTC
From: mzfb@aol.com
Topic: 21 Message: 21

Hi all
Has anyone made one of the programing cables for the VX-5R that is listed on VX-1 modification web page? I would like to hear from anyone that has and made it work.
Thanks
Mike
MZFB@...

[Non-text portions of this message have been removed]

22. EVE Program and the 4 band plug

Yahoo group: VX5
Date: 2002-02-13 21:40:20 UTC
From: tmoore5
Topic: 22 Message: 22

I recently made the simplified circuit to use with EVE and the VX-5R.
The circuit can be found at:
http://www.icongrp.com/~sllewd/vx5rmain.htm#mod

I could not make the circuit work and gave up with it.

Then I gave in an bought the Yeasu ADMS-1E cable and software. I plan
to use only EVE as my program and not the ADMS software. I noticed
that the cable comes with an adapter to convert a 3 band stereo phono
plug on the cable to the 4 band plug Yeasu VX-5r's use. The
instructions say you need the adapter to make it work - you don't. I
can upload and download with the 3 band 1/8 stereo plug that is on
the
cable with the DB-9 plug. It works without the 4 band Yeasu plug. Why
then do you need these hard to find 4 band plugs to use with EVE? Is
this a fluke or am I missing something? Can anyone else varify this?

If you could make that simple circuit on the
http://www.icongrp.com/~sllewd/vx5rmain.htm#mod
website work, then you could use a normal stereo plug to input the
data into your VX-5r.

K4JAR

23. Overwiting a memory channel

Yahoo group: VX5
Date: 2002-02-14 07:39:54 UTC
From: icomguy
Topic: 23 Message: 23

```
How do u overwite a memory channel, eg you have a memory channel
programed with data in it, and you want to use the same channel for
somthing else

thanks Zach
```

24. Re: Overwiting a memory channel

Yahoo group: VX5
Date: 2002-02-15 13:17:54 UTC
From: tmoore5
Topic: 23 Message: 24

Go to that channel that you want to change or overwrite, press the MR button to go into the MT mode or you can press VFO to go into that mode. You just want to be out of memory mode (MR).

Then enter the new data (freq, tones, tone encoce/decode, and power and save it in the channel you want. To do that, press and hold the F key for 1-2 sec or until you see thr W in the display. That means you are ready to save, just dial up the channel you want to save it in. If its over another bunch of data - OK - the new will replace the old when you save it. Press F again to save it and you're done.

K4JAR

--- In VX5@y..., "icomguy" <icomguy@y...> wrote:
> How do u overwite a memory channel, eg you have a memory channel
> programed with data in it, and you want to use the same channel for
> somthing else
>
> thanks Zach

25. Yaesu cable

Yahoo group: VX5
Date: 2002-02-23 17:04:00 UTC
From: kd6ajg
Topic: 25 Message: 25

I use the Yaesu cable with out the adapter. I only need the adapter to program my vx1r. The ADMS software is ment to program several radios thus there are lots of different cable combinations that can be used.

Tony
kd6ajg

26. Re: VX-5 Stock Antenna

Yahoo group: VX5
Date: 2002-03-14 19:03:04 UTC
From: lornewgustafson
Topic: 18 Message: 26

I've been using the VX-5 as a mobile rig on 2 meters and 440 for over 2 years. I've never had a 6 meter contact. It is connected to a Diamond CR627B triband antenna mounted on the tailgate of my station wagon. It does quite well as I commute 30 miles out into the country from work. I tried using a cheap aftermarket speaker-mike and MFJ speaker. The speaker sound was good; but the mike plug failed. So, I went to the Yaesu headset. It works perfectly.

73,
Lorne
K8KQD
Eustis, FL

--- In VX5@y..., "George D. Nincehelser" <george@n...> wrote:
> Since this is my first radio I'm curious...
>
> Is the stock antenna good enough, or would I get better performance with a
> third-party antenna?
>
> Thanks
> George

27. clone cable ???

Yahoo group: VX5
Date: 2002-03-17 14:01:35 UTC
From: tmoore5
Topic: 27 Message: 27

I have read here that the adapter is not needed to send data to the VX-5R and that the standard 1/8" stereo plug (3 contacts) will work and the 4 contact plug isn't. GREAT, does that also mean that a stereo to stereo cable will work as a cloning cable?? It stands to reason it would, has anyone tried that yet?? I only have one VX-5R, so I can't test it myself.

K4JAR

28. VX-5R and headset speaker mic

Yahoo group: VX5
Date: 2002-03-20 19:25:48 UTC
From: finkusus
Topic: 28 Message: 28

Folks:

I wanted some hands-free operation with the HT so picked up an Alinco earbud - mic unit at dying Radio Shack.com cheap. Got the CT-44 adapter to go into the HT. I can hear fine but neither the VOX nor the PTT works to let me TX. Went to HRO with it and there they couldn't get the Alinco unit or a brand new VC-25 from Yaesu to work with my HT or one right out of the box. Anyone know what gives? Have been in touch with Customer Service @ Yaesu to no avail so far.

Al Fink
KC0MCW
Denver

29. memory groups

Yahoo group: VX5
Date: 2002-03-25 02:30:32 UTC
From: ve1gsh
Topic: 29 Message: 29

How can i change the info in my memoery groups and how do i scan just in that group?

30. Devation

Yahoo group: VX5
Date: 2002-03-27 23:40:52 UTC
From: mzfb@aol.com
Topic: 30 Message: 30

Wonder if any one has adjusted the deviation for the touchtones on VX-5? I know the VX-5 has a setting for 2.5KC deviation for audio but I am looking specifically for the touchtones only. This will probably be internal adjustment.
Thanks for anyhelp in advance
Mike

[Non-text portions of this message have been removed]

31. Re: memory groups

Yahoo group: VX5
Date: 2002-03-28 13:05:18 UTC
From: tmoore5
Topic: 29 Message: 31

--- In VX5@y..., "ve1gsh" <ve1gsh@r...> wrote:
> How can i change the info in my memoery groups and how do i scan just
> in that group?

Assuming you have memory groups stored in your radio - you press F then the 4 button (MG-memory Groups). Then rotate the selector thru the available 5 groups. You will see a MG1 MG2 MG3 MG4 MG5 as you rotate the selector - assuming you have 5 groups set up already. The press MR to lock that group in and press and hold MR for 1 sec to make it scan only that Memeory Group.

So the keys to press are:

F
4
rotate selector to select the MG group
MR
MR for 1 sec to scan

Tim
K4JAR

32. tone from speaker on key up

Yahoo group: VX5
Date: 2002-03-31 20:21:53 UTC
From: dellglen2000
Topic: 32 Message: 32

hi i have just purchased a vx5r all seems to be working ok except i get a high pitch tone from the speaker every time i key up. am i missing something here or is thisd a duff one.. cheers dell g4niw

33. Re: tone from speaker on key up

Yahoo group: VX5
Date: 2002-04-02 12:30:35 UTC
From: tmoore5
Topic: 32 Message: 33

I must be missing something, obviously hearing a tone while you are transmitting (keying up as you call it) is not normal. Do you have a speaker plugged in? You hear this every time? When ever you key the radio to transmit you hear this tone? If so - it's not right, based on what you have told us so far.

K4JAR

--- In VX5@y..., "dellglen2000" <dell.glennard@b...> wrote:
> hi i have just purchased a vx5r all seems to be working ok except i
> get a high pitch tone from the speaker every time i key up. am i
> missing something here or is thisd a duff one.. cheers dell g4niw

34. re. tone from speaker on key up

Yahoo group: VX5
Date: 2002-04-03 23:00:08 UTC
From: dellglen2000
Topic: 34 Message: 34

problem solved it seems the uk version comes with the monitor button set to give a continuous tone for repeater access. strange that this also belts out of the speaker. any way i am now pleased with the vx5r and would like to thank those who replied with sugestions...regards dell g4niw

35. RF output below 48Mhz

Yahoo group: VX5
Date: 2002-04-06 06:45:43 UTC
From: KG7KV
Topic: 35 Message: 35

Hi all;
Has anyone had any luck xmiting below 50mhz? In particular, 46 mhz...I have a couple of customers in that range and the VX5 would be a great troubleshooting tool while driving to the site.
Chris KG7KV

36. VX5R Low Band Receive

Yahoo group: VX5
Date: 2002-04-10 11:47:59 UTC
From: Ralph E Stenerson
Topic: 36 Message: 36

GM,

I am a new member and would like to get some info on my VX5R.

I love my VX5R and it performs FB on 70CM and 2M.
It also does well aircraft receive and FM broadcast.
However it seems very weak on AM broadcast and world band AM.
I'm using the stock antenna with the screw on tip for low bands.

Can someone give me some info and also how are the dedicated receivers in comparison to the VX5R.

TNX,

Ralph Stenerson
Ham call N3NX
Web
http://members.fcc.net/ralphe

37. programing

Yahoo group: VX5
Date: 2002-04-10 23:12:00 UTC
From: mzfb@aol.com
Topic: 37 Message: 37

I just purchase a programing kit to program the VX-5. Unfortunately I think I wipe out the personalty of the radio because it won't load any files. Has anyone had any experience with this type of problem? I can upload information to the computer however it won't let me load information back to the radio. I've tried using EVE and then tried Yard. When I tried using Yard it says the files for Yard must be in the same folder as the Eve files. I have not seperated the programs so don't understand what I did wrong. When I use Eve to load the data to the radio it either times out or it has I have an error.
Thanks for any help
Mike

[Non-text portions of this message have been removed]

38. VX5R Low Band Receive

Yahoo group: VX5
Date: 2002-04-10 23:24:47 UTC
From: resjr1942
Topic: 36 Message: 38

GE,

I am a new member and would like to get some info on my VX5R.

I love my VX5R and it performs FB on 70CM and 2M.
It also does well aircraft receive and FM broadcast.
However it seems very weak on AM broadcast and world band AM.
I'm using the stock antenna with the screw on tip for low bands.

Can someone give me some info and also how are the dedicated
receivers in comparison to the VX5R.

TNX,

Ralph Stenerson
Ham call N3NX
Web
http://members.fcc.net/ralphe

39. Special Notice!

Yahoo group: VX5
Date: 2002-04-18 03:43:53 UTC
From: w8tvi
Topic: 39 Message: 39

We are up to 77 members!
Because of yaesumofo's actions (moderating his group and not letting
anything through that's not precisely on topic), I have left the yaesuvx5 list.

I won't run this group like that. If it's not right on topic, I
don't mind. Just keep it close to the topic is all I ask.

So please join me in leaving his group and get the word out about this one!
http://groups.yahoo.com/group/VX5/

Also you might want to join my other group called HAMHT. It's for general discussion of all amateur radio HT's.
http://groups.yahoo.com/group/HAMHT/

Noel W8TVI
Moderator VX5 & HAMHT

40. Headset Options?

Yahoo group: VX5
Date: 2002-05-02 15:34:19 UTC
From: kd7lah
Topic: 40 Message: 40

Greetings!

I picked up a new VX-5RS yesterday and have been having some fun programming all of my favorites into the memories. I was thinking about getting a headset to use when I'm walking around. So I thought I would ask here for some recommendations about headsets. I don't like voice activated microphones because I don't want the thing to transmit whenever I talk.

Thanks!

73, Brendan

41. clearing memory ?

Yahoo group: VX5
Date: 2002-05-07 02:52:14 UTC
From: tom_zinck2
Topic: 41 Message: 41

Hello!

I am re-programming my vx-5 and I would like to know if there is a way to EMPTY a memory channel. (right now I use SKIP to ingore channels.)

Tom
KC2JMH/VE3

42. Re: clearing memory ?

Yahoo group: VX5
Date: 2002-05-07 19:41:12 UTC
From: tom_zinck2
Topic: 41 Message: 42

I found the answer here:

http://www.hamoperator.com/vx-5_faq.htm

Q. How do I delete channels from a group?

A. Go to the memory group you wish to edit. Hold [FW] (for 1 second) and then press [MR] momentarily. This will remove a channel from your memory group.

silly me...

Tom
KC2JMH/VE3
--- In VX5@y..., "tom_zinck2" <tom_zinck2@y...> wrote:
> Hello!
>
> I am re-programming my vx-5 and I would like to know if there is a
> way to EMPTY a memory channel. (right now I use SKIP to ingore
> channels.)
>
> Tom
> KC2JMH/VE3

43. Re: clearing memory ?

Yahoo group: VX5
Date: 2002-05-09 14:52:22 UTC
From: TheLi9
Topic: 41 Message: 43

Great, thanx, I had been wondering how to do that. It's great that we have this list.

One problem I've been having with the memory groups is that when I program them in eve, it seems to mess them up, and when I try to access them the radio displays Japanese or whatever, and locks up. A work around for this is to program the first frequency of every group using the radio itself, and then the rest of the memories already programmed into the group work fine. Has anyone had this problem?

I just got another VX5, my old one refused to power up one day, and Yaesu told me it will take 2 months for warranty repair. This should not happen after having the radio for only a month and a half. I can't bear to be without my VX5 for that long, so I bought a new one. At least I had my memories stored in eve so it took me only 10 minutes to get my new radio to be an exact clone of my old one.

It seems like the YaesuVX5 list is dead. There have been no new posts since the 1st, and I sent in a post which never got put up which is annoying.

David.

--- In VX5@y..., "tom_zinck2" <tom_zinck2@y...> wrote:
> I found the answer here:
>
> http://www.hamoperator.com/vx-5_faq.htm
>
> Q. How do I delete channels from a group?
>
> A. Go to the memory group you wish to edit. Hold [FW] (for 1
second)
> and then press [MR] momentarily. This will remove a channel from
your
> memory group.
>
>
>
> silly me...
>
> Tom
> KC2JMH/VE3

44. Re: EVE program bug - Memory Groups

Yahoo group: VX5
Date: 2002-05-09 17:10:23 UTC
From: TheLi9
Topic: 16 Message: 44

Hi, I actually mentioned this problem in another post before I saw yours. I will expand on what I said there:

One problem I've been having with the memory groups is that when I program them in eve, it seems to mess them up, and when I try to access them the radio displays "Japanese" or whatever, and locks up. A work around for this is to first program all the memory groups in eve. Then do NOT try to acess them, rather first program the first frequency of EVERY (all 5) group(s) using the radio itself, and then the rest of the memories already programmed into the group work fine.

I would be interested in hearing if anyone has a different solution.

I hope this helps.

David.

--- In VX5@y..., "tmoore5" <k4jar@h...> wrote:
> I tried to use the Memory Group function in the EVE program. I set
> several channels in groups 1 and 5 and in random order. When I
dumped
> it in the HT and did FW then 4 (goes into memory groups) the screen
> and all functions lock up tight. I have to remove the battery to
turn
> it off. Finally I replaced all the default 256 numbers in the EVE
> program and dumped that back into the radio. Then I set the Mem
Groups
> via the radio (fw then group #). That works - but not when done
thru
> EVE.
>
> Did the channels need to be in order? Did I do something else
wrong -
> any ideas?
>
> K4JAR

45. Need a leather case for my VX-5R

Yahoo group: VX5
Date: 2002-05-09 18:32:41 UTC
From: jeepezine
Topic: 45 Message: 45

I have heard that there is a source for a leather case for this radio.
Does anyone know of a source in the US where I can purchase one???

Tks!

Wayne KG4TCJ

46. RE: [VX5] Need a leather case for my VX-5R

Yahoo group: VX5
Date: 2002-05-09 20:40:51 UTC
From: M Gollihue
Topic: 45 Message: 46

I got mine at R&L Electronics in Hamilton, Ohio. It is a Yaesu-branded slip on case, model CSC-73. Don't remember how much I paid, though.

Michael Gollihue, N8CBJ

-----Original Message-----
From: jeepezine [mailto:jeepezine@...]
Sent: Thursday, 9 May 2002 2:33 pm
To: VX5@yahoogroups.com
Subject: [VX5] Need a leather case for my VX-5R

I have heard that there is a source for a leather case for this radio.
Does anyone know of a source in the US where I can purchase one???

Tks!

Wayne KG4TCJ

Yahoo! Groups Sponsor
ADVERTISEMENT

Height: 4567 ft 01234567891011 in
Weight:
Sex: F M

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

47. VX5 Touchtone

Yahoo group: VX5
Date: 2002-05-10 22:14:05 UTC
From: mzfb@aol.com
Topic: 47 Message: 47

Hi all
I am having trouble with my touchtone pad. The tones were extremely loud resulting in not being able to use the touchtone pad. I re initialized the radio and now I can't get the tones to come.
Is there a software switch to turn on the touchtone pad? Is there a deviation pot to adjust the level of the touchtone pad?
Thanks for any help in advance
Mike
Mzfb@...

[Non-text portions of this message have been removed]

48. DTMF Manual mode

Yahoo group: VX5
Date: 2002-05-19 10:30:03 UTC
From: n1wpn
Topic: 48 Message: 48

Hi,

I was testing the DTMF tones and noticed that * and # work but none of the other DTMF tones work in the manual mode.

I can program the speed dialer anf the tones tx fine. How do I enable dtmf to work manually?

73
N1WPN

49. RE: [VX5] DTMF Manual mode

Yahoo group: VX5
Date: 2002-05-19 15:19:38 UTC
From: Noel
Topic: 48 Message: 49

Easy!
Press [FW] then 3[DT]

Noel W8TVI

-----Original Message-----
From: n1wpn [mailto:n1wpn@...]
Sent: Sunday, May 19, 2002 6:30 AM
To: VX5@yahoogroups.com
Subject: [VX5] DTMF Manual mode

Hi,

I was testing the DTMF tones and noticed that * and # work but none of the other DTMF tones work in the manual mode.

I can program the speed dialer anf the tones tx fine. How do I enable dtmf to work manually?

73
N1WPN

50. The "other" group

Yahoo group: VX5
Date: 2002-05-21 11:42:22 UTC
From: W00DY65
Topic: 50 Message: 50

I have been on the other (big) VX5R list, off & on for years...and it has always seemed to be a dictatorship or tyranical...as far as postings go. Some people are ALLOWED to post certain subjects, while others are rudely repremanded because of an OT subject...that is if the message ever makes it to the list without getting rejected. It's irritating. As long as you brown nose the list owner, you can seem to do just about anything. It seems like JHC is on some cyber Yahoo power trip, or something.

I run a few lists on Yahoo and I always let people stray off topic...I don't understand what the problem is...we're just talking basically...who cares if you drift OT, you might even learn something.

Is this list the same way as the "other" list??? If so, I'll remain on the other list...but it would be great to find a list where you can have OT discussions as well as the VX5.

John / K6ZZZ

51. RE: [VX5] The "other" group

Yahoo group: VX5
Date: 2002-05-21 15:02:17 UTC
From: Noel
Topic: 50 Message: 51

You don't have to worry about that here.
I left his groups for the same reason.
FYI I have another group called HAMHT
http://groups.yahoo.com/group/HAMHT/
for general discussion about ham hts.

The rules are simple:
No trolling,
No flaming,
And no spamming.

If I don't what you are doing I'll mail you off the list and tell you.
If you don't hear from me, don't worry!

Noel W8TVI
Moderator VX5 & HAMHT

-----Original Message-----
From: W00DY65 [mailto:w00dy65@...]
Sent: Tuesday, May 21, 2002 7:42 AM
To: VX5@yahoogroups.com
Subject: [VX5] The "other" group

I have been on the other (big) VX5R list, off & on for years...and it has always seemed to be a dictatorship or tyranical...as far as postings go. Some people are ALLOWED to post certain subjects, while others are rudely repremanded because of an OT subject...that is if the message ever makes it to the list without getting rejected. It's irritating. As long as you brown nose the list owner, you can seem to do just about anything. It seems like JHC is on some cyber Yahoo power trip, or something.

I run a few lists on Yahoo and I always let people stray off topic...I don't understand what the problem is...we're just talking basically...who cares if you drift OT, you might even learn something.

Is this list the same way as the "other" list??? If so, I'll remain on the other list...but it would be great to find a list where you can have OT discussions as well as the VX5.

John / K6ZZZ

52. RE: [VX5] The "other" group

Yahoo group: VX5
Date: 2002-05-21 17:37:42 UTC
From: Thunder Chicken
Topic: 50 Message: 52

I'm on your HT list too!!! I have seen the term "troll"...I know what it means in fishing terms, LOL...but I'm not real clear on it, as to these groups. I guess I better ask somebody...since I have 5 or 6 lists that I either run or moderate. LOL!!! What is a troll???
John
Noel <ar798@...> wrote: You don't have to worry about that here.
I left his groups for the same reason.
FYI I have another group called HAMHT
http://groups.yahoo.com/group/HAMHT/
for general discussion about ham hts.

The rules are simple:
No trolling,
No flaming,
And no spamming.

If I don't what you are doing I'll mail you off the list and tell you.
If you don't hear from me, don't worry!

Noel W8TVI
Moderator VX5 & HAMHT

-----Original Message-----
From: W00DY65 [mailto:w00dy65@...]
Sent: Tuesday, May 21, 2002 7:42 AM
To: VX5@yahoogroups.com
Subject: [VX5] The "other" group

I have been on the other (big) VX5R list, off & on for years...and it has always seemed to be a dictatorship or tyranical...as far as postings go. Some people are ALLOWED to post certain subjects, while others are rudely repremanded because of an OT subject...that is if the message ever makes it to the list without getting rejected. It's irritating. As long as you brown nose the list owner, you can seem to do just about anything. It seems like JHC is on some cyber Yahoo power trip, or something.

I run a few lists on Yahoo and I always let people stray off topic...I don't understand what the problem is...we're just talking basically...who cares if you drift OT, you might even learn something.

Is this list the same way as the "other" list??? If so, I'll remain on the other list...but it would be great to find a list where you can have OT discussions as well as the VX5.

John / K6ZZZ

Yahoo! Groups SponsorADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Is it..."good"...for the chickens???

Do You Yahoo!?
LAUNCH - Your Yahoo! Music Experience

[Non-text portions of this message have been removed]

53. RE: [VX5] The "other" group

Yahoo group: VX5
Date: 2002-05-21 21:01:46 UTC
From: Noel
Topic: 50 Message: 53

From The Jargon File Lexicon (http://www.hack.gr/jargon/)

troll v.,n.
1. [From the Usenet group alt.folklore.urban] To utter a posting on Usenet designed to attract predictable responses or flames; or, the post itself. Derives from the phrase "trolling for newbies" which in turn comes from mainstream "trolling", a style of fishing in which one trails bait through a likely spot hoping for a bite. The well-constructed troll is a post that induces lots of newbies and flamers to make themselves look even more clueless than they already do, while subtly conveying to the more savvy and experienced that it is in fact a deliberate troll. If you don't fall for the joke, you get to be in on it. 2. An individual who chronically trolls in sense 1; regularly posts specious arguments, flames or personal attacks to a newsgroup, discussion list, or in email for no other purpose than to annoy someone or disrupt a discussion. Trolls are recognizable by the fact that the have no real interest in learning about the topic at hand - they simply want to utter flame bait. Like the ugly creatures they are named after, they exhibit no redeeming characteristics, and as such, they are recognized as a lower form of life on the net, as in, "Oh, ignore him, he's just a troll." 3. [Berkeley] Computer lab monitor. A popular campus job for CS student. Duties include helping newbies and ensuring that lab policies are followed. Probably so-called because it involves lurking in dark cavelike corners.

Some people claim that the troll (sense 1) is properly a narrower category than flame bait, that a troll is categorized by containing some assertion that is wrong but not overtly controversial. See also Troll-O-Meter.

There you have it :)

Noel W8TVI

-----Original Message-----
From: Thunder Chicken [mailto:w00dy65@...]
Sent: Tuesday, May 21, 2002 1:38 PM
To: VX5@yahoogroups.com
Subject: RE: [VX5] The "other" group

I'm on your HT list too!!! I have seen the term "troll"...I know what it means in fishing terms, LOL...but I'm not real clear on it, as to these groups. I guess I better ask somebody...since I have 5 or 6 lists that I either run or moderate. LOL!!! What is a troll??? John
Noel <ar798@...> wrote: You don't have to worry about that here.
I left his groups for the same reason. FYI I have another group called

HAMHT http://groups.yahoo.com/group/HAMHT/
for general discussion about ham hts.

The rules are simple:
No trolling,
No flaming,
And no spamming.

If I don't what you are doing I'll mail you off the list and tell you.
If you don't hear from me, don't worry!

Noel W8TVI
Moderator VX5 & HAMHT

54. low vhf

Yahoo group: VX5
Date: 2002-05-22 20:02:42 UTC
From: mzfb@aol.com
Topic: 54 Message: 54

Hi all
Has anyone had an out of band freq flash on the display screen in the receive mode? The frequency is 39.540 mhz. I realize it won't transmit but I am trying to figure out why flash in the receive mode.
Thanks for any help
Mike
MZFB@...

[Non-text portions of this message have been removed]

55. RE: [VX5] low vhf

Yahoo group: VX5
Date: 2002-05-23 04:09:09 UTC
From: Noel
Topic: 54 Message: 55

Well I haven't...

Noel W8TVI

-----Original Message-----
From: mzfb@... [mailto:mzfb@...]
Sent: Wednesday, May 22, 2002 4:03 PM
To: VX5@yahoogroups.com
Subject: [VX5] low vhf

Hi all
Has anyone had an out of band freq flash on the display screen in the
receive mode? The frequency is 39.540 mhz. I realize it won't transmit
but I
am trying to figure out why flash in the receive mode.
Thanks for any help
Mike
MZFB@...

56. RE: [VX5] Digest Number 35

Yahoo group: VX5
Date: 2002-05-24 04:44:16 UTC
From: Rick W.
Topic: 56 Message: 56

The reason your display is most likely flashing is because the VCO is going out of lock. The radio isn't designed to receive between 16.000Mhz through 48.000Mhz. That is why it's flashing. The question is how
did you even get your radio to go there? I'm playing in my VX-5r's VFO right
now and it goes from 15.995 to 48.000, won't even tune into that range.

Rick, N9TES

Message: 1
Date: Wed, 22 May 2002 16:02:42 EDT
From: mzfb@...
Subject: low vhf

Hi all
Has anyone had an out of band freq flash on the display screen in the receive mode? The frequency is 39.540 mhz. I realize it won't transmit but I
am trying to figure out why flash in the receive mode.
Thanks for any help
Mike
MZFB@...

[Non-text portions of this message have been removed]

---

57. #36

Yahoo group: VX5
Date: 2002-05-25 08:35:59 UTC
From: mzfb@aol.com
Topic: 57 Message: 57

Rick
Thanks for following up on my question of the flashing display. I put the 39 mhz freq in using the software. I wasn't sure if the VX5 would take the freq.
Thanks
Mike

[Non-text portions of this message have been removed]

58. RE: [VX5] Digest Number 37

Yahoo group: VX5
Date: 2002-05-26 08:44:02 UTC
From: Rick W.
Topic: 58 Message: 58

No problem.. which software are you using? I just tried and cant enter in odd frequencies
with the ADMS 1-E.

Rick

Message: 1
Date: Sat, 25 May 2002 04:35:59 EDT
From: mzfb@...
Subject: #36

Rick
Thanks for following up on my question of the flashing display. I put the 39 mhz freq in using the software. I wasn't sure if the VX5 would take the freq.
Thanks
Mike

[Non-text portions of this message have been removed]

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

59. Hi

Yahoo group: VX5
Date: 2002-05-26 08:49:48 UTC
From: Scott Palmer
Topic: 59 Message: 59

Hi all. My name is Scott Palmer and I am in Hamilton, New Zealand. I am hopefully buying a VX-5R very soon and have been watching the posts to this and various other related lists with interest recently.

How many different programming programs are there available?

Cheers.

Scott.

----- Original Message -----
From: Rick W.
To: VX5@yahoogroups.com
Sent: Sunday, May 26, 2002 8:44 PM
Subject: RE: [VX5] Digest Number 37

No problem.. which software are you using? I just tried and cant enter in odd frequencies
with the ADMS 1-E.

Rick

Message: 1
Date: Sat, 25 May 2002 04:35:59 EDT
From: mzfb@...
Subject: #36

Rick
Thanks for following up on my question of the flashing display. I put the 39 mhz freq in using the software. I wasn't sure if the VX5 would take the freq.
Thanks
Mike

[Non-text portions of this message have been removed]

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

60. RE: Hi

Yahoo group: VX5
Date: 2002-05-28 04:13:43 UTC
From: Rick W.
Topic: 59 Message: 60

To my knowledge there are 2 programs.. the ADMS1-E by RT systems which is what your
Yaesu dealer sells, and EVE which is a freeware program (have to come up with a programming cable
if u want to use EVE.) I have used both and like ADMS better, but everyone seems to have there
own opinion. You can download EVE and check it out if u want. It is somewhere on my buddies web-page.. http://www.icongrp.com/~sllewd

Enjoy! Rick, N9TES

-----Original Message-----

Message: 2
Date: Sun, 26 May 2002 20:49:48 +1200
From: "Scott Palmer" <scottpalmer@...>
Subject: Hi

Hi all. My name is Scott Palmer and I am in Hamilton, New Zealand. I am hopefully buying a VX-5R very soon and have been watching the posts to this and various other related lists with interest recently.

How many different programming programs are there available?

Cheers.

Scott.

61. I want to buy one :-)

Yahoo group: VX5
Date: 2002-06-01 00:07:27 UTC
From: Scott Palmer
Topic: 61 Message: 61

Can someone please tell me where the cheapest place to buy a VX-5R is? I'm in New Zealand but the price the New Zealand retailer has on them here is HUGE!!!

So, the cheapest place to buy in the States would work, I have friends there it can be shipped to so they can send in the coupon (if there is one) for me. Otherwise, anywhere else in the world that is cheaper. (I have a price from Blazer in Singapore.) Also, what is the latest version on sale in the States?

Thanks.

Scott.

[Non-text portions of this message have been removed]

62. Re: [VX5] Digest Number 40

Yahoo group: VX5
Date: 2002-06-02 01:07:21 UTC
From: Don H
Topic: 62 Message: 62

Gigaparts.com has the best price that I know of
$239.00 and that includes shipping.

--- VX5@yahoogroups.com wrote:
> ---------- Yahoo! Groups Sponsor
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>

>
> There is 1 message in this issue.
>
> Topics in this digest:
>
> 1. I want to buy one :-)
> From: "Scott Palmer"
> <scottpalmer@...>
>
>
>

>

>
> Message: 1
> Date: Sat, 1 Jun 2002 12:07:27 +1200
> From: "Scott Palmer" <scottpalmer@...>
> Subject: I want to buy one :-)
>
> Can someone please tell me where the cheapest place
> to buy a VX-5R is? I'm in New Zealand but the price
> the New Zealand retailer has on them here is HUGE!!!
>
> So, the cheapest place to buy in the States would
> work, I have friends there it can be shipped to so
> they can send in the coupon (if there is one) for
> me. Otherwise, anywhere else in the world that is
> cheaper. (I have a price from Blazer in Singapore.)
> Also, what is the latest version on sale in the
> States?
>
> Thanks.

>
> Scott.
>
>
> [Non-text portions of this message have been
> removed]
>
>
>
>

>

>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

Do You Yahoo!?
Yahoo! - Official partner of 2002 FIFA World Cup
http://fifaworldcup.yahoo.com

63. Display backlight

Yahoo group: VX5
Date: 2002-06-05 16:58:31 UTC
From: tbolt1000
Topic: 63 Message: 63

Anyone tried the blue LED mod for the display backlight? How much more current does it draw?

64. Radio Modificaitons

Yahoo group: VX5
Date: 2002-06-19 00:34:16 UTC
From: coolrigger7
Topic: 64 Message: 64

Dear Member,

Radio Modifications is a group dedicated to the repair maintenance and modification of radio related equipment. I found this group, which is extremely helpful for ham radio operators who need information about their equipment. Whether you are a novice or experienced, this group will benefit all aspects of ham radio.

If you would like to join, please email the following RadioModifications-subscribe@yahoogroups.com or go to the website http://groups.yahoo.com/group/RadioModifications

Brian McGuire

65. Images in UHF

Yahoo group: VX5
Date: 2002-06-26 22:14:49 UTC
From: n9mon
Topic: 65 Message: 65

I have noticed that my VX5R seems to be suseptable (sp?) to images from local, strong sources while monitoring in the UHF band. Nothing scientific, but I have noticed images 50 khz above (and below?) the offending signal, and possibly at 150 khz below as well. Anyone else notice this? I use my radio extensively to search and document the UHF biz band. I need to document this problem further, but I thought that I'd give others a "heads up" to this potential problem.

Kevin

66. Car DC to charge Vx5

Yahoo group: VX5
Date: 2002-06-28 17:29:51 UTC
From: Rolando Rivas
Topic: 66 Message: 66

Fellows:

If I connect the 12 DC in of the VX5 (to charge the battr) to the outlet of the car (12 - 13.8 DC) whitout any regulator .. will these work? or the Yauesu one has circuitery that controls the charging of the ion-Li batt..?

regards///

XE3WR... Rolando

p.d. see you on the Jul 21, 50 Mhz VHF contest. (DL50)

_____
Do You Yahoo!?
Yahoo! - Official partner of 2002 FIFA World Cup
http://fifaworldcup.yahoo.com

67. BEEP

Yahoo group: VX5
Date: 2002-07-07 14:50:16 UTC
From: jrkorth@aol.com
Topic: 67 Message: 67

Hello all,

I have a new Yaesu VX-5. The beeping is driving me crazy. I have shut off the band edge beeper, and also the tone for arts alert beep option.

any suggestions whet the beeping is or hot to shur off ALL tones???

Thanks
Jim Korth, Chief of Police
KA9OBL
Clinton Police Department
Clinton, WI

pLEASE E-MAIL RESPONSE TO ME DIRECTLY...

68. RE: [VX5] BEEP

Yahoo group: VX5
Date: 2002-07-07 23:40:40 UTC
From: Noel
Topic: 67 Message: 68

You can have it all off or all on.

-----Original Message-----
From: jrkorth@... [mailto:jrkorth@...]
Sent: Sunday, July 07, 2002 10:50 AM
To: VX5@yahoogroups.com
Subject: [VX5] BEEP

Hello all,

I have a new Yaesu VX-5. The beeping is driving me crazy. I have shut
off
the band edge beeper, and also the tone for arts alert beep option.

any suggestions whet the beeping is or hot to shur off ALL tones???

Thanks
Jim Korth, Chief of Police
KA9OBL
Clinton Police Department
Clinton, WI

pLEASE E-MAIL RESPONSE TO ME DIRECTLY...

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

69. RE: [VX5] Digest Number 46

Yahoo group: VX5
Date: 2002-07-08 08:05:35 UTC
From: Rick W.
Topic: 69 Message: 69

I don't have my radio in front of me, but u can turn off all
beeps. Go into the menu and find beep, and set it to off.
You might want to consider reading your owners manual.

Rick, N9TES

-----Original Message-----
Message: 1
Date: Sun, 7 Jul 2002 10:50:16 EDT
From: jrkorth@...
Subject: BEEP

Hello all,

I have a new Yaesu VX-5. The beeping is driving me crazy. I have shut off
the band edge beeper, and also the tone for arts alert beep option.

any suggestions whet the beeping is or hot to shur off ALL tones???

Thanks
Jim Korth, Chief of Police
KA9OBL
Clinton Police Department
Clinton, WI

pLEASE E-MAIL RESPONSE TO ME DIRECTLY...

_

70. Can I delete a channel (from the keypad)

Yahoo group: VX5
Date: 2002-07-12 13:29:24 UTC
From: NoMoClutch
Topic: 70 Message: 70

Is it possible to delete a channel from the keypad or do I have to use the software?

Thanks
KC2JSG - Kenny

71. Aftermarket antenna?

Yahoo group: VX5
Date: 2002-07-26 23:56:01 UTC
From: Stan Olson
Topic: 71 Message: 71

I'm getting ready to buy a VX5R in a week or so and was wondering what people are using for antennas? Most of the time I will be using 2m/70cm, so I'd like something that's a bit smaller yet
has some gain on it. Any thoughts? Thanks!

Stan, K9SWX

72. New file uploaded to VX5

Yahoo group: VX5
Date: 2002-08-02 17:55:29 UTC
From: VX5@yahoogroups.com
Topic: 72 Message: 72

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the VX5
group.

File : /VX-5R--01-38.txt
Uploaded by : johnbartley3 <johnbartley3@...>
Description : Archive of http://groups.yahoo.com/group/VX-5R messages, 2001-10-14 through 2002-08-01

You can access this file at the URL

http://groups.yahoo.com/group/VX5/files/VX-5R--01-38.txt

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

johnbartley3 <johnbartley3@...>

73. New file uploaded to VX5

Yahoo group: VX5
Date: 2002-08-02 18:23:39 UTC
From: VX5@yahoogroups.com
Topic: 72 Message: 73

Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the VX5
group.

File : /VX5---01-24.txt
Uploaded by : johnbartley3 <johnbartley3@...>
Description : Archive of http://groups.yahoo.com/group/VX5 messages 2002-01-08 through
2002-02-15

You can access this file at the URL

http://groups.yahoo.com/group/VX5/files/VX5---01-24.txt

To learn more about file sharing for your group, please visit

http://help.yahoo.com/help/us/groups/files

Regards,

johnbartley3 <johnbartley3@...>

74. No audio from speaker

Yahoo group: VX5
Date: 2002-08-26 11:51:28 UTC
From: W00DY65
Topic: 74 Message: 74

My VX5 decided it was going to give me the silent treatment. I turned it on last night and received a signal, but I was unable to hear the repeater unless I plugged in my speaker/mic...

Anyone ever heard of this before? It's a new one to me...any suggestions?

Thanks,

John

75. Re: [VX5] No audio from speaker

Yahoo group: VX5
Date: 2002-08-26 13:31:52 UTC
From: Sidney Ko
Topic: 74 Message: 75

I had this problem when it got wet.... but everything
went back to normal after it dried.

That's the only experience I have had.

Good luck!

--- W00DY65 <w00dy65@...> wrote:
> My VX5 decided it was going to give me the silent
> treatment. I turned
> it on last night and received a signal, but I was
> unable to hear the
> repeater unless I plugged in my speaker/mic...
>
> Anyone ever heard of this before? It's a new one to
> me...any
> suggestions?
>
> Thanks,
>
> John
>
>

Do You Yahoo!?
Yahoo! Finance - Get real-time stock quotes
http://finance.yahoo.com

76. RE: [VX5] No audio from speaker

Yahoo group: VX5
Date: 2002-08-26 21:25:04 UTC
From: Noel
Topic: 74 Message: 76

Most likely is that the speaker/mic jack on the side is goofy.

The thing that the plug pushes out of the way when you plug it in, breaks the circuit the internal speaker.

You might have gotten it wet in there or the "pin" got stuck.

You could try repeatedly plugging and unplugging the speakermic to see if that helps.

Noel W8TVI
List owner

-----Original Message-----
From: W00DY65 [mailto:w00dy65@...]
Sent: Monday, August 26, 2002 7:51 AM
To: VX5@yahoogroups.com
Subject: [VX5] No audio from speaker

My VX5 decided it was going to give me the silent treatment. I turned it on last night and received a signal, but I was unable to hear the repeater unless I plugged in my speaker/mic...

Anyone ever heard of this before? It's a new one to me...any suggestions?

Thanks,

John

77. RE: [VX5] No audio from speaker

Yahoo group: VX5
Date: 2002-08-26 23:28:11 UTC
From: Thunder Chicken
Topic: 74 Message: 77

Thanks, I haven't really had much time to putz around with it...but it hasn't been wet. It has been exposed to some heavy dust...could be dirty contacts. The radio is about 3-4 years old and the rubber dust cover has long since disappeared.

Thanks again,
John

Noel wrote:Most likely is that the speaker/mic jack on the side is goofy.

The thing that the plug pushes out of the way when you plug it in,
breaks the circuit the internal speaker.

You might have gotten it wet in there or the "pin" got stuck.

You could try repeatedly plugging and unplugging the speakermic to see
if that helps.

Noel W8TVI
List owner

-----Original Message-----
From: W00DY65 [mailto:w00dy65@...]
Sent: Monday, August 26, 2002 7:51 AM
To: VX5@yahoogroups.com
Subject: [VX5] No audio from speaker

My VX5 decided it was going to give me the silent treatment. I turned
it on last night and received a signal, but I was unable to hear the
repeater unless I plugged in my speaker/mic...

Anyone ever heard of this before? It's a new one to me...any
suggestions?

Thanks,

John

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Do You Yahoo!?
Yahoo! Finance - Get real-time stock quotes

[Non-text portions of this message have been removed]

78. Antenna Tip

Yahoo group: VX5
Date: 2002-08-29 01:59:38 UTC
From: Robert A. Mayer II (K4RAM)
Topic: 78 Message: 78

Good Evening All,

I have misplaced the tip (not the 6M extension) to my stock
VX-5 Antenna. I had seen replacement tips for sale at a Web sight at
one time but cannot remember where. Anyone seen these and know a URL?
Thanks in advance.

ROBERT A. MAYER II
73 de K4RAM
AF MARS CALL: AFA6RM
EMAIL: ramayer@...
HOME PAGE: http://users.lvcm.com/ramayer
APRS TRACKING: <http://map.findu.com/k4ram> http://map.findu.com/k4ram*
<http://138.27.190.13/mars/seal_history.htm> Click here to learn about
the history of the MARS seal
AFA6RM

[Non-text portions of this message have been removed]

79. Thinking of buying, looking for intermod reports

Yahoo group: VX5
Date: 2002-09-06 04:49:58 UTC
From: jeffspam
Topic: 79 Message: 79

Hello all,

I've been eyeballing this radio for a while now, and with the price drops and all, I'm seriously considering going for it. I'm a current Q7 owner, and there are two major problems I'm looking to overcome by switching to the VX5: alpha memory and intermod immunity (on all bands).

Specifically, I'm looking for reports from current users: is intermod a problem with the VX5? Can anyone with both the VX5 and Q7 compare the intermod severity between the two? I use my radio in NYC, which I'm guessing is one of the most dense RF areas around. My Q7 picks up *all sorts* of intermod, mostly digital (pager, mdt, etc) and broadcast (lots of TV audio) stuff. I'm interested in reports of performance on all bands - not just the amateur bands.

Thanks for your tips!

(PS - if anyone knows of any current "good deals" on this radio, could you forward them, **privately**, to me? Thanks!)

80. Where to buy VX-5R?

Yahoo group: VX5
Date: 2002-09-11 17:48:27 UTC
From: JohnD
Topic: 80 Message: 80

I am considering the purchase of a VX-5R and would appreciate any advice as where would be the best to order it from with regard to price, reliability, etc. Thanks, John

81. Re: [VX5] Digest Number 55

Yahoo group: VX5
Date: 2002-09-13 00:19:45 UTC
From: mzfb@aol.com
Topic: 81 Message: 81

John
I maybe getting ready to sell my VX5 I bought it from HRO in Woodbridge Va. in May of this year. I have the software for programing and the cable. One battery, a wall charger, and a letter case. If your interested let me know it will be available toward the end of the month.
Mike
MZFB@...

[Non-text portions of this message have been removed]

82. Comparisons

Yahoo group: VX5
Date: 2002-09-16 13:41:10 UTC
From: arkenah
Topic: 82 Message: 82

I was wondering if anyone has had a chance to compare the VX5 with the ICOM T90, the VX7 and the top Kenwood alternative hand helds based on actual performance.

83. No Speaker Audio...HELP!!!!

Yahoo group: VX5
Date: 2002-10-04 18:29:58 UTC
From: Big Johnson's Chickens
Topic: 83 Message: 83

All of the sudden my radio has NO AUDIO from the speaker...NONE!!! It works fine as long as the MH-34 speaker mic is plugged into the radio, but once unplugged, again NOTHING.

Anyone have avy advice...anyone else had this problem?

Thanks in advance,

John

84. VX5R For Sale

Yahoo group: VX5
Date: 2002-10-06 02:59:19 UTC
From: kc8ddq@aol.com
Topic: 84 Message: 84

Hey everyone,

I have a Yaesu VX5R in excellent condition with box, both L-ion batteries, factory manual, quick reference manual, case, and desktop charger. $200 and I pay shipping. If interested you can call me at 614-529-0235 or email me. I can also take some pics of everything and email them to you if you you wish.

Thanks
Paul
kc8ddq@...
WPSR954 (GMRS)

[Non-text portions of this message have been removed]

85. Aftermarket Antennas

Yahoo group: VX5
Date: 2002-10-19 14:43:25 UTC
From: arkenah
Topic: 85 Message: 85

Has anyone compared aftermarket antennas for this radio? Multiband desireable but 2 meter performane most important. Thanks.
AndyA

86. Re: [VX5] Digest Number 60

Yahoo group: VX5
Date: 2002-10-20 21:36:08 UTC
From: Joe
Topic: 86 Message: 86

The best antenna I have used is the Diamond RH-77. I use it with Steve Gulyas' SMA to BNC adapter. It is a dual band 2M/70cm antenna. The only radio mountable antenna that will work better on 2M is a ½ wave telescopic. I also use a Diamond SRH-519. That also works well (not as well as the RH-77 though) and it has an SMA connector and puts no physical load on the radio.

At 06:30 AM 10/20/2002, you wrote:
>
>To unsubscribe from this group, send an email to:
>VX5-unsubscribe@yahoogroups.com
>
>
>----------
>
>There is 1 message in this issue.
>
>Topics in this digest:
>
> 1. Aftermarket Antennas
> From: "arkenah" <arken.ah@...>
>
>
>_____
>_____
>
>Message: 1
> Date: Sat, 19 Oct 2002 14:43:25 -0000
> From: "arkenah" <arken.ah@...>
>Subject: Aftermarket Antennas
>
>Has anyone compared aftermarket antennas for this radio? Multiband
>desireable but 2 meter performane most important. Thanks.
>AndyA
>
>
>
>
>_____
>_____
>
>
>
>Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

87. External Power for transmit

Yahoo group: VX5
Date: 2002-10-23 21:41:27 UTC
From: k9zy
Topic: 87 Message: 87

Hi folks,
I've been frustrated with my VX-5R in that transmit power can only be accomplished from the battery source (i.e. can't use an external DC source to do anything but charge the battery or listen in receive mode). Has anyone found a way to overcome this so I can save my battery life while driving or using the radio at my home with an external 12v DC power source instead of battery only power?

Thanks
K9ZY

88. Re: [VX5] External Power for transmit

Yahoo group: VX5
Date: 2002-10-24 09:56:24 UTC
From: Thunder Chicken
Topic: 87 Message: 88

I use the cig lighter adaptor...no problems.
k9zy <k9zy@...> wrote:Hi folks,
I've been frustrated with my VX-5R in that transmit power can only be accomplished from the battery source (i.e. can't use an external DC source to do anything but charge the battery or listen in receive mode). Has anyone found a way to overcome this so I can save my battery life while driving or using the radio at my home with an external 12v DC power source instead of battery only power?

Thanks
K9ZY

Yahoo! Groups SponsorADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

Do you Yahoo!?
Y! Web Hosting - Let the expert host your web site

[Non-text portions of this message have been removed]

89. Re: External Power for transmit

Yahoo group: VX5
Date: 2002-10-24 16:17:35 UTC
From: k9zy
Topic: 87 Message: 89

Thanks, Thunder Chicken. Do I take it that the limitation to "receive only" as per the operators manual is only with the factory battery charger (500mW output at 12 v DC) and that once the lighter adapter (greater than 500 mW capacity from car battery or external DC power supply) is used the radio's internal electronic controls drop it out of "receive only" operations and allow the radio to transmit without the battery installed? I've not purchased a DC plug adapter and would have expected the Battery charger to double as an AC to DC converter to provide sufficient power for transmit operations. I've got a 10 amp 12 v DC supply I'd like to connect to the radio for full transmitt operations, but would like to do that via the DC plug jack, and not have to build a configuration to come in through the battery terminals. Anyone sell cig adapters for this at a reasonable price?

Thanks for your help.
Mark K9YZ

--- In VX5@y..., Thunder Chicken <w00dy65@y...> wrote:
>
> I use the cig lighter adaptor...no problems.
> k9zy <k9zy@y...> wrote:Hi folks,
> I've been frustrated with my VX-5R in that transmit power can only
be
> accomplished from the battery source (i.e. can't use an external DC
> source to do anything but charge the battery or listen in receive
> mode). Has anyone found a way to overcome this so I can save my
> battery life while driving or using the radio at my home with an
> external 12v DC power source instead of battery only power?
>
> Thanks
> K9ZY
>
>
>
> Yahoo! Groups SponsorADVERTISEMENT
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@y...
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>

>
>
> ---
> Do you Yahoo!?
> Y! Web Hosting - Let the expert host your web site
>
> [Non-text portions of this message have been removed]

90. Re: [VX5] Re: External Power for transmit

Yahoo group: VX5
Date: 2002-10-25 00:39:57 UTC
From: Thunder Chicken
Topic: 87 Message: 90

Yep, it will transmit with 5w using the cig adaptor, which also doubles as a battery charger when the radio is turned off (as long as there is power to the adaptor).
I bought mine when I was in California out of desparation, after my battery died and I was unable to get to my charger. I was pretty close to AES, so I just stopped by there and bought it. I'm not positive, but I think it was about $40...and now I'm glad I bought it, I use it all the time. It's nice to have handy, when needed.
John
k9zy <k9zy@...> wrote:Thanks, Thunder Chicken. Do I take it that the limitation to "receive only" as per the operators manual is only with the factory battery charger (500mW output at 12 v DC) and that once the lighter adapter (greater than 500 mW capacity from car battery or external DC power supply) is used the radio's internal electronic controls drop it out of "receive only" operations and allow the radio to transmit without the battery installed? I've not purchased a DC plug adapter and would have expected the Battery charger to double as an AC to DC converter to provide sufficient power for transmit operations. I've got a 10 amp 12 v DC supply I'd like to connect to the radio for full transmitt operations, but would like to do that via the DC plug jack, and not have to build a configuration to come in through the battery terminals. Anyone sell cig adapters for this at a reasonable price?

Thanks for your help.
Mark K9YZ

--- In VX5@y..., Thunder Chicken <w00dy65@y...> wrote:
>
> I use the cig lighter adaptor...no problems.

Do you Yahoo!?
Y! Web Hosting - Let the expert host your web site

[Non-text portions of this message have been removed]

91. RE: [VX5] Re: External Power for transmit

Yahoo group: VX5
Date: 2002-10-25 04:47:00 UTC
From: M Gollihue
Topic: 87 Message: 91

The VX5 just cannot pull enough power from the wall wart to TX at 5W. It will run fine on low power, but will power off and then on again if you try to TX on high. There is nothing disabled with the DC jack or anything, so an external supply or cigar lighter adapter will work fine...and probably be a lot less noisy on TX! :)

Mike, N8CBJ

-----Original Message-----
From: k9zy [mailto:k9zy@...]
Sent: Thursday, 24 October 2002 12:18 pm
To: VX5@yahoogroups.com
Subject: [VX5] Re: External Power for transmit

Thanks, Thunder Chicken. Do I take it that the limitation to "receive only" as per the operators manual is only with the factory battery charger (500mW output at 12 v DC) and that once the lighter adapter (greater than 500 mW capacity from car battery or external DC power supply) is used the radio's internal electronic controls drop it out of "receive only" operations and allow the radio to transmit without the battery installed? I've not purchased a DC plug adapter and would have expected the Battery charger to double as an AC to DC converter to provide sufficient power for transmit operations. I've got a 10 amp 12 v DC supply I'd like to connect to the radio for full transmitt operations, but would like to do that via the DC plug jack, and not have to build a configuration to come in through the battery terminals. Anyone sell cig adapters for this at a reasonable price?

Thanks for your help.
Mark K9YZ

--- In VX5@y..., Thunder Chicken <w00dy65@y...> wrote:
>
> I use the cig lighter adaptor...no problems.
> k9zy <k9zy@y...> wrote:Hi folks,
> I've been frustrated with my VX-5R in that transmit power can only
be
> accomplished from the battery source (i.e. can't use an external DC
> source to do anything but charge the battery or listen in receive
> mode). Has anyone found a way to overcome this so I can save my
> battery life while driving or using the radio at my home with an
> external 12v DC power source instead of battery only power?
>
> Thanks
> K9ZY

>
>
>
> Yahoo! Groups SponsorADVERTISEMENT
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@y...
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service.
>
>
>
> ---
> Do you Yahoo!?
> Y! Web Hosting - Let the expert host your web site
>
> [Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

92. Help! VR-5R schematic needed!

Yahoo group: VX5
Date: 2002-11-11 05:33:03 UTC
From: chanman32388
Topic: 92 Message: 92

Hi,

I'm in the process of repairing my VR-5RS and found out my schematic doesn't match the circuit board. Does anyone have a schematic in PDF format for this model? I'm mainly interested in the keypad area, one of the surface mount diodes blew up and took a couple copper etches with it. The radio is operating again but I like to find out if all the necessary repairs are done correctly.

Thanks in advance,
Gary

93. Yahoo! erodes your privacy further - here's how to block it

Yahoo group: VX5
Date: 2002-11-13 23:13:40 UTC
From: John Bartley <jb3@canada.com>
Topic: 93 Message: 93

Yahoo groups has instituted another policy without informing its users. They are using web beacons ('pixels') to track users OUTSIDE of Yahoo's sites ("to conduct research on behalf of certain partners on their web sites and also for auditing purposes." This week.) You can opt out of this program by going here:

http://privacy.yahoo.com/privacy/us/pixels/details.html

After you click on the "opt out" link, pay attention to the next page. The gray button that comes up CANCELS the opt out, so don't click it; just close the browser tab or the browser window instead.

Do you Yahoo!?
U2 on LAUNCH - Exclusive greatest hits videos
http://launch.yahoo.com/u2

94. vxr receive problems

Yahoo group: VX5
Date: 2002-11-17 01:45:44 UTC
From: jjcd
Topic: 94 Message: 94

HELLO ALL,

ON MY VX5 IT SEAMS TO HAVE DEVELOPE A RECIEVEING PROBLEM. IT DOES NOT WANT TO RECIEVE ON 2METERS. IT WILL RECIEVE EVERY THING
ESLE OK, EVEN THE POLICE BAND. I DID TRY AND RESET THE MICROPROCESSOR RESETING. I ALSO RESET THE SET MODE. STILL NOTHING.
IT DOES SEAM TO TRANSMITT OK THOUGH. ANY IDEAS BEFORE I HAVE TO SEND IT BACK TO THE FACTORY?
YOURS TRULY,
DAVE W3CWE.....

[Non-text portions of this message have been removed]

95. Removing a Memory's Priority Flag

Yahoo group: VX5
Date: 2002-11-18 20:30:20 UTC
From: n3bbf_abe
Topic: 95 Message: 95

Hello all - I am a new VX-5R owner and am trying to learn my way around the rig. Whenever I try to store a frequency in memory channel 001 it is automatically saved as a priority channel. I'd like to remove the priority flag but have been unsuccessful and the instructions on page 50 only mention how to turn the priority flag on. Repeating the process does not toggle the setting. Can anybody shed some light on the subject?

Abe Schachter N3BBF

96. vx-5 or vx-5r

Yahoo group: VX5
Date: 2002-11-18 21:27:52 UTC
From: dave
Topic: 96 Message: 96

Hi can any one tell me what is the diferance between the 5 and 5r ?
and what is a good aerial for the vx 5 as i have read the stock 1 is
not too good thanks..

97. 2 meter performance

Yahoo group: VX5
Date: 2002-11-19 14:31:05 UTC
From: arkenah
Topic: 97 Message: 97

Is there a concensus on the best HT antenna for 2 meter performance?
Andy

98. VX-5 in the movies

Yahoo group: VX5
Date: 2002-11-19 19:29:00 UTC
From: Jeremy
Topic: 98 Message: 98

Accidental Spy starring Jackie Chan. Jackie Chan uses a VX-5R to communicate with a female police officer who also had a VX-5R during a moving tanker truck fire scene.

99. VX-5R Programming Cable

Yahoo group: VX5
Date: 2002-11-21 22:02:19 UTC
From: Bill
Topic: 99 Message: 99

Does anyone know have or know of a good resource or URL with instructions for making your own programming cables. I have vendors for both ends Ie serial connector and Four circuit plugs with or without cables. I just really need the connections to the serial connector.

Question 2.) I have a very new VX5R, bought in Nov. 2002 the MARS Freeband mods show different solder jumpers for different versions i.e. ver.1 , 2, and 3. the articles are more than a year old and I don't know if they pertain to my ser. no 1E650xxx. the articles cover ser number starting with 9E and 9D for revs. (1,2) and (3) respectively.

Question 3.) anyone tried software Frequency mods with "EVE" or other software jumper programs?

Thanks for any help. Bill N6ZEU Seattle

100. RE: [VX5] VX-5R Programming Cable

Yahoo group: VX5
Date: 2002-11-22 03:42:16 UTC
From: mabbts
Topic: 99 Message: 100

Eve works very well. That was one of the things I liked about the radio--the ability to do the MARS mod w/o having to open the case. I talked several times on our MARS repeater and the radio performed just about like it does on 2 meters, I didn't detect any difference, but then I didn't try from a fringe area!

73,,
Matt
AD5GX

-----Original Message-----
From: Bill [mailto:N6ZEU@...]
Sent: Thursday, November 21, 2002 3:02 PM
To: VX5@yahoogroups.com
Subject: [VX5] VX-5R Programming Cable

Does anyone know have or know of a good resource or URL with instructions for making your own programming cables. I have vendors for both ends Ie serial connector and Four circuit plugs with or without cables. I just really need the connections to the serial connector.

Question 2.) I have a very new VX5R, bought in Nov. 2002 the MARS Freeband mods show different solder jumpers for different versions i.e. ver.1 , 2, and 3. the articles are more than a year old and I don't know if they pertain to my ser. no 1E650xxx. the articles cover ser number starting with 9E and 9D for revs. (1,2) and (3) respectively.

Question 3.) anyone tried software Frequency mods with "EVE" or other software jumper programs?

Thanks for any help. Bill N6ZEU Seattle

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

101. Re: [VX5] VX-5R Programming Cable

Yahoo group: VX5
Date: 2002-11-25 00:39:10 UTC
From: N6ZEU@aol.com
Topic: 99 Message: 101

Thanks a lot for the info on the EVE program Matt. I found a resource and url with info on how to build the programming cable, and bi directional level converter needed to program the VX5. I decided that by the time you buy all the SMT components, make the PC board and cable assembly. You probably won't save much.

I now revise my "looking for" list to a vendor that sells an aftermarket cable and adapter assemblies. Thanks for the info again Matt I will download EVE ASAP.

73, Bill N6ZEU

102. Deleting duplicated mem group channel

Yahoo group: VX5
Date: 2002-12-13 17:51:24 UTC
From: Bill <N6ZEU@aol.com>
Topic: 102 Message: 102

I am looking for a way to delete a channel in a memory group. I know you can overwrite a channel, but here is my dilema:

When I first got my radio in my haste to try it out I punched a bunch of memory channels into my memory group. I inadvertently put one channel in three times in the same memory group. Now when I overwrite the channel it overwrites all 3 channels in the group. Any suggestions?

I would rather not reset because I don't have the programing software yet. Will ADMS or EVE fix this problem?

N6ZEU Bill

103. RE: [VX5] Deleting duplicated mem group channel

Yahoo group: VX5
Date: 2002-12-14 03:07:52 UTC
From: Noel Shrum
Topic: 102 Message: 103

> -----Original Message-----
> From: Bill <N6ZEU@...> [mailto:N6ZEU@...]
> Sent: Friday, December 13, 2002 12:51 PM
> To: VX5@yahoogroups.com
> Subject: [VX5] Deleting duplicated mem group channel
>
>
> I am looking for a way to delete a channel in a memory group. I know
> you can overwrite a channel, but here is my dilema:
>
> When I first got my radio in my haste to try it out I punched a bunch
> of memory channels into my memory group. I inadvertently put one
> channel in three times in the same memory group. Now when I overwrite
> the channel it overwrites all 3 channels in the group. Any
> suggestions?
>
> I would rather not reset because I don't have the programing software
> yet. Will ADMS or EVE fix this problem?
>
> N6ZEU Bill
>

As far as I know you delete the one you don't want in there by "masking" it.

I've never done it myself but to mask a memory you just hold down the F key until the channel number flashes and then press the MR key.

Now with mem groups I'm told it works the same way.

And yes, ADMS will fix it too. I'd say get ADMS as soon as possible as it makes it a lot easier to program the radio and move memories around.

Noel

104. 2m transmit problem

Yahoo group: VX5
Date: 2002-12-14 06:25:26 UTC
From: farleyeye2000 <farleyeye@hotmail.com>
Topic: 104 Message: 104

My VX5 has given up on 2m transmit only. 440 and 6m transmit still work. No rx problems.

When I PTT on 2m the bars go all the way up but there is notning on the watt meter. The unit gets hot VERY fast when attempting to transmit on 2m. After 45 sec the unit is too hot to hold. Heat not an issue on the other bands.

Theories?

Farley

105. Re: [VX5] Deleting duplicated mem group channel

Yahoo group: VX5
Date: 2002-12-14 23:43:07 UTC
From: N6ZEU@aol.com
Topic: 102 Message: 105

Thanks for the info Noel. I thought if I masked them I would lose a memory group channel but apparently that is not the case. I still have 24 in my mem group scan even with one masked.

Thanks again, Bill N6ZEU

106. Yaesu MH-34 speaker mic FS

Yahoo group: VX5
Date: 2002-12-28 23:48:20 UTC
From: Ken Simpson, W8EK
Topic: 106 Message: 106

For Sale:

Yaesu MH-34 speaker microphone
This is the one that fits the Yaesu VX-5, VX-1, and that series of HTs. It has a single 4 conductor, 3.5 mm plug on it. This one is just like new. $25 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

107. Re: Deleting duplicated mem group channel

Yahoo group: VX5
Date: 2002-12-16 17:04:35 UTC
From: tad <devoman1999@yahoo.com>
Topic: 102 Message: 107

Not sure if this will help but found from another source about deleting
a freq channel from a memory group.
1. Go into memory group F+4
2. Select memory channel, which you wish to clear.
3. Select the group, using DIAL, then press MR
4. Press and held (1sec) F button.
5. Press MR momentary.

Just got my VX5R saturday and learning everything works. Seems to be a
sweet unit.

108. Re: [VX5] Re: Deleting duplicated mem group channel

Yahoo group: VX5
Date: 2002-12-31 09:27:26 UTC
From: N6ZEU@aol.com
Topic: 102 Message: 108

Thank you for the info it seems that there quite a few undocumented operations in these little radios. I like mine a lot, and have found at least ten little shortcuts that are not in the manual.

Thanks again and have fun with the new radio.

Bill N6ZEU

109. Forsale: VX-5R (Black)

Yahoo group: VX5
Date: 2003-01-04 02:06:11 UTC
From: Noel Shrum
Topic: 109 Message: 109

This great rig works just like new.
I am selling it because I need the money.
It is unmodified. It will transmit only in the ham bands.
It still has the factory belt clip and lanyard.
The only damage it has to the case is cosmetic. the paint has started to rub off on the corners and the buttons on the keypad are getting worn. The edges of the FW, Band, and HM/RV keys are worn and the TX PO key is almost worn off all the way (you can see the top of the PO still). I sure you could get a new number pad from Yaesu and it'd look like new.
Comes with:

The manual. And it's in good shape :)
Circuit diagram (it's in good shape too)
Warranty card. (I filled it out and sent it in, sorry)
NC-72B OEM Wall wart
Yaesu MH-34B4B speaker/mic (looks brand-new) ($28 new)
FNB-58LI info page.
The box it came in from AES (and invoice)

I lost the stock rubber duck, so I can't give you that but I have two antennas to go with it that are very good ones. MH-209SMA 2m/440mhz 3" stubby duck ($24 new) MH-510 6m/2m/440 (20.35 inches tall, 3.2dBi gain on 440) ($34 new) the shrink wrap started to crack on the bottom of the coil so I wrapped the coil in electrical tape. They both work perfectly.

This radio was used, but not abused.

I have pictures of the radio on my website at:
http://knerd.com/~kb8sjt/vx5/

$250 or best offer

Noel W8TVI
ar798@...
231-409-5666

110. VX-5R power on problems

Yahoo group: VX5
Date: 2003-01-11 08:27:39 UTC
From: ke6qcv <KE6QCV@aol.com>
Topic: 110 Message: 110

Does anyone know of a fix for a problem with the power on button? My 5R has developed a problem with the power switch. Does anyone know if can I take it apart and clean the switch? I would hate to send it back to Yaesu, the turaround time is several months.

Terry

111. VX-5R Mod to receive cellphone freq's ??

Yahoo group: VX5
Date: 2003-01-13 22:59:27 UTC
From: n6hi <n6hi@yahoo.com>
Topic: 111 Message: 111

Any Mods out to allow reception on the cellular freqs??

TNX 73 John N6HI

112. Re: VX-5R Mod to receive cellphone freq's ??

Yahoo group: VX5
Date: 2003-01-15 16:49:56 UTC
From: John Bartley <jb3@canada.com>
Topic: 111 Message: 112

```
> Date: Mon, 13 Jan 2003 22:59:27 -0000
> From: "n6hi <n6hi@...>" <n6hi@...>
> Subject: VX-5R Mod to receive cellphone freq's ??
>
> Any Mods out to allow reception on the cellular freqs??
>
> TNX 73 John N6HI

Nope. Having a modded radio is now a felony under the Homeland Security
act, and sharing such information is conspiracy to commit a felony.

Remember that come election day, eh?

__________________________________________________
Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com
```

113. Re: VX-5R Mod to receive cellphone freq's ??

Yahoo group: VX5
Date: 2003-01-16 09:01:03 UTC
From: ke6qcv <KE6QCV@aol.com>
Topic: 111 Message: 113

--- In VX5@yahoogroups.com, "John Bartley <jb3@c...>"
<johnbartley3@y...> wrote:
>
> > Date: Mon, 13 Jan 2003 22:59:27 -0000
> > From: "n6hi <n6hi@y...>" <n6hi@y...>
> > Subject: VX-5R Mod to receive cellphone freq's ??
> >
> > Any Mods out to allow reception on the cellular freqs??
> >
> > TNX 73 John N6HI
>
>
> Nope. Having a modded radio is now a felony under the Homeland
Security
> act, and sharing such information is conspiracy to commit a
felony.
>
> Remember that come election day, eh?
>
>

Sorry there is nothing in the "Homeland Security Act" that mentions modified radio equipment, I've read all 475 pages. How ever, It is against FCC reg's to modify a Scanner or other radio receiver to monitor Cell phone conversations. And in some states its a crime to own a scanner or radio that can pick up police freq's. So beware the unlucky one's who live in some of the liberal police states. Your VX-5R could be a quick ticket to jail, if questiond just tell them it's a HAM radio Transcever, the dingbats wont know what it is.

Terry
>
> _____
> Do you Yahoo!?
> Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
> http://mailplus.yahoo.com

114. Re: VX-5R Mod to receive cellphone freq's ??

Yahoo group: VX5
Date: 2003-01-17 19:28:18 UTC
From: fernogurney <fernogurney@yahoo.com>
Topic: 111 Message: 114

```
--- In VX5@yahoogroups.com, "ke6qcv <KE6QCV@a...>" <KE6QCV@a...>
wrote:
> --- In VX5@yahoogroups.com, "John Bartley <jb3@c...>"
> <johnbartley3@y...> wrote:
> >
> > > Date: Mon, 13 Jan 2003 22:59:27 -0000
> > > From: "n6hi <n6hi@y...>" <n6hi@y...>
> > > Subject: VX-5R Mod to receive cellphone freq's ??
> > >
> > > Any Mods out to allow reception on the cellular freqs??
>
There was a guy several months ago, selling (on eBay of course) what
he said was a VX5R that he bought retail in Japan. He claimed it to
be opened to american cell freqs. I don't know whether it came opened
already, or whether the software mod. he did opened this japanese
model to our cell freqs.

But, who uses analog cell phones anymore anyway? How retro.
```

115. VX-5 Heavy Duty beltclips

Yahoo group: VX5
Date: 2003-01-18 19:01:33 UTC
From: Jeremy <lifestar53@hotmail.com>
Topic: 115 Message: 115

Clips will be in stock starting the first Tuesday in February.

Advanced orders are being taken at this time. USPS money orders and Paypal ONLY please.

Goto http://www.qsl.net/n2pqs to order yours.

116. Re: VX-5R power on problems

Yahoo group: VX5
Date: 2003-01-26 18:11:59 UTC
From: n2space2003 <johng@pureconnection.net>
Topic: 110 Message: 116

--- In VX5@yahoogroups.com, "ke6qcv <KE6QCV@a...>" <KE6QCV@a...>
wrote:
> Does anyone know of a fix for a problem with the power on button?
My
> 5R has developed a problem with the power switch. Does anyone know
if
> can I take it apart and clean the switch? I would hate to send it
> back to Yaesu, the turaround time is several months.
>
> Terry

Yes, you can take it apart and clean it. My VX5 (original version: slow CTCSS, loose SMA, warts, etc) developed the same difficult-to-power-up problem. Then Yaesu tech support suggested dirty contacts as the cuprit. I removed the PCB after opening up the case (the little end clips on that connector need a light touch) and cleaned (alcohol/Qtip) the small metal 'pattern' below the power button where the graphite on the rubber button touches the PCB to turn the radio on. There was an accumulation of gunk over the whole button area. The radio worked again but stopped powering up a few days later. Tech support then indicated the graphite coating on the power-on rubber button can get worn off over time and fail and sent me a replacement keypad (free!). This solved the problem and the radio is working great.

One way to tell if your radio has the button problem is to charge the radio. If it shows the radio is charging, then you have the button problem only. Versus a connector/crystal/overvoltage/el nino/etc issue.

Other than the connector and reseating the grommet around the periphery of the metal case halves, there were no tricky parts with the dis/assembly. Four small Phillips screws hold the PCB to the 'front' metal case -- and fortunately no other connectors to contend with there.

John
KF4YUI

117. Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-28 00:18:52 UTC
From: canuck_guy77 <canuck_guy77@hotmail.com>
Topic: 117 Message: 117

When I try transmitting with my vx5r connected to the AC power supply included with the radio, the radio powers off and turns on again. Is this a saftey feature to not allow me to transmit in while charging? Is it possible to transmit while charging?

118. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-28 11:56:04 UTC
From: Sidney Ko
Topic: 117 Message: 118

The reason why the HT shuts off and on is because the power supply does not provide enough current. When transmitting on high power, the VX5R requires 1,900 mAh and the AC power supply only gives 500 mAh.

--- "canuck_guy77 <canuck_guy77@...>" <canuck_guy77@...> wrote:
> When I try transmitting with my vx5r connected to
> the AC power
> supply included with the radio, the radio powers off
> and turns on
> again. Is this a saftey feature to not allow me to
> transmit in
> while charging? Is it possible to transmit while
> charging?
>
>
>

Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

119. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-28 14:08:19 UTC
From: Bill Tarkington
Topic: 117 Message: 119

I am curious! Are either one of you transmitting from AC while also using an external antenna? I have wanted to do this but have been reluctant to try it, because of a post I saw some months ago stating that this for some unknown reason would burn up/ otherwise destroy the VX-5. Cannot imagine why this would be so, but sure did not desire to risk that kind of investment to find out. Please advise. Thanks
----- Original Message -----
From: Sidney Ko
To: VX5@yahoogroups.com
Sent: Tuesday, January 28, 2003 5:56 AM
Subject: Re: [VX5] Transmit while connected to AC supply

The reason why the HT shuts off and on is because the
power supply does not provide enough current. When
transmitting on high power, the VX5R requires 1,900
mAh and the AC power supply only gives 500 mAh.

--- "canuck_guy77 <canuck_guy77@...>"
<canuck_guy77@...> wrote:
> When I try transmitting with my vx5r connected to
> the AC power
> supply included with the radio, the radio powers off
> and turns on
> again. Is this a saftey feature to not allow me to
> transmit in
> while charging? Is it possible to transmit while
> charging?
>
>
>

Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

120. Re: [VX5] Digest Number 82

Yahoo group: VX5
Date: 2003-01-28 16:36:10 UTC
From: Mark Engebretsen
Topic: 120 Message: 120

The VX5R will not transmit from the power supplied by the (low volts and low amp) charger, only receive. You will need a "transmit capable" volt and amp supply to get it to allow you to transmit. I use mine off the car adapter - can be used in vehicle or wired to a household AC converted supply to 12 Volts.
73s
K9ZY, Mark
VX5@yahoogroups.com wrote:To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

There is 1 message in this issue.

Topics in this digest:

1. Transmit while connected to AC supply
From: "canuck_guy77 "

Message: 1
Date: Tue, 28 Jan 2003 00:18:52 -0000
From: "canuck_guy77 "
Subject: Transmit while connected to AC supply

When I try transmitting with my vx5r connected to the AC power
supply included with the radio, the radio powers off and turns on
again. Is this a saftey feature to not allow me to transmit in
while charging? Is it possible to transmit while charging?

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now

[Non-text portions of this message have been removed]

121. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-28 20:28:14 UTC
From: Sidney Ko
Topic: 117 Message: 121

I have used an external antenna... and had no
problems.

The only thing I can think of if someone burnt their
unit was because of improper connection and high SWR.

--- Bill Tarkington <K3YC@...> wrote:
> I am curious! Are either one of you transmitting
> from AC while also using an external antenna? I
> have wanted to do this but have been reluctant to
> try it, because of a post I saw some months ago
> stating that this for some unknown reason would burn
> up/ otherwise destroy the VX-5. Cannot imagine why
> this would be so, but sure did not desire to risk
> that kind of investment to find out. Please advise.
> Thanks
> ----- Original Message -----
> From: Sidney Ko
> To: VX5@yahoogroups.com
> Sent: Tuesday, January 28, 2003 5:56 AM
> Subject: Re: [VX5] Transmit while connected to AC
> supply
>
>
> The reason why the HT shuts off and on is because
> the
> power supply does not provide enough current. When
> transmitting on high power, the VX5R requires
> 1,900
> mAh and the AC power supply only gives 500 mAh.
>
>
> --- "canuck_guy77 <canuck_guy77@...>"
> <canuck_guy77@...> wrote:
> > When I try transmitting with my vx5r connected
> to
> > the AC power
> > supply included with the radio, the radio powers
> off
> > and turns on
> > again. Is this a saftey feature to not allow me
> to
> > transmit in
> > while charging? Is it possible to transmit
> while

> > charging?
> >
> >
> >
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail Plus - Powerful. Affordable. Sign up
> now.
> http://mailplus.yahoo.com
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo!
> Terms of Service.
>
>
> [Non-text portions of this message have been
> removed]
>
>
>

_____
Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

122. RE: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-28 20:47:17 UTC
From: Schachter, Abe
Topic: 117 Message: 122

Perhaps if the antenna was shorted out but otherwise that claim defies reason. I've connected my VX-5R to external antennas, triplexers, power amplifiers, etc while connected to a regulated external power supply of appropriate amperage with no problems whatsoever.

Abe Schachter N3BBF
Potomac MD
Grid FM19

--- Bill Tarkington <K3YC@...> wrote:
> I am curious! Are either one of you transmitting
> from AC while also using an external antenna? I
> have wanted to do this but have been reluctant to
> try it, because of a post I saw some months ago
> stating that this for some unknown reason would burn
> up/ otherwise destroy the VX-5. Cannot imagine why
> this would be so, but sure did not desire to risk
> that kind of investment to find out. Please advise.
> Thanks

123. Re: [VX5] Digest Number 82

Yahoo group: VX5
Date: 2003-01-29 00:54:03 UTC
From: Bill Tarkington
Topic: 120 Message: 123

As I previously stated in this thread, I want to operate my VX-5 with an external PS and Antenna. But, have not had the courage to actally attempt it becasue of a post I say some months ago in one reflector on the other stating that this would destroy the radio. I have purchase the MFJ minature switching PS they make for the Yaseu 817 QRP rig. It has enough voltage, and current to meet the VX5 requirements while being very compact and lightweight. Also, have the external antenna. Just have yet to screw up the courage to try them both at the same time. No one I have found can explain just why or how this circumstance could harm the radio, to date.
----- Original Message -----
From: Mark Engebretsen
To: VX5@yahoogroups.com
Sent: Tuesday, January 28, 2003 10:36 AM
Subject: Re: [VX5] Digest Number 82

The VX5R will not transmit from the power supplied by the (low volts and low amp) charger, only receive. You will need a "transmit capable" volt and amp supply to get it to allow you to transmit. I use mine off the car adapter - can be used in vehicle or wired to a household AC converted supply to 12 Volts.
73s
K9ZY, Mark
VX5@yahoogroups.com wrote:To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

There is 1 message in this issue.

Topics in this digest:

1. Transmit while connected to AC supply
From: "canuck_guy77 "

Message: 1
Date: Tue, 28 Jan 2003 00:18:52 -0000
From: "canuck_guy77 "
Subject: Transmit while connected to AC supply

When I try transmitting with my vx5r connected to the AC power
supply included with the radio, the radio powers off and turns on
again. Is this a saftey feature to not allow me to transmit in
while charging? Is it possible to transmit while charging?

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now

[Non-text portions of this message have been removed]

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

124. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-29 00:59:16 UTC
From: Bill Tarkington
Topic: 117 Message: 124

Hi Sidney. Just want to confirm. You have operated the VX-5 (transmitted) while using both and external AC power supply, and an external antenna, both at the same time? thanks.
----- Original Message -----
From: Sidney Ko
To: VX5@yahoogroups.com
Sent: Tuesday, January 28, 2003 2:28 PM
Subject: Re: [VX5] Transmit while connected to AC supply

I have used an external antenna... and had no
problems.

The only thing I can think of if someone burnt their
unit was because of improper connection and high SWR.

--- Bill Tarkington <K3YC@...> wrote:
> I am curious! Are either one of you transmitting
> from AC while also using an external antenna? I
> have wanted to do this but have been reluctant to
> try it, because of a post I saw some months ago
> stating that this for some unknown reason would burn
> up/ otherwise destroy the VX-5. Cannot imagine why
> this would be so, but sure did not desire to risk
> that kind of investment to find out. Please advise.
> Thanks
> ----- Original Message -----
> From: Sidney Ko
> To: VX5@yahoogroups.com
> Sent: Tuesday, January 28, 2003 5:56 AM
> Subject: Re: [VX5] Transmit while connected to AC
> supply
>
>
> The reason why the HT shuts off and on is because
> the
> power supply does not provide enough current. When
> transmitting on high power, the VX5R requires
> 1,900
> mAh and the AC power supply only gives 500 mAh.
>
>
> --- "canuck_guy77 <canuck_guy77@...>"
> <canuck_guy77@...> wrote:
> > When I try transmitting with my vx5r connected
> to
> > the AC power
> > supply included with the radio, the radio powers

> off
> > and turns on
> > again. Is this a saftey feature to not allow me
> to
> > transmit in
> > while charging? Is it possible to transmit
> while
> > charging?
> >
> >
> >
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail Plus - Powerful. Affordable. Sign up
> now.
> http://mailplus.yahoo.com
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo!
> Terms of Service.
>
>
> [Non-text portions of this message have been
> removed]
>
>
>

_____
Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

125. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-29 02:08:58 UTC
From: Sidney Ko
Topic: 117 Message: 125

yes that is correct! I had used the car adaptor and
mag mount antenna. I had used this as a temporary
mobile rig.

But note.... the car adaptor and wall charger are NOT
the same. Wall charger should be used as a charger.
The car adaptor can be used as charger but also used
for powering your VX5R when transmitting.

--- Bill Tarkington <K3YC@...> wrote:
> Hi Sidney. Just want to confirm. You have operated
> the VX-5 (transmitted) while using both and external
> AC power supply, and an external antenna, both at
> the same time? thanks.
> ----- Original Message -----
> From: Sidney Ko
> To: VX5@yahoogroups.com
> Sent: Tuesday, January 28, 2003 2:28 PM
> Subject: Re: [VX5] Transmit while connected to AC
> supply
>
>
> I have used an external antenna... and had no
> problems.
>
> The only thing I can think of if someone burnt
> their
> unit was because of improper connection and high
> SWR.
>
>
>
> --- Bill Tarkington <K3YC@...> wrote:
> > I am curious! Are either one of you transmitting
> > from AC while also using an external antenna? I
> > have wanted to do this but have been reluctant
> to
> > try it, because of a post I saw some months ago
> > stating that this for some unknown reason would
> burn
> > up/ otherwise destroy the VX-5. Cannot imagine
> why
> > this would be so, but sure did not desire to
> risk
> > that kind of investment to find out. Please

> advise.
> > Thanks
> > ----- Original Message -----
> > From: Sidney Ko
> > To: VX5@yahoogroups.com
> > Sent: Tuesday, January 28, 2003 5:56 AM
> > Subject: Re: [VX5] Transmit while connected to
> AC
> > supply
> >
> >
> > The reason why the HT shuts off and on is
> because
> > the
> > power supply does not provide enough current.
> When
> > transmitting on high power, the VX5R requires
> > 1,900
> > mAh and the AC power supply only gives 500
> mAh.
> >
> >
> > --- "canuck_guy77 <canuck_guy77@...>"
> > <canuck_guy77@...> wrote:
> > > When I try transmitting with my vx5r
> connected
> > to
> > > the AC power
> > > supply included with the radio, the radio
> powers
> > off
> > > and turns on
> > > again. Is this a saftey feature to not
> allow me
> > to
> > > transmit in
> > > while charging? Is it possible to transmit
> > while
> > > charging?
> > >
> > >
> > >
> >
> >
> >
> _____
> > Do you Yahoo!?
> > Yahoo! Mail Plus - Powerful. Affordable. Sign
> up
> > now.

> > http://mailplus.yahoo.com
> >
> > Yahoo! Groups Sponsor
> > ADVERTISEMENT
> >
> >
> >
> >
> > To unsubscribe from this group, send an email
> to:
> > VX5-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to the
> Yahoo!
> > Terms of Service.
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
> >
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail Plus - Powerful. Affordable. Sign up
> now.
> http://mailplus.yahoo.com
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo!
> Terms of Service.
>
>
> [Non-text portions of this message have been
> removed]
>

>

Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

126. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-29 02:12:01 UTC
From: Bill Tarkington
Topic: 117 Message: 126

Thanks for that input and confirmation!
----- Original Message -----
From: Schachter, Abe
To: 'VX5@yahoogroups.com'
Sent: Tuesday, January 28, 2003 2:47 PM
Subject: RE: [VX5] Transmit while connected to AC supply

Perhaps if the antenna was shorted out but otherwise that claim defies reason. I've connected my VX-5R to external antennas, triplexers, power amplifiers, etc while connected to a regulated external power supply of appropriate amperage with no problems whatsoever.

Abe Schachter N3BBF
Potomac MD
Grid FM19

--- Bill Tarkington <K3YC@...> wrote:
> I am curious! Are either one of you transmitting
> from AC while also using an external antenna? I
> have wanted to do this but have been reluctant to
> try it, because of a post I saw some months ago
> stating that this for some unknown reason would burn
> up/ otherwise destroy the VX-5. Cannot imagine why
> this would be so, but sure did not desire to risk
> that kind of investment to find out. Please advise.
> Thanks

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

127. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-01-29 06:03:14 UTC
From: Bill Tarkington
Topic: 117 Message: 127

Thanks for the information. Guess I will give it a whirl now!
----- Original Message -----
From: Sidney Ko
To: VX5@yahoogroups.com
Sent: Tuesday, January 28, 2003 8:08 PM
Subject: Re: [VX5] Transmit while connected to AC supply

yes that is correct! I had used the car adaptor and
mag mount antenna. I had used this as a temporary
mobile rig.

But note.... the car adaptor and wall charger are NOT
the same. Wall charger should be used as a charger.
The car adaptor can be used as charger but also used
for powering your VX5R when transmitting.

--- Bill Tarkington <K3YC@...> wrote:
> Hi Sidney. Just want to confirm. You have operated
> the VX-5 (transmitted) while using both and external
> AC power supply, and an external antenna, both at
> the same time? thanks.
> ----- Original Message -----
> From: Sidney Ko
> To: VX5@yahoogroups.com
> Sent: Tuesday, January 28, 2003 2:28 PM
> Subject: Re: [VX5] Transmit while connected to AC
> supply
>
>
> I have used an external antenna... and had no
> problems.
>
> The only thing I can think of if someone burnt
> their
> unit was because of improper connection and high
> SWR.
>
>
>
> --- Bill Tarkington <K3YC@...> wrote:
> > I am curious! Are either one of you transmitting
> > from AC while also using an external antenna? I
> > have wanted to do this but have been reluctant
> to
> > try it, because of a post I saw some months ago
> > stating that this for some unknown reason would

> burn
> > up/ otherwise destroy the VX-5. Cannot imagine
> why
> > this would be so, but sure did not desire to
> risk
> > that kind of investment to find out. Please
> advise.
> > Thanks
> > ----- Original Message -----
> > From: Sidney Ko
> > To: VX5@yahoogroups.com
> > Sent: Tuesday, January 28, 2003 5:56 AM
> > Subject: Re: [VX5] Transmit while connected to
> AC
> > supply
> >
> >
> > The reason why the HT shuts off and on is
> because
> > the
> > power supply does not provide enough current.
> When
> > transmitting on high power, the VX5R requires
> > 1,900
> > mAh and the AC power supply only gives 500
> mAh.
> >
> >
> > --- "canuck_guy77 <canuck_guy77@...>"
> > <canuck_guy77@...> wrote:
> > > When I try transmitting with my vx5r
> connected
> > to
> > > the AC power
> > > supply included with the radio, the radio
> powers
> > off
> > > and turns on
> > > again. Is this a saftey feature to not
> allow me
> > to
> > > transmit in
> > > while charging? Is it possible to transmit
> > while
> > > charging?
> > >
> > >
> > >
> >
> >

> >
> _____
> > Do you Yahoo!?
> > Yahoo! Mail Plus - Powerful. Affordable. Sign
> up
> > now.
> > http://mailplus.yahoo.com
> >
> > Yahoo! Groups Sponsor
> > ADVERTISEMENT
> >
> >
> >
> >
> > To unsubscribe from this group, send an email
> to:
> > VX5-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to the
> Yahoo!
> > Terms of Service.
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
> >
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail Plus - Powerful. Affordable. Sign up
> now.
> http://mailplus.yahoo.com
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to the Yahoo!

> Terms of Service.
>
>
> [Non-text portions of this message have been
> removed]
>
>

Do you Yahoo!?
Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
http://mailplus.yahoo.com

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

128. VX-5R to soundcard

Yahoo group: VX5
Date: 2003-02-05 22:52:27 UTC
From: cdfhgf <lionelcarter@lineone.net>
Topic: 128 Message: 128

I want to connect my VX-5R to my pc's soundcard but am thrown by the four pole plug/socket.
Can I just plug in a normal mono jack to the mic/spk socket or will this muck up the PTT side of things.
I don't have a separate mic. I just want to pick up the audio output.
Will the action of putting any plug into the socket disable the PTT?
If a mono plug won't work is there any way of wiring a four pole plug to just pick up the audio?
The main reason for connecting to my pc is to use a voice activated recorder program so I can leave it to monitor a freq so it won't record the silences between uses of the freq.

129. Problem with ADMS

Yahoo group: VX5
Date: 2003-02-06 14:43:23 UTC
From: cdfhgf <lionelcarter@lineone.net>
Topic: 129 Message: 129

Whenever I enter a broadcast freq requiring WFM the cloning software always downloads it as NFM.
I have Auto Receive Mode checked in the Main View.
There is not a WFM option in the Edit memory mode.
Once downloaded I can't change it from NFM to WFM via the VX-5R's keyboard.
If I use set mode to change it to Auto or WFM it changes for the time being but reverts to NFM once I switch away from that memory channel.

My mode is set to Auto in the VX-5R and when using VFO the FM broadcast frequencies come up as WFM as expected.

What am I doing wrong?

Incidentally are RTS still in existance, emails are not responded to at ADMS1@...?

130. Re: VX-5R to soundcard

Yahoo group: VX5
Date: 2003-02-06 23:37:30 UTC
From: Kevin <kevin.orourke1@attbi.com>
Topic: 128 Message: 130

--- In VX5@yahoogroups.com, "cdfhgf <lionelcarter@l...>"
<lionelcarter@l...> wrote:
> I want to connect my VX-5R to my pc's soundcard but am thrown by the
> four pole plug/socket.

The ADMS 1E programming software comes with a short cable that plugs into the 1/8" 4-conductor jack on the side of the radio - the other end of the cable terminates in a normal two-conductor 1/8" jack....in addition to it's normal programming purposes, it can also be used to pass audio to a speaker, headphones (mono) or earphone. This cable should work well for your sound card purposes.

Kevin

131. Re: [VX5] Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-02-05 02:27:10 UTC
From: jjcd
Topic: 117 Message: 131

I have a question on my vx5. My rig was working just find. But for some
reason my receive went out on the two meter band. Plus the P.S. band
became weak. The transmit on two works just find. Every thing else is
ok to. I talked with the Yeasue repair service and they said that they
never
herd of that problem. Has any one else. Would any one know what parts
would need to be replaced? Many thanks for any help,
Yours truly,
Dave W3CWE.....

"Are you still wasting your time with spam?...
There is a solution!"

Protected by GIANT Company's Spam Inspector
The most powerful anti-spam software available.
http://www.giantcompany.com

----- Original Message -----
From: "Bill Tarkington" <K3YC@...>
To: <VX5@yahoogroups.com>
Sent: Wednesday, January 29, 2003 1:03 AM
Subject: Re: [VX5] Transmit while connected to AC supply

> Thanks for the information. Guess I will give it a whirl now!
> ----- Original Message -----
> From: Sidney Ko
> To: VX5@yahoogroups.com
> Sent: Tuesday, January 28, 2003 8:08 PM
> Subject: Re: [VX5] Transmit while connected to AC supply
>
>
> yes that is correct! I had used the car adaptor and
> mag mount antenna. I had used this as a temporary
> mobile rig.
>
> But note.... the car adaptor and wall charger are NOT
> the same. Wall charger should be used as a charger.
> The car adaptor can be used as charger but also used
> for powering your VX5R when transmitting.
>
>
>
> --- Bill Tarkington <K3YC@...> wrote:
> > Hi Sidney. Just want to confirm. You have operated
> > the VX-5 (transmitted) while using both and external

> > AC power supply, and an external antenna, both at
> > the same time? thanks.
> > ----- Original Message -----
> > From: Sidney Ko
> > To: VX5@yahoogroups.com
> > Sent: Tuesday, January 28, 2003 2:28 PM
> > Subject: Re: [VX5] Transmit while connected to AC
> > supply
> >
> >
> > I have used an external antenna... and had no
> > problems.
> >
> > The only thing I can think of if someone burnt
> > their
> > unit was because of improper connection and high
> > SWR.
> >
> >
> >
> > --- Bill Tarkington <K3YC@...> wrote:
> > > I am curious! Are either one of you transmitting
> > > from AC while also using an external antenna? I
> > > have wanted to do this but have been reluctant
> > to
> > > try it, because of a post I saw some months ago
> > > stating that this for some unknown reason would
> > burn
> > > up/ otherwise destroy the VX-5. Cannot imagine
> > why
> > > this would be so, but sure did not desire to
> > risk
> > > that kind of investment to find out. Please
> > advise.
> > > Thanks
> > > ----- Original Message -----
> > > From: Sidney Ko
> > > To: VX5@yahoogroups.com
> > > Sent: Tuesday, January 28, 2003 5:56 AM
> > > Subject: Re: [VX5] Transmit while connected to
> > AC
> > > supply
> > >
> > >
> > > The reason why the HT shuts off and on is
> > because
> > > the
> > > power supply does not provide enough current.
> > When
> > > transmitting on high power, the VX5R requires

> > > 1,900
> > > mAh and the AC power supply only gives 500
> > mAh.
> > >
> > >
> > > --- "canuck_guy77 <canuck_guy77@...>"
> > > <canuck_guy77@...> wrote:
> > > > When I try transmitting with my vx5r
> > connected
> > > > to
> > > > > the AC power
> > > > > supply included with the radio, the radio
> > powers
> > > > off
> > > > > and turns on
> > > > > again. Is this a saftey feature to not
> > allow me
> > > > to
> > > > > transmit in
> > > > > while charging? Is it possible to transmit
> > > > while
> > > > > charging?
> > > > >
> > > > >
> > > > >
> > > >
> > > >
> > > >
> > _____
> > > > Do you Yahoo!?
> > > > Yahoo! Mail Plus - Powerful. Affordable. Sign
> > up
> > > > now.
> > > > http://mailplus.yahoo.com
> > > >
> > > > Yahoo! Groups Sponsor
> > > > ADVERTISEMENT
> > > >
> > > >
> > > >
> > > >
> > > > To unsubscribe from this group, send an email
> > to:
> > > > VX5-unsubscribe@yahoogroups.com
> > > >
> > > >
> > > >
> > > > Your use of Yahoo! Groups is subject to the
> > Yahoo!
> > > > Terms of Service.

> > >
> > >
> > > [Non-text portions of this message have been
> > > removed]
> > >
> > >
> > >
> >
> >
> > _____
> > Do you Yahoo!?
> > Yahoo! Mail Plus - Powerful. Affordable. Sign up
> > now.
> > http://mailplus.yahoo.com
> >
> > Yahoo! Groups Sponsor
> > ADVERTISEMENT
> >
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> > VX5-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to the Yahoo!
> > Terms of Service.
> >
> >
> > [Non-text portions of this message have been
> > removed]
> >
> >
>
>
> _____
> Do you Yahoo!?
> Yahoo! Mail Plus - Powerful. Affordable. Sign up now.
> http://mailplus.yahoo.com
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>

>
>
> Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>
>
> [Non-text portions of this message have been removed]
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

132. Re: Transmit while connected to AC supply

Yahoo group: VX5
Date: 2003-02-20 00:31:46 UTC
From: n8ureb <n8ureb@yahoo.com>
Topic: 117 Message: 132

You can NOT use the power supply that came with this radio to power this radio AND transmit. the AC Wall Wart only puts out enought to either charge the radio or to power the reciever to listen.

James

kf6vwh

--- In VX5@yahoogroups.com, "jjcd" <jjcd@p...> wrote:
> I have a question on my vx5. My rig was working just find. But for some
> reason my receive went out on the two meter band. Plus the P.S. band
> became weak. The transmit on two works just find. Every thing else is
> ok to. I talked with the Yeasue repair service and they said that they
> never
> herd of that problem. Has any one else. Would any one know what parts
> would need to be replaced? Many thanks for any help,
> Yours truly,
> Dave W3CWE.....
>
>
> ---
-
> "Are you still wasting your time with spam?...
> There is a solution!"
>
> Protected by GIANT Company's Spam Inspector
> The most powerful anti-spam software available.
> http://www.giantcompany.com
>
>
> ----- Original Message -----
> From: "Bill Tarkington" <K3YC@a...>
> To: <VX5@yahoogroups.com>
> Sent: Wednesday, January 29, 2003 1:03 AM
> Subject: Re: [VX5] Transmit while connected to AC supply
>
>
> > Thanks for the information. Guess I will give it a whirl now!
> > ----- Original Message -----
> > From: Sidney Ko
> > To: VX5@yahoogroups.com

> > Sent: Tuesday, January 28, 2003 8:08 PM
> > Subject: Re: [VX5] Transmit while connected to AC supply
> >
> >
> > yes that is correct! I had used the car adaptor and
> > mag mount antenna. I had used this as a temporary
> > mobile rig.
> >
> > But note.... the car adaptor and wall charger are NOT
> > the same. Wall charger should be used as a charger.
> > The car adaptor can be used as charger but also used
> > for powering your VX5R when transmitting.
> >
> >
> >
> > --- Bill Tarkington <K3YC@a...> wrote:
> > > Hi Sidney. Just want to confirm. You have operated
> > > the VX-5 (transmitted) while using both and external
> > > AC power supply, and an external antenna, both at
> > > the same time? thanks.
> > > ----- Original Message -----
> > > From: Sidney Ko
> > > To: VX5@yahoogroups.com
> > > Sent: Tuesday, January 28, 2003 2:28 PM
> > > Subject: Re: [VX5] Transmit while connected to AC
> > > supply
> > >
> > >
> > > I have used an external antenna... and had no
> > > problems.
> > >
> > > The only thing I can think of if someone burnt
> > > their
> > > unit was because of improper connection and high
> > > SWR.
> > >
> > >
> > >
> > > --- Bill Tarkington <K3YC@a...> wrote:
> > > > I am curious! Are either one of you transmitting
> > > > from AC while also using an external antenna? I
> > > > have wanted to do this but have been reluctant
> > > to
> > > > try it, because of a post I saw some months ago
> > > > stating that this for some unknown reason would
> > > burn
> > > > up/ otherwise destroy the VX-5. Cannot imagine
> > > why
> > > > this would be so, but sure did not desire to
> > > risk

> > > > that kind of investment to find out. Please
> > > advise.
> > > > Thanks
> > > > ----- Original Message -----
> > > > From: Sidney Ko
> > > > To: VX5@yahoogroups.com
> > > > Sent: Tuesday, January 28, 2003 5:56 AM
> > > > Subject: Re: [VX5] Transmit while connected to
> > > AC
> > > > supply
> > > >
> > > >
> > > > The reason why the HT shuts off and on is
> > > because
> > > > the
> > > > power supply does not provide enough current.
> > > When
> > > > transmitting on high power, the VX5R requires
> > > > 1,900
> > > > mAh and the AC power supply only gives 500
> > > mAh.
> > > >
> > > >
> > > > --- "canuck_guy77 <canuck_guy77@h...>"
> > > > <canuck_guy77@h...> wrote:
> > > > > When I try transmitting with my vx5r
> > > connected
> > > > to
> > > > > the AC power
> > > > > supply included with the radio, the radio
> > > powers
> > > > off
> > > > > and turns on
> > > > > again. Is this a saftey feature to not
> > > allow me
> > > > to
> > > > > transmit in
> > > > > while charging? Is it possible to transmit
> > > > while
> > > > > charging?
> > > > >

133. Software for Linux

Yahoo group: VX5
Date: 2003-02-20 05:09:53 UTC
From: Geoff
Topic: 133 Message: 133

I was wondering is there any software to program the VX-5 for Linux or does anyone have any experience using WINE and the ADMS software.

Thank you,

Geoff

135. Yaesu MH-34 speaker microphone FS

Yahoo group: VX5
Date: 2003-03-10 12:45:10 UTC
From: Ken Simpson, W8EK
Topic: 135 Message: 135

For Sale:

Yaesu MH-34 speaker microphone
This is the one that fits the Yaesu VX-5, VX-1, and that series of HTs. It has a single 4 conductor, 3.5 mm plug on it. This one is just like new. $25 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

136. Looking for Programming SW for VX5...

Yahoo group: VX5
Date: 2003-03-14 14:29:50 UTC
From: icomanus
Topic: 136 Message: 136

Hello,

I am new to this group. I am getting ready to take my technicians test. I am also awaiting delivery of a VX5 that I recently ordered.

Anyways my question is. I am looking for recommendations for PC programming software for the VX5. Freeware, Shareware or Payware. I just don't know what choices I have...

Thanks,
Mark

137. Re: Looking for Programming SW for VX5...

Yahoo group: VX5
Date: 2003-03-16 21:34:30 UTC
From: Shannon Mossman
Topic: 136 Message: 137

I bought the ADMS software at the same time as the radio, but before the radio arrived, I found EVE on the web. It works great and the MARS/CAP and Freenband modifications are done through the software. The only thing I used out of the ADMS package was the cable.

I found EVE at:

http://www.icongrp.com/~sllewd/vx5rmain.htm#software

Regards,

Shannon
W6SPY

--- In VX5@yahoogroups.com, "icomanus" <markbutler@a...> wrote:
> Hello,
>
> I am new to this group. I am getting ready to take my technicians
> test. I am also awaiting delivery of a VX5 that I recently ordered.
>
> Anyways my question is. I am looking for recommendations for PC
> programming software for the VX5. Freeware, Shareware or Payware.
I
> just don't know what choices I have...
>
> Thanks,
> Mark

138. Re: VX-5R Mod to receive cellphone freq's ??

Yahoo group: VX5
Date: 2003-03-17 17:51:08 UTC
From: sk94602
Topic: 111 Message: 138

owning eq. that can recieve cell freq. got lumped into the same pile as network hacking. The rationale is that you hear the ID code of the phone and can then use it for "cloning" a cell phone. It is all a felony and falls under the umbrella of "domestic terrorism" just like hacking has. So whether it's stated or not I do believe it does fall under homeland security. Actualy since just about all enforcement branches of government are now part of homeland security it's probably a somewhat meaningless distinction. There busting "terorrists" for INS violations, sort of blurs the lines.

Whatever the actual legal status is everyone seems to agree that you run a big risk owning anything that would recieve cell freq. and why would you want to anyway. The law is a bit outdated since I think the new systems don't have the vulnerability the old ones did.

SK

>
> Sorry there is nothing in the "Homeland Security Act" that mentions
> modified radio equipment, I've read all 475 pages. How ever, It is
> against FCC reg's to modify a Scanner or other radio receiver to
> monitor Cell phone conversations. And in some states its a crime to
> own a scanner or radio that can pick up police freq's. So beware the
> unlucky one's who live in some of the liberal police states. Your VX-
> 5R could be a quick ticket to jail, if questiond just tell them it's
> a HAM radio Transcever, the dingbats wont know what it is.
>
> Terry
> >

139. Re: VX-5R to soundcard

Yahoo group: VX5
Date: 2003-03-17 17:59:13 UTC
From: sk94602
Topic: 128 Message: 139

NO
The wiring is wrong. Do a google search for VX-5R modifications page. They have a wireing diagram for the plug.
SK

....in
> addition to it's normal programming purposes, it can also be used to
> pass audio to a speaker, headphones (mono) or earphone. This cable
> should work well for your sound card purposes.
>
> Kevin

140. Re: VX-5R to soundcard

Yahoo group: VX5
Date: 2003-03-17 18:06:38 UTC
From: sk94602
Topic: 128 Message: 140

One other thing. The VX is expecting a 16 ohm speaker on the output, and it's expecting to have to drive that speaker. You sound card probably expects a line level input and has probably a 10k-100k input imedence. The imp. missmatch should be OK since it's going the right way but the VX can put out a signal that is hundreads of times stronger than you card expects. So either pad down the VX signal or keep the Vol. very low or you will get LOTS of distortion.

SK

141. Re: Digest 1541

Yahoo group: VX5
Date: 2003-03-18 11:38:03 UTC
From: mzfb@aol.com
Topic: 141 Message: 141

Chris
I would like to see you develop the software for the portables. I belong to a search and rescue group and I have been on many searches were we need different FREQ's. So your thoughts on right on track with mine about having a disk available to program the radio's. Before anyone says it I know there are wide variety of Ht's on the commercial side but these won't have the FREQ range that our Ht's have. I bring my lap top with software to assist on these types of problems.
I no longer have a VX-5 but I have Icom T90 and it has a better FREQ and easier to use software than the VX-5. You should also look at the VX-7 too
Thanks
Mike

[Non-text portions of this message have been removed]

142. Looking for factory antenna...

Yahoo group: VX5
Date: 2003-03-21 21:14:37 UTC
From: icomanus
Topic: 142 Message: 142

Hello,

I just recieved my VX-5 that I purchased from ebay this morning. I didn't have the factory antenna w/ interchangable tips.

Is there anywhere other than Yaesu that I can purchase one?

How well does it work for shortwave?

Just a couple of questions...

Thanks,
Mark

143. Re: Looking for factory antenna...

Yahoo group: VX5
Date: 2003-03-22 03:12:06 UTC
From: Shannon Mossman
Topic: 142 Message: 143

I dunno, but I bought a new triband antenna because I thought something longer and expensive would work better.... No only did it not work better... It didn't work at all. The candy store said that there have been other complaints, something about the connectors on the antenna not being long enough for the Yeaseu version.... I just put the extender on and left it that way. It doesn't seem to make a difference on 2m or 440, but it makes all the difference on 6m.

Shannon
W6SPY

--- In VX5@yahoogroups.com, "icomanus" <markbutler@a...> wrote:
> Hello,
>
> I just recieved my VX-5 that I purchased from ebay this morning. I
> didn't have the factory antenna w/ interchangable tips.
>
> Is there anywhere other than Yaesu that I can purchase one?
>
> How well does it work for shortwave?
>
> Just a couple of questions...
>
> Thanks,
> Mark

144. Looking for Serial Number...

Yahoo group: VX5
Date: 2003-03-22 15:39:30 UTC
From: icomanus
Topic: 144 Message: 144

Hello,

I just recieved my VX-5 that I purchased on ebay. I wanted to find out what generation it is by looking at the serial number. But I can't see one.

It looked like the recessed area behind the belt clip was made for a label/sticker, but no serial number. I also checked under the battery...

Thanks for the help!
Mark

145. RE: [VX5] Looking for Serial Number...

Yahoo group: VX5
Date: 2003-03-22 15:58:29 UTC
From: Sherwood R. Probeck
Topic: 144 Message: 145

Greetings!

That recessed area behind the belt clip is where the serial number sticker should be located.
A very good site to check out is http://www.icongrp.com/~sllewd/
This might answer some questions you might have.

I'll look around and see if I can find out for you if there is another way of determining your generation.

Cheers,
Sherwood, KE3MI

-----Original Message-----
From: icomanus [mailto:markbutler@...]
Sent: Saturday, March 22, 2003 10:40 AM
To: VX5@yahoogroups.com
Subject: [VX5] Looking for Serial Number...

Hello,

I just recieved my VX-5 that I purchased on ebay. I wanted to find out what generation it is by looking at the serial number. But I can't see one.

It looked like the recessed area behind the belt clip was made for a label/sticker, but no serial number. I also checked under the battery...

Thanks for the help!
Mark

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=246920.2960106.4328965.2848452/D=egroupweb/S=1705063108:HM/A=1481646/R=0/*http://www.gotomypc.com/u/tr/yh/cpm/grp/300_flake/g22lp?Target=mm/g22lp.tmpl>

<http://us.adserver.yahoo.com/l?M=246920.2960106.4328965.2848452/D=egroupmail/S=:HM/A=1481646/rand=684478264>

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

146. One more question... (Beeping Sound)

Yahoo group: VX5
Date: 2003-03-22 16:29:42 UTC
From: Mark Butler
Topic: 146 Message: 146

Hello,

I have another question. Is there anyway to disable the two-tone beep that it makes when scanning and stops on a frequency? I have tried to turn off the key lock (which seems to work) but I want the keys to beep no matter what.

Thanks,
Mark

[Non-text portions of this message have been removed]

147. Re: One more question... (Beeping Sound)

Yahoo group: VX5
Date: 2003-03-22 18:04:13 UTC
From: Shannon Mossman
Topic: 146 Message: 147

Yes, that's the band edge beeper. Page 51 in the manual. Number 21
on the menu. Change it to OFF.

--- In VX5@yahoogroups.com, "Mark Butler" <markbutler@a...> wrote:
> Hello,
>
> I have another question. Is there anyway to disable the two-tone
beep
> that it makes when scanning and stops on a frequency? I have tried
to
> turn off the key lock (which seems to work) but I want the keys to
beep
> no matter what.
>
> Thanks,
> Mark
>
>
>
> [Non-text portions of this message have been removed]

148. RE: [VX5] Re: One more question... (Beeping Sound)

Yahoo group: VX5
Date: 2003-03-22 19:00:24 UTC
From: Sherwood R. Probeck
Topic: 146 Message: 148

Unfortunately turning off the Key Beep is the only way to silence it when it stops on a busy channel.
The Band Edge Beeper is only when a band edge is encountered during scanning in VFO mode or when scanning in memory mode and it reaches channel 1 during the scan.

Cheers,
Sherwood, KE3MI

-----Original Message-----
From: Shannon Mossman [mailto:thinblue1@...]
Sent: Saturday, March 22, 2003 1:04 PM
To: VX5@yahoogroups.com
Subject: [VX5] Re: One more question... (Beeping Sound)

Yes, that's the band edge beeper. Page 51 in the manual. Number 21 on the menu. Change it to OFF.

--- In VX5@yahoogroups.com, "Mark Butler" <markbutler@a...> wrote:
> Hello,
>
> I have another question. Is there anyway to disable the two-tone beep
> that it makes when scanning and stops on a frequency? I have tried to
> turn off the key lock (which seems to work) but I want the keys to beep
> no matter what.
>
> Thanks,
> Mark
>
>
>
> [Non-text portions of this message have been removed]

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=246920.2960106.4328965.2848452/D=egroupweb/S=1705063108:HM/A=1481646/R=0/*http://www.gotomypc.com/u/tr/yh/cpm/grp/300_flake/g22lp?Target=mm/g22lp.tmpl>

<http://us.adserver.yahoo.com/l?M=246920.2960106.4328965.2848452/D=egroupmail/S=:HM/A=1481646/rand=769693756>

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

149. Re: [VX5] Re: Looking for factory antenna...

Yahoo group: VX5
Date: 2003-03-22 22:23:56 UTC
From: Bill Tarkington
Topic: 142 Message: 149

I have owned a VX5 for several years. Purchased the Maldol AS 30 antenna for use in lieu of that coming with the radio. Performs very wll, is very flexible, much lower SWR and better output. Diamnond and Comet am0ng others all make antennas that reasonably priced and will easily outerform the original. Good Luck, Bill/k3yc
----- Original Message -----
From: Shannon Mossman
To: VX5@yahoogroups.com
Sent: Friday, March 21, 2003 9:12 PM
Subject: [VX5] Re: Looking for factory antenna...

I dunno, but I bought a new triband antenna because I thought
something longer and expensive would work better.... No only did it
not work better... It didn't work at all. The candy store said that
there have been other complaints, something about the connectors on
the antenna not being long enough for the Yeaseu version.... I just
put the extender on and left it that way. It doesn't seem to make a
difference on 2m or 440, but it makes all the difference on 6m.

Shannon
W6SPY

--- In VX5@yahoogroups.com, "icomanus" <markbutler@a...> wrote:
> Hello,
>
> I just recieved my VX-5 that I purchased from ebay this morning. I
> didn't have the factory antenna w/ interchangable tips.
>
> Is there anywhere other than Yaesu that I can purchase one?
>
> How well does it work for shortwave?
>
> Just a couple of questions...
>
> Thanks,
> Mark

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

150. Re: [VX5] One more question... (Beeping Sound)

Yahoo group: VX5
Date: 2003-03-24 00:37:33 UTC
From: DAVE W3CWE
Topic: 146 Message: 150

HELLO MARK."S"

TO TURN OFF THE BEEP.

JUST GO TO MENU ON NUMBER 20 PUSH ONCE THERE PRESS THE BAND BUTTON AN "S"
WELL APPEAR. NEXT TRUN THE
CHANEL SELECTOR TO OFF. THEN PUSH THE TRANSMITT TO CLEAR. I DO NOT THINK
THAT THE VX5 CAN SEPRATE BETWEEN
ONE SECTION OR THE OTHER AS FAR AS WHAT BEEPS AND WHAT DOES NOT BEEPS.
I HOPE I WAS OF SOME HELP.

73'S DAVE W3CWE.....
----- Original Message -----
From: "Mark Butler" <markbutler@...>
To: <VX5@yahoogroups.com>
Sent: Saturday, March 22, 2003 11:29 AM
Subject: [VX5] One more question... (Beeping Sound)

> Hello,
>
> I have another question. Is there anyway to disable the two-tone beep
> that it makes when scanning and stops on a frequency? I have tried to
> turn off the key lock (which seems to work) but I want the keys to beep
> no matter what.
>
> Thanks,
> Mark
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

151. Mic Connecter and APRS

Yahoo group: VX5
Date: 2003-03-24 03:43:06 UTC
From: George D. Nincehelser
Topic: 146 Message: 151

I'm pretty new at this, so bear with me.

I'm trying to set up an APRS system using my VX5 and a TigerTronics TigerTrak TM-1+. The entire system will be going up in a large rocket, and I hope to get some tracking data from this setup.

For this application I'm not too concerned with putting it in parallel with a microphone. I just want to hook the VX5 to the TigerTrak.

Here's where I'm stumped. What kind of connector is it that I need to plug into the VX5 Mic port, and where might I find one? I'd hate to buy a Mic built for it just to cut off the end.

Thanks
George
K5GDN

152. Re: [VX5] Mic Connecter and APRS

Yahoo group: VX5
Date: 2003-03-24 09:15:26 UTC
From: N6ZEU@aol.com
Topic: 146 Message: 152

Here is a link for the four pole microphone connector for the VX5. The picture appears to show a cable with a Serial connector. I would look into this a little closer before i ordered one the text only mentions the plug and cable. Has anyone else ordered this cable? http://www.makinterface.de/index_e.php3?frompage=/4polee.php3 Bill - N6ZEU [Non-text portions of this message have been removed]

153. Case Recommedations for VX-5R...

Yahoo group: VX5
Date: 2003-03-25 21:08:07 UTC
From: icomanus
Topic: 153 Message: 153

Hello. Does anyone have any case recommedations for this unit. The only options that I know about are the factory version (CSC73) and the one offered by power port.

The factory one is higher on my list because it has clear plastic to view the display and use the keypad.

Ideally, I would really like a case with a swivel clip offered...

Thanks for your help!

Mark

154. Using rechargable batteries in the AA case?

Yahoo group: VX5
Date: 2003-03-27 04:03:11 UTC
From: medic307_2000
Topic: 154 Message: 154

I just got the AA case, wondering if I can use rechargables in it. I already have a number of hi cap NiMH batteries that I would like to use instead of paying $60 every so often for a new LiON pack. I understand that transmit power is reduced and have no intention of using the NiMH for transmitting. Thanks.

155. adms software

Yahoo group: VX5
Date: 2003-03-27 15:08:23 UTC
From: ctkpgdmndn
Topic: 155 Message: 155

Maybe I'm crazy but the ADMS software I bought with the rig is hard for me to figure out. No doc with radio or software just a help menu within the software and that too doesn't seem all that helpful. I loaded the software when I first got the radio a couple of years or so ago and after the first try I give up and programmed it by hand. Not all that much trouble since I just use a few freqs anyway. I got a wild hair the other day and got it back otu uand loaded it on a old laptop of mine with dos and win 3.1 and hooked it to the radio. Well the instructions say to do a reading of the radio first so I did but it gives some kind of error and even after entering a few freqs into the software I could't download. So once again I give up and put it back in the box it came in. Anybody else having problems with this software and is there a place ont eh web maybe a dummy like me can go for some basic clearcut help?

Ferrell

156. Another question

Yahoo group: VX5
Date: 2003-03-27 17:11:14 UTC
From: Russell Hall
Topic: 156 Message: 156

I can't seem to get the Battery Utilization Monitor to reset. The manual says to press and hold F/W then press the 6 key after charging. I keep getting into the set menu at item 07 Repeater Shift or it wants to write the current frequency to a memory channel. Any Ideas. Thanks

Russell

157. Re: adms software

Yahoo group: VX5
Date: 2003-03-27 21:12:31 UTC
From: k1dxradio
Topic: 155 Message: 157

Ferrell, an instruction sheet did come with your software. It's the sheet with the software serial number on the back.
The software won't do anything until you prepare a Template that's unique to your radio. To do this, start the program. Then, click Radio on the top of the screen, and then Create Template on the drop-down menu. Of course, you must have the radio properly connected to the PC COM port using the clone cable (which has a built-in RS-232 level converter) and ready for the clone. I've only used it once, and it worked flawlessly.
73 - George - K1DX

--- In VX5@yahoogroups.com, "ctkpgdmndn" <ctkpgdmndn@y...> wrote:
> Maybe I'm crazy but the ADMS software I bought with the rig is hard
> for me to figure out. No doc with radio or software just a help
menu
> within the software and that too doesn't seem all that helpful. I
> loaded the software when I first got the radio a couple of years or
so
> ago and after the first try I give up and programmed it by hand.
Not
> all that much trouble since I just use a few freqs anyway. I got a
> wild hair the other day and got it back otu uand loaded it on a old
> laptop of mine with dos and win 3.1 and hooked it to the radio.
Well
> the instructions say to do a reading of the radio first so I did
but
> it gives some kind of error and even after entering a few freqs
into
> the software I could't download. So once again I give up and put it
> back in the box it came in. Anybody else having problems with this
> software and is there a place ont eh web maybe a dummy like me can
go
> for some basic clearcut help?
>
> Ferrell

158. Re: adms software

Yahoo group: VX5
Date: 2003-03-27 21:27:15 UTC
From: ctkpgdmndn
Topic: 155 Message: 158

Thanks George, I tried making a template like you said. I get a clone error on the radio when I try to do a template. Some type of error on the computer also. Can't remember what it is said now. I'm at work. Maybe this weekend I can try again. Does it matter that the radio is already programmed and I just want to add some more freqs to it?

Thanks
Ferrell

159. Re: adms software

Yahoo group: VX5
Date: 2003-03-28 14:09:35 UTC
From: k1dxradio
Topic: 155 Message: 159

I really don't think it makes a difference if there are freqs stored. Do you have the instruction sheet that came with the software? It may be that you've overlooked something. Are you using a proper "clone" cable? It does sound as though the radio and PC can't communicate. The only possibilities I see (other than something is broken - not likely) are an incorrect/inoperative cable or incorrect setup (e.g., baud rate). The proper cable is a work of art. The electronics are all SMT devices on a tiny board inside the DB9 connector that mounts to the COM port on the PC. I couldn't resist taking it apart, and it is very nicely made. It is powered from signal voltages present on the PC's COM port. There are articles for building your own, and they would also likely work ok. Let me know of any progress/problems there; it should work and it is a valuable tool for programming the radio. 73 - George - K1DX

--- In VX5@yahoogroups.com, "ctkpgdmndn" <ctkpgdmndn@y...> wrote:
> Thanks George, I tried making a template like you said. I get a
clone
> error on the radio when I try to do a template. Some type of error
on
> the computer also. Can't remember what it is said now. I'm at work.
> Maybe this weekend I can try again. Does it matter that the radio
is
> already programmed and I just want to add some more freqs to it?
>
> Thanks
> Ferrell

160. Re: adms software

Yahoo group: VX5
Date: 2003-03-28 15:34:12 UTC
From: ctkpgdmndn
Topic: 155 Message: 160

Yes George I have the instruction sheet and everything. Its only been used once and its been in the box. Cable and disk just like new. Installed on a old laptop so it could be portable and because I didn't know if the software would be compaitable with my win xp pro on my main computer. Anyway I now remember why I gave up on it the first time. Never could figure it out..HaHA..dummy me I guess..Anyway when I got more time to sit and waste a day I will try it again I suppose. Man it would be nice to set up different files for the different cities I go to and just BAMM!!download and go. Hope I get it to work. Time will tell I guess.

73
THanks
Ferrell

161. Belt Clip & Hand Mic

Yahoo group: VX5
Date: 2003-03-29 21:49:32 UTC
From: tad
Topic: 161 Message: 161

1. Have the vx5r and really like it except for the anemic belt clip which everyone knows about. I ordered one of the new belt clips and what a difference. Its the size of the clip on the vx150 and is a huge improvement. It looks a bit big but functions great.
2. Is it just me or does the jack for the hand mic seem to be a bit "loose". I am using pryme handmike and it just does not stay in very well. Plug it in and it works great. Move around a bit and it receives fine but the tip has worked loose a bit and wont xmit until you push it in good. ??????

162. RE: [VX5] Belt Clip & Hand Mic

Yahoo group: VX5
Date: 2003-03-29 23:27:34 UTC
From: Sherwood R. Probeck
Topic: 161 Message: 162

Where did you order your belt clip from?

-----Original Message-----
From: tad [mailto:devoman1999@...]
Sent: Saturday, March 29, 2003 4:50 PM
To: VX5@yahoogroups.com
Subject: [VX5] Belt Clip & Hand Mic

1. Have the vx5r and really like it except for the anemic belt clip which everyone knows about. I ordered one of the new belt clips and what a difference. Its the size of the clip on the vx150 and is a huge improvement. It looks a bit big but functions great.
2. Is it just me or does the jack for the hand mic seem to be a bit "loose". I am using pryme handmike and it just does not stay in very well. Plug it in and it works great. Move around a bit and it receives fine but the tip has worked loose a bit and wont xmit until you push it in good. ??????

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

163. Re: Belt Clip & Hand Mic

Yahoo group: VX5
Date: 2003-03-30 00:40:49 UTC
From: tad
Topic: 161 Message: 163

Try this url:
www.icongrp.com/~sllewd/store.html
I have no connection with them whatsoever but did order one of the
clips and it is fantastic.

-- In VX5@yahoogroups.com, "Sherwood R. Probeck" <sherwood@p...>
wrote:
> Where did you order your belt clip from?
>
> -----Original Message-----
> From: tad [mailto:devoman1999@y...]
> Sent: Saturday, March 29, 2003 4:50 PM
> To: VX5@yahoogroups.com
> Subject: [VX5] Belt Clip & Hand Mic
>
>
> 1. Have the vx5r and really like it except for the anemic belt
clip
> which everyone knows about. I ordered one of the new belt clips
and
> what a difference. Its the size of the clip on the vx150 and is a
> huge improvement. It looks a bit big but functions great.
> 2. Is it just me or does the jack for the hand mic seem to be a
> bit "loose". I am using pryme handmike and it just does not stay
in
> very well. Plug it in and it works great. Move around a bit and it
> receives fine but the tip has worked loose a bit and wont xmit
until
> you push it in good. ??????
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

164. Re: adms software

Yahoo group: VX5
Date: 2003-03-30 22:55:28 UTC
From: cdfhgf
Topic: 155 Message: 164

ADMS works fine for me using Windows ME and the supplied cables.
I found I needed to experiment a bit as the instruction (help) are typically written for someone who knows what to do but maybe just needs their memory jogging.

The only puzzle for me is that whenever I enter a broadcast freq requiring WFM the cloning software always downloads it as NFM.
There is not a WFM option in the Edit memory mode and I have Auto Receive Mode checked in the Main View.

Once downloaded I can't change it from NFM to WFM via the VX-5R's keyboard.
If I use set mode to change it to Auto or WFM it changes for the time being but reverts to NFM once I switch away from that memory channel.

My mode is set to Auto in the VX-5R and when entering the freq directly from the keypad into VFO a FM broadcast frequency come up as WFM as expected.

Does anyone know what am I doing wrong or is it a bug in the ADMS software?

165. Re: [VX5] Digest Number 98

Yahoo group: VX5
Date: 2003-03-30 23:03:09 UTC
From: Mark Engebretsen
Topic: 165 Message: 165

I have the same problem with my VX-5 mic - also Pryme. A few slight twists and the plug works its way out. I've had to go to a rubberband around the body and plug to make sure it stays in place.
Mark

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

There are 3 messages in this issue.

Topics in this digest:

1. Belt Clip & Hand Mic
From: "tad"
2. RE: Belt Clip & Hand Mic
From: "Sherwood R. Probeck"
3. Re: Belt Clip & Hand Mic
From: "tad"

Message: 1
Date: Sat, 29 Mar 2003 21:49:32 -0000
From: "tad"
Subject: Belt Clip & Hand Mic

1. Have the vx5r and really like it except for the anemic belt clip which everyone knows about. I ordered one of the new belt clips and what a difference. Its the size of the clip on the vx150 and is a huge improvement. It looks a bit big but functions great.
2. Is it just me or does the jack for the hand mic seem to be a bit "loose". I am using pryme handmike and it just does not stay in very well. Plug it in and it works great. Move around a bit and it receives fine but the tip has worked loose a bit and wont xmit until you push it in good. ??????

Message: 2
Date: Sat, 29 Mar 2003 18:27:34 -0500
From: "Sherwood R. Probeck"
Subject: RE: Belt Clip & Hand Mic

Where did you order your belt clip from?

-----Original Message-----
From: tad [mailto:devoman1999@...]
Sent: Saturday, March 29, 2003 4:50 PM
To: VX5@yahoogroups.com
Subject: [VX5] Belt Clip & Hand Mic

1. Have the vx5r and really like it except for the anemic belt clip
which everyone knows about. I ordered one of the new belt clips and
what a difference. Its the size of the clip on the vx150 and is a
huge improvement. It looks a bit big but functions great.
2. Is it just me or does the jack for the hand mic seem to be a
bit "loose". I am using pryme handmike and it just does not stay in
very well. Plug it in and it works great. Move around a bit and it
receives fine but the tip has worked loose a bit and wont xmit until
you push it in good. ??????

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Message: 3
Date: Sun, 30 Mar 2003 00:40:49 -0000
From: "tad"
Subject: Re: Belt Clip & Hand Mic

Try this url:
www.icongrp.com/~sllewd/store.html
I have no connection with them whatsoever but did order one of the
clips and it is fantastic.

-- In VX5@yahoogroups.com, "Sherwood R. Probeck"
wrote:
> Where did you order your belt clip from?
>
> -----Original Message-----
> From: tad [mailto:devoman1999@y...]
> Sent: Saturday, March 29, 2003 4:50 PM
> To: VX5@yahoogroups.com
> Subject: [VX5] Belt Clip & Hand Mic
>
>
> 1. Have the vx5r and really like it except for the anemic belt
clip
> which everyone knows about. I ordered one of the new belt clips
and
> what a difference. Its the size of the clip on the vx150 and is a
> huge improvement. It looks a bit big but functions great.
> 2. Is it just me or does the jack for the hand mic seem to be a
> bit "loose". I am using pryme handmike and it just does not stay

in
> very well. Plug it in and it works great. Move around a bit and it
> receives fine but the tip has worked loose a bit and wont xmit
until
> you push it in good. ??????
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

Do you Yahoo!?
Yahoo! Platinum - Watch CBS' NCAA March Madness, live on your desktop!

[Non-text portions of this message have been removed]

166. Re: adms software

Yahoo group: VX5
Date: 2003-03-31 21:11:58 UTC
From: k1dxradio
Topic: 155 Message: 166

You are right about NFM coming up as the mode. I recall that as being a problem. I'm not hooked up at the moment to verify my solution, but I think the way to fix it WHEN you are using the software is to set it to another mode, and once it is set, you can come back and edit it for the correct mode. That is, if my memory serves me correctly. Once you have edited the correct modes on your entries and upload to the VX5, the radio will be correctly programmed. The software works fine, but it comes up short on being intuitive. (I think it was programmed by a software engineer who doesn't use radios.) 73 - George

--- In VX5@yahoogroups.com, "cdfhgf" <lionelcarter@l...> wrote:
> ADMS works fine for me using Windows ME and the supplied cables.
> I found I needed to experiment a bit as the instruction (help) are
> typically written for someone who knows what to do but maybe just
> needs their memory jogging.
>
> The only puzzle for me is that whenever I enter a broadcast freq
> requiring WFM the cloning software always downloads it as NFM.
> There is not a WFM option in the Edit memory mode and I have Auto
> Receive Mode checked in the Main View.
>
> Once downloaded I can't change it from NFM to WFM via the VX-5R's
> keyboard.
> If I use set mode to change it to Auto or WFM it changes for the
time
> being but reverts to NFM once I switch away from that memory
channel.
>
> My mode is set to Auto in the VX-5R and when entering the freq
> directly from the keypad into VFO a FM broadcast frequency come up
as
> WFM as expected.
>
> Does anyone know what am I doing wrong or is it a bug in the ADMS
> software?

168. speaker mic adapter

Yahoo group: VX5
Date: 2003-04-05 20:30:07 UTC
From: ctkpgdmndn
Topic: 168 Message: 168

Has anyone used the single to dual speaker/mic adapter that yaesu sells for the vx5r? I have an old yaseu speaker mike that has dual plugs and wonder how it would sound compared to the speaker /mic sells for the vx5r>

thanks
ferrell

169. OPC-478 Programming Cable

Yahoo group: VX5
Date: 2003-04-07 01:38:27 UTC
From: J&D Schnoor
Topic: 169 Message: 169

The more I snoop on the net, the more it looks like the cable I already have from RT Systems, the CT-29A with the CT-28A, might work with both an Icom IC-T90A and an Icom IC-2720H. Here is my reasoning:

The Icom web-page lists the OPC-478 as a Cloning Cable PC to radio for A4, W32A, T2A/H, T7H, T8A, T81A, F10/F20, R2, R10, 2100, 2800....It goes on to say that it is DB9 pin to 3.5mm stereo. The T90 brochure says that it also uses the OPC-478. Same thing for the IC-2720. The RT System web-page sells the CT-29A for Icom IC-T2, T-7, T-8.....and for the Yaesu FT-11/41/51, FT-10/40/50, VX-1 and VX-5. It looks like some use the 4-pin adapter. At any rate, it looks like the cable that I got for my VX-5R will work when I get the Icom 2720 and T90. Now I just need to get the software.

If this is very old news to all of you, I apologize. It would be neat to hear confirmation that the RT Systems cable I already have will work. Has anyone hear already done this?

Jim NØJS

[Non-text portions of this message have been removed]

170. Looking for Demo ADMS-E Download and Screenshot

Yahoo group: VX5
Date: 2003-04-08 11:52:30 UTC
From: icomanus
Topic: 170 Message: 170

Hello,

Currently I use EVE to program my radio, but I have been having some problems with it recently. Does anyone know if there is a demo version of the Yaesu program available? Or does anyone have any screenshots that they could email me offline?

I would love to try it before I buy it...

Thanks,
Mark

171. re: OPC-478 Programming Cable

Yahoo group: VX5
Date: 2003-04-10 05:17:51 UTC
From: Rick W.
Topic: 169 Message: 171

I have the cable that is sold for the vx-5r (forget the model#)
and have used it to program my ic-2100. I did not use the 4 pin
adapter when programming my icom. I also know people who have built
adapters to use it to program various other mobil radios.

Rick, N9TES

-----Original Message-----
Message: 1
Date: Sun, 6 Apr 2003 20:38:27 -0500
From: "J&D Schnoor" <jimdianes@...>
Subject: OPC-478 Programming Cable

The more I snoop on the net, the more it looks like the cable I already have
from RT Systems, the CT-29A with the CT-28A, might work with both an Icom
IC-T90A and an Icom IC-2720H. Here is my reasoning:

The Icom web-page lists the OPC-478 as a Cloning Cable PC to radio for A4,
W32A, T2A/H, T7H, T8A, T81A, F10/F20, R2, R10, 2100, 2800....It goes on to
say that it is DB9 pin to 3.5mm stereo. The T90 brochure says that it also
uses the OPC-478. Same thing for the IC-2720. The RT System web-page sells
the CT-29A for Icom IC-T2, T-7, T-8.....and for the Yaesu FT-11/41/51,
FT-10/40/50, VX-1 and VX-5. It looks like some use the 4-pin adapter. At
any rate, it looks like the cable that I got for my VX-5R will work when I
get the Icom 2720 and T90. Now I just need to get the software.

If this is very old news to all of you, I apologize. It would be neat to
hear confirmation that the RT Systems cable I already have will work. Has
anyone hear already done this?

Jim N?JS

[Non-text portions of this message have been removed]

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

172. Repeater/simplex offset question

Yahoo group: VX5
Date: 2003-04-10 14:18:20 UTC
From: David Guretzki
Topic: 172 Message: 172

Hello. I'm a proud new owner of the VX-5R for about two weeks now and love it. However, I am having a problem.

I want to set 446.000 as a simplex frequency. I enter the frequency, set the offset setting (Menu #7) to Simplex and then put the power setting on low. Then I save the settings to a memory. However, when I go to a different memory and then come back to it, the repeater offsetou is negative an the power setting is full.

What am I doing wrong?

Thanks for your help!
~~~~~~~~~~~~~~~~~~~~~~~~
David Guretzki, PhD (cand.)
Caronport, Saskatchewan
S0H 0S0
dguretzki@...
~~~~~~~~~~~~~~~~~~~~~~

[Non-text portions of this message have been removed]

173. Re: [VX5] Repeater/simplex offset question

Yahoo group: VX5
Date: 2003-04-11 00:52:39 UTC
From: DAVE W3CWE
Topic: 172 Message: 173

Hello David,

I just tried to do what you discribed as doing. evey
thing seamed to work for me. Did you rember to
press the Fw key to store all of the settings after you
entered everything? please let me know how you
make out.
73's Dave W3CWE.....
----- Original Message -----
From: "David Guretzki" <dguretzki@...>
To: <VX5@yahoogroups.com>
Sent: Thursday, April 10, 2003 10:18 AM
Subject: [VX5] Repeater/simplex offset question

> Hello. I'm a proud new owner of the VX-5R for about two weeks now and love
> it. However, I am having a problem.
>
> I want to set 446.000 as a simplex frequency. I enter the frequency, set
the
> offset setting (Menu #7) to Simplex and then put the power setting on low.
> Then I save the settings to a memory. However, when I go to a different
> memory and then come back to it, the repeater offsetou is negative an the
> power setting is full.
>
> What am I doing wrong?
>
> Thanks for your help!
> ~~~~~~~~~~~~~~~~~~~~~~~~
> David Guretzki, PhD (cand.)
> Caronport, Saskatchewan
> S0H 0S0
> dguretzki@...
> ~~~~~~~~~~~~~~~~~~~~~
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>

> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>

174. RE: [VX5] Repeater/simplex offset question

Yahoo group: VX5
Date: 2003-04-11 02:03:01 UTC
From: David Guretzki
Topic: 172 Message: 174

I discovered the problem (or so it seems).

Menu #6 (ARS) was set to "On". I changed it to "Off." Apparently, when this is on the setting will revert to whatever offset is standard for that particular frequency.

~~~~~~~~~~~~~~~~~~~~~~~
David Guretzki, PhD (cand.)
Caronport, Saskatchewan
S0H 0S0
dguretzki@... <mailto:dguretzki@...>
~~~~~~~~~~~~~~~~~~~~~

> -----Original Message-----
> From: DAVE W3CWE [mailto:jjcd@...]
> Sent: Thursday, April 10, 2003 18:53
> To: VX5@yahoogroups.com
> Subject: Re: [VX5] Repeater/simplex offset question
>
>
> Hello David,
>
> I just tried to do what you discribed as doing. evey
> thing seamed to work for me. Did you rember to
> press the Fw key to store all of the settings after you
> entered everything? please let me know how you
> make out.
> 73's Dave W3CWE.....
> ----- Original Message -----
> From: "David Guretzki" <dguretzki@...>
> To: <VX5@yahoogroups.com>
> Sent: Thursday, April 10, 2003 10:18 AM
> Subject: [VX5] Repeater/simplex offset question
>
>
> > Hello. I'm a proud new owner of the VX-5R for about two
> weeks now and love
> > it. However, I am having a problem.
> >
> > I want to set 446.000 as a simplex frequency. I enter the
> frequency, set
> the
> > offset setting (Menu #7) to Simplex and then put the power
> setting on low.
> > Then I save the settings to a memory. However, when I go to
> a different

> > memory and then come back to it, the repeater offsetou is
> negative an the
> > power setting is full.
> >
> > What am I doing wrong?
> >
> > Thanks for your help!
> > ~~~~~~~~~~~~~~~~~~~~~~~~
> > David Guretzki, PhD (cand.)
> > Caronport, Saskatchewan
> > S0H 0S0
> > dguretzki@...
> > ~~~~~~~~~~~~~~~~~~~~~~
> >
> >
> >
> > [Non-text portions of this message have been removed]
> >
> >
> >
> > To unsubscribe from this group, send an email to:
> > VX5-unsubscribe@yahoogroups.com
> >
> >
> >
> > Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
> >
>
>
> ------------------------ Yahoo! Groups Sponsor
> ------------------------~-->
> Make Money Online Auctions! Make $500.00 or We Will Give You
> Thirty Dollars for Trying!
> http://us.click.yahoo.com/yMx78A/fNtFAA/i5gGAA/ELTolB/TM
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

175. Re: OPC-478 Programming Cable

Yahoo group: VX5
Date: 2003-04-13 02:11:20 UTC
From: Charlie
Topic: 169 Message: 175

I have used the cable from RT Systems to program both the IC2100 and
a R2 receiver. No problems encountered.
73's Charlie

--- In VX5@yahoogroups.com, "Rick W." <mydian@n...> wrote:
> I have the cable that is sold for the vx-5r (forget the model#)
> and have used it to program my ic-2100. I did not use the 4 pin
> adapter when programming my icom. I also know people who have built
> adapters to use it to program various other mobil radios.
>
>
> Rick, N9TES
>
>
> -----Original Message-----
> Message: 1
> Date: Sun, 6 Apr 2003 20:38:27 -0500
> From: "J&D Schnoor" <jimdianes@f...>
> Subject: OPC-478 Programming Cable
>
> The more I snoop on the net, the more it looks like the cable I
already have
> from RT Systems, the CT-29A with the CT-28A, might work with both
an Icom
> IC-T90A and an Icom IC-2720H. Here is my reasoning:
>
> The Icom web-page lists the OPC-478 as a Cloning Cable PC to radio
for A4,
> W32A, T2A/H, T7H, T8A, T81A, F10/F20, R2, R10, 2100, 2800....It
goes on to
> say that it is DB9 pin to 3.5mm stereo. The T90 brochure says that
it also
> uses the OPC-478. Same thing for the IC-2720. The RT System web-
page sells
> the CT-29A for Icom IC-T2, T-7, T-8......and for the Yaesu FT-
11/41/51,
> FT-10/40/50, VX-1 and VX-5. It looks like some use the 4-pin
adapter. At
> any rate, it looks like the cable that I got for my VX-5R will work
when I
> get the Icom 2720 and T90. Now I just need to get the software.
>
> If this is very old news to all of you, I apologize. It would be
neat to
> hear confirmation that the RT Systems cable I already have will

work. Has
> anyone hear already done this?
>
>
> Jim NØJS
>
> [Non-text portions of this message have been removed]
>
>
>
>

--
>

--
>
>
>
> Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/

176. No audio out.

Yahoo group: VX5
Date: 2003-04-15 02:26:43 UTC
From: KØCQW
Topic: 176 Message: 176

My VX5R has no audio out. Have done a re-set and tried a external speaker still nothing.

Apparently the "audio chip" has been a problem in the past?

Has any one replaced the chip or know of other components that are associated with
this type of problem?

Thanks de John K?CQW

177. ADMS v2.11 VX-1R Programming software

Yahoo group: VX5
Date: 2003-04-28 20:14:58 UTC
From: yorkshirescanner
Topic: 177 Message: 177

I appreciate that this email refers to the VX-1R, but I thought that
> some of you will have upgraded to the 5R/7R and maybe able to help
me
> with the problem..
>
> I have the above software and set it up as per the help file. The
> problem I get is that the C-OUT times out at 95% download each
time. I
> have tested the cables with Hyperterminal etc per the instruction
file,
> and all is ok.
>
> One thing I have noticed, is that per the inst, I connect the lead
with
> the power off, then try to put it into clone mode, but it always
goes to
> a freq on the display... the only way I can get it into clone mode
is
> with the lead out, then when I plug the lead in and c-out, I get
the 95%
> timeout problem.
>
> Anyone else experienced this problem?
>
> Help please!!

178. Re: adms software

Yahoo group: VX5
Date: 2003-05-02 16:20:28 UTC
From: cdfhgf
Topic: 155 Message: 178

Thanks for reply. I did get it to work as you suggest; but it is inclined to 'revert' if you are not careful when changing other aspects.
The software is probably quite reasonable, as usual it is the Help that is useless. Written by someone off the top of their head and from memory, without refering to the actual screens, no doubt.
I've never had replies from emails to RT Systems so it is just as well this newsgroup exist. Thanks once again k1dxradio.

--- In VX5@yahoogroups.com, "k1dxradio" <k1dx@a...> wrote:
> You are right about NFM coming up as the mode. I recall that as being
> a problem. I'm not hooked up at the moment to verify my solution, but
> I think the way to fix it WHEN you are using the software is to set
> it to another mode, and once it is set, you can come back and edit it
> for the correct mode. That is, if my memory serves me correctly. Once
> you have edited the correct modes on your entries and upload to the
> VX5, the radio will be correctly programmed. The software works fine,
> but it comes up short on being intuitive. (I think it was programmed
> by a software engineer who doesn't use radios.) 73 - George
>
>
>
> --- In VX5@yahoogroups.com, "cdfhgf" <lionelcarter@l...> wrote:
> > ADMS works fine for me using Windows ME and the supplied cables.
> > I found I needed to experiment a bit as the instruction (help) are
> > typically written for someone who knows what to do but maybe just
> > needs their memory jogging.
> >
> > The only puzzle for me is that whenever I enter a broadcast freq
> > requiring WFM the cloning software always downloads it as NFM.
> > There is not a WFM option in the Edit memory mode and I have Auto
> > Receive Mode checked in the Main View.
> >
> > Once downloaded I can't change it from NFM to WFM via the VX-5R's
> > keyboard.
> > If I use set mode to change it to Auto or WFM it changes for the time
> > being but reverts to NFM once I switch away from that memory

> channel.
> >
> > My mode is set to Auto in the VX-5R and when entering the freq
> > directly from the keypad into VFO a FM broadcast frequency come
up
> as
> > WFM as expected.
> >
> > Does anyone know what am I doing wrong or is it a bug in the ADMS
> > software?

179. Accessory items for Yaesu VX-5 and VX-1 dual band HTs FS

Yahoo group: VX5
Date: 2003-05-06 12:50:40 UTC
From: Ken Simpson, W8EK
Topic: 179 Message: 179

For Sale:

Accessory items for either VX-5 or VX-1 dual band HTs
and others in that series:

Yaesu MH-34 speaker microphone
This is the one that fits the Yaesu VX-5, VX-1, and that
series of HTs. It has a single 4 conductor, 3.5 mm plug
on it. This one is just like new. $25

Yaesu MH-37 A4B
Lightweight earphone and microphone with PTT switch.
Four conductor plug. Never used; like new. $25

MFJ-288 I
Deluxe Headset with microphone and PTT switch.
Four conductor plug. Also never used; like new. $25

For the Yaesu VX-5 (and I think VX-7 as well)
FNB-58 LI Lithium Battery
I thought I would need a spare battery for the VX-5,
but that has not been the case. Since I have the FBA-23
"AA" pack as a spare as well, I have no need for an
extra Lithium. I think this one has been charged 3 times.
Virtually like new, in its box, with paper work. $ 50

For the Yaesu VX-1
FNB-52 LI, Lithium Battery for VX-1
My wife found the same thing I did, on her VX-1, so the
spare battery is available. I think it has been charged
twice. Like new. $30

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

180. Split band memory?

Yahoo group: VX5
Date: 2003-05-14 14:32:46 UTC
From: David Guretzki
Topic: 180 Message: 180

I've been catching Oscar 14 as it passes overhead on my VX-5R. However, it requires a split band frequency in order to transmit and receiver. (435.070 Downlink and 145.975 uplink). Is there a way to store such a split band into a memory? Either I missed it in the manual or you simply can't do it. And if you can't do it, how do others deal with this when communicating via satellite (many of which require a split frequency on different bands). Currently, I just set this up in the VFO, but that is pretty annoying to always have to reenter the frequencies.

Any hints?

~~~~~~~~~~~~~~~~~~~~~~~~~~
David Guretzki, VE5DLM
Caronport, Saskatchewan, Canada
50°27'0N 105°49'0W (Grid square: DO70ck)
Receivers: Grundig Satellit800; DX394; & Grundig YB400
Transceiver: Yaesu VX-5R
~~~~~~~~~~~~~~~~~~~~~~~~~~

[Non-text portions of this message have been removed]

181. Re: Split band memory?

Yahoo group: VX5
Date: 2003-05-14 16:48:57 UTC
From: Ed Bodnar
Topic: 180 Message: 181

I don't have my radio with me, so I can't try it, but I think you want the Odd-split memory storage described on page 42 of the manual.

Set up the receive freq in a memory position normally. Set the desired transmit freq, then press and hold [F/W] for 1 sec. Within 5 seconds, rotate the dial to select the memory position you put the receive freq in, then press and hold the PTT button and press [F/W] momentarily while holding PTT.

Ed KD7NBH

--- In VX5@yahoogroups.com, David Guretzki <dguretzki@b...> wrote:
> I've been catching Oscar 14 as it passes overhead on my VX-5R. However, it
> requires a split band frequency in order to transmit and receiver. (435.070
> Downlink and 145.975 uplink). Is there a way to store such a split band into
> a memory? Either I missed it in the manual or you simply can't do it. And if
> you can't do it, how do others deal with this when communicating via
> satellite (many of which require a split frequency on different bands).
> Currently, I just set this up in the VFO, but that is pretty annoying to
> always have to reenter the frequencies.
>
> Any hints?
>
> ~~~~~~~~~~~~~~~~~~~~~~~~~~~
> David Guretzki, VE5DLM
> Caronport, Saskatchewan, Canada
> 50°27'0N 105°49'0W (Grid square: DO70ck)
> Receivers: Grundig Satellit800; DX394; & Grundig YB400
> Transceiver: Yaesu VX-5R
> ~~~~~~~~~~~~~~~~~~~~~~~~~~~
>
>
> ---------------------
>
>
> [Non-text portions of this message have been removed]

182. RE: [VX5] Re: Split band memory?

Yahoo group: VX5
Date: 2003-05-14 19:09:06 UTC
From: David Guretzki
Topic: 180 Message: 182

I think this may refer to an odd split *on the same band*, i.e., receive and transmits on VHF or receive and transmit on UHF. My problem is that I have a UHF receive freq and a VHF transmit.

But I will give this a try.

Thanks.
~~~~~~~~~~~~~~~~~~~~~~~~~~
David Guretzki, VE5DLM
Caronport, Saskatchewan, Canada
50°27'0N 105°49'0W (Grid square: DO70ck)
Receivers: Grundig Satellit800; DX394; & Grundig YB400
Transceiver: Yaesu VX-5R
~~~~~~~~~~~~~~~~~~~~~~~~~~

> -----Original Message-----
> From: Ed Bodnar [mailto:ed_bodnar@...]
> Sent: Wednesday, May 14, 2003 10:49
> To: VX5@yahoogroups.com
> Subject: [VX5] Re: Split band memory?
>
>
> I don't have my radio with me, so I can't try it, but I think you
> want the Odd-split memory storage described on page 42 of the manual.
>
> Set up the receive freq in a memory position normally. Set the
> desired transmit freq, then press and hold [F/W] for 1 sec. Within 5
> seconds, rotate the dial to select the memory position you put the
> receive freq in, then press and hold the PTT button and press [F/W]
> momentarily while holding PTT.
>
> Ed KD7NBH
>
> --- In VX5@yahoogroups.com, David Guretzki <dguretzki@b...> wrote:
> > I've been catching Oscar 14 as it passes overhead on my VX-5R.
> However, it
> > requires a split band frequency in order to transmit and receiver.
> (435.070
> > Downlink and 145.975 uplink). Is there a way to store such a split
> band into
> > a memory? Either I missed it in the manual or you simply can't do
> it. And if
> > you can't do it, how do others deal with this when communicating
> via
> > satellite (many of which require a split frequency on different
> bands).

> > Currently, I just set this up in the VFO, but that is pretty
> annoying to
> > always have to reenter the frequencies.
> >
> > Any hints?
> >
> > ~~~~~~~~~~~~~~~~~~~~~~~~~~~
> > David Guretzki, VE5DLM
> > Caronport, Saskatchewan, Canada
> > 50°27'0N 105°49'0W (Grid square: DO70ck)
> > Receivers: Grundig Satellit800; DX394; & Grundig YB400
> > Transceiver: Yaesu VX-5R
> > ~~~~~~~~~~~~~~~~~~~~~~~~~~~
> >
> >
> > ---------------------
> >
> >
> > [Non-text portions of this message have been removed]
>
>
> ------------------------- Yahoo! Groups Sponsor
> ------------------------~-->
> Rent DVDs Online - Over 14,500 titles.
> No Late Fees & Free Shipping.
> Try Netflix for FREE!
> http://us.click.yahoo.com/YoVfrB/XP.FAA/uetFAA/ELTolB/TM
> ---
> --------~->
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
> http://docs.yahoo.com/info/terms/
>
>

---

183. packet communications

Yahoo group: VX5
Date: 2003-05-20 01:57:29 UTC
From: kg6qdi
Topic: 183 Message: 183

I wanted to know If I can use the VX-5R packet communications?

184. Re: packet communications

Yahoo group: VX5
Date: 2003-05-20 16:50:42 UTC
From: John Bartley
Topic: 183 Message: 184

> Date: Tue, 20 May 2003 01:57:29 -0000
> From: "kg6qdi" <kg6qdi@...>
> Subject: packet communications
>
> I wanted to know If I can use the VX-5R packet communications?

Yes, you can. You will need a TNC and an adapter cable.

Folks who expect to do a lot of packet might be better served by
acquiring the heavier and bigger Kenwood with the built-in TNC
(TH-D7AG)

http://www.kenwood.net/indexKenwood.cfm?do=ProductDetails&ProdID=5018&Group=5

http://www.radioworld.ca/ham/kenwood/kwhh.php#thd7a

=====
--
John E. Bartley, III - K7AAY telcom admin, Portland OR, USA - Views mine.
palmwireless (dot) cjb (dot) net Wireless FAQ for PalmOS(r)

This post is quad-ROT13 encrypted. Reading it violates the DMCA.
Dilbert is a documentary.

_____
Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

185. Re: packet communications

Yahoo group: VX5
Date: 2003-05-20 20:27:52 UTC
From: kg6qdi
Topic: 183 Message: 185

I right now don't have a lot of money to buy a new radio. I only have the VX-5R. Can you tell me what the TNC and the adapter cable will cost?
--- In VX5@yahoogroups.com, John Bartley <johnbartley3@y...> wrote:
>
> > Date: Tue, 20 May 2003 01:57:29 -0000
> > From: "kg6qdi" <kg6qdi@y...>
> > Subject: packet communications
> >
> > I wanted to know If I can use the VX-5R packet communications?
>
>
> Yes, you can. You will need a TNC and an adapter cable.
>
> Folks who expect to do a lot of packet might be better served by
> acquiring the heavier and bigger Kenwood with the built-in TNC
> (TH-D7AG)
>
> http://www.kenwood.net/indexKenwood.cfm?
do=ProductDetails&ProdID=5018&Group=5
>
> http://www.radioworld.ca/ham/kenwood/kwhh.php#thd7a
>
>
>
> =====
> --
> John E. Bartley, III - K7AAY telcom admin, Portland OR, USA - Views
mine.
> palmwireless (dot) cjb (dot) net Wireless FAQ for PalmOS(r)
>
> This post is quad-ROT13 encrypted. Reading it violates the DMCA.
> Dilbert is a documentary.
>
> _____
> Do you Yahoo!?
> The New Yahoo! Search - Faster. Easier. Bingo.
> http://search.yahoo.com

186. Re: [VX5] Re: packet communications

Yahoo group: VX5
Date: 2003-05-20 20:45:05 UTC
From: Chris Albertson
Topic: 183 Message: 186

You don't really _need_ the TNC. You can connect the radio to
the sound card in your computer and use software to decode the
digital modes. If cost is an issue you can make a cable for
a few bucks, you have the computer (I assume) and the software is
free.

Here are a few links to get you started

One thing to note is that Linux has HAM packet radio capability
built into it out of the box the packet radio soundcard software
is a "standard feature" built into the OS.

Here is a very good starting place with many links, years worth
of reading material...
http://delbert.matlock.com/linux-radio.htm

--- kg6qdi <kg6qdi@...> wrote:
> I right now don't have a lot of money to buy a new radio. I only have
>
> the VX-5R. Can you tell me what the TNC and the adapter cable will
> cost?
> --- In VX5@yahoogroups.com, John Bartley <johnbartley3@y...> wrote:
> >
> > > Date: Tue, 20 May 2003 01:57:29 -0000
> > > From: "kg6qdi" <kg6qdi@y...>
> > > Subject: packet communications
> > >

=====
Chris Albertson
Home: 310-376-1029 chrisalbertson90278@...
Cell: 310-990-7550
Office: 310-336-5189 Christopher.J.Albertson@...
KG6OMK

____
Do you Yahoo!?
The New Yahoo! Search - Faster. Easier. Bingo.
http://search.yahoo.com

187. VX-5R Heavy Duty Clip

Yahoo group: VX5
Date: 2003-05-21 02:23:23 UTC
From: Jeremy
Topic: 187 Message: 187

Heavy Duty spring loaded clip

NO 2 sided tape, NO glues, NO rotation.

The adapter plate is basically designed the same way as the factory
clip base, with the prongs on either side, to prevent rotation.

Fits the VX-5, VR-120 and VR-120D

Price is $14 and includes USPS Priority Mail 2-3 day delivery
Money order or cashier's check (No personal checks please).

Pictures are in the photo area of the

YaesuVX-5
http://groups.yahoo.com/group/YAESUVX5 news groups.

YaesuVR120
http://groups.yahoo.com/group/YAESUVR120

Visit http://www.qsl.net/n2pqs to order.

188. Loose SMA Fitting

Yahoo group: VX5
Date: 2003-05-31 02:26:55 UTC
From: USA
Topic: 188 Message: 188

I'm sure this has been covered before ---- but, how in the world do you remove the factory original spanner nut on the SMA connector? I've tried everything in the house, short of disassembly of the VX to get the spanner nut off. On www.mods.dk, some had posted a cure for the loose SMA fitting, by adding a internal tooth lockwasher and a hex nut. So off, I went and ordered an SMA connector from www.mouser.com - it arrived and I was thinking this was going to be a simple task.

Anyway, any comments or suggestions on what to do or NOT to do, would be most welcome.

Thanks, Dean, K9FTB, Fairport, NY

189. Memory Groups and EVE?

Yahoo group: VX5
Date: 2003-06-04 21:57:48 UTC
From: kd6taq
Topic: 189 Message: 189

Hi:
I downloaded EVE programming software a few days ago and have successfully programmed everything I want into my VX5. Now the part I haven't been able to figure out. I want to setup several memory groups and don't understand how Eve works with the memory groups and how I can access the groups from the ht when I have it setup. Any help would be greatly appreciated..

Thanks
73 Paul kd6taq

190. Re: [VX5] Memory Groups and EVE?

Yahoo group: VX5
Date: 2003-06-04 22:29:25 UTC
From: Russell Hall
Topic: 189 Message: 190

Paul

When you do get the groups programmed, you access the groups by pressing "F/W" momentarily, they the "4" key. Then rotate the dial to the memory group number that you want and press "MR". When you are done with the memory group operation, press "VFO" to go to VFO mode and then "MR" again to return to regular memory mode. I haven't figured out the EVE software either.

Russell

----- Original Message -----
From: "kd6taq" <kd6taq@...>
To: <VX5@yahoogroups.com>
Sent: Wednesday, June 04, 2003 4:57 PM
Subject: [VX5] Memory Groups and EVE?

> Hi:
> I downloaded EVE programming software a few days ago and have
> successfully programmed everything I want into my VX5. Now the part
> I haven't been able to figure out. I want to setup several memory
> groups and don't understand how Eve works with the memory groups and
> how I can access the groups from the ht when I have it setup. Any
> help would be greatly appreciated..
>
> Thanks
> 73 Paul kd6taq
>
>
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>

191. Blank LCD display

Yahoo group: VX5
Date: 2003-06-15 16:14:18 UTC
From: cdfhgf
Topic: 191 Message: 191

I lost the lcd display but could hear OK (Although without the display I didn't know for sure what freq I was on). Did a microprocessor reset - no joy. Sent it back to dealer, they passed it on to Yaesu. Came back with no fault found, it just needed a 'reset'. Two days later I've lost the display again. According to my SWR meter it is still outputting 5w on transmit.

Does anyone know of this problem. Is there a reset sequence for restoring the lcd display?

192. RE: Blank LCD display

Yahoo group: VX5
Date: 2003-06-17 05:56:18 UTC
From: Rick W.
Topic: 191 Message: 192

This is actually a known problem with the VX5r. I'm surprised the factory was not able to fix it. There is a ribbon cable inside the radio that connects the display to the main board.. try unplugging it and plugging it back in. They get loose from time to time. A lot of people have had this problem.

Hopefully this fixes it. You might also want to check out this web page, lots of useful information for your radio.

http://www.icongrp.com/~sllewd

Hope this helps.

Rick, N9TES

-----Original Message-----
Message: 1
Date: Sun, 15 Jun 2003 16:14:18 -0000
From: "cdfhgf" <lionelcarter@...>
Subject: Blank LCD display

I lost the lcd display but could hear OK (Although without the display I didn't know for sure what freq I was on). Did a microprocessor reset - no joy. Sent it back to dealer, they passed it on to Yaesu. Came back with no fault found, it just needed a 'reset'. Two days later I've lost the display again. According to my SWR meter it is still outputting 5w on transmit.

Does anyone know of this problem. Is there a reset sequence for restoring the lcd display?

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

193. RE Blank LCD display

Yahoo group: VX5
Date: 2003-06-17 17:50:26 UTC
From: Lionel
Topic: 193 Message: 193

Thanks Rick for the comment and web page reference. Very Useful, I shall keep track of it.

The VX-5R is currently back with Yaesu again as it is less than a year old. They didn't admit to knowing the fault is common but appeared genuinely puzzled and concerned.

A loose connection shouldn't happen for something advertised as 'the most durable ever', built to military spec etc. Seems like bad design.

194. Playstation cable for VX-5

Yahoo group: VX5
Date: 2003-06-30 15:37:28 UTC
From: David Guretzki
Topic: 194 Message: 194

If you are looking for an alternate cable that will work with the VX-5's four-conductor plug, you might want to look at the following Playstation AV cable. I bought one and cut it in half to get two accessory plugs that you can do whatever it is you need to do. (I used one to make a headphone connection and the other I am using to do packet work with).

http://www.us.playstation.com/hardware/cc/SCPH-180U.asp#

The cable actually consists of three wires each surrounded by a braid. Unfortunately the braid does not correspond to the actual ground pin on the Yaesu, but you can get around that by simply using the braid as one of your four conductors. I managed to pick one of these up at the local Wal-mart on clearance.

~~~~~~~~~~~~~~~~~~~~~~~~~~~
David Guretzki, VE5DLM
Caronport, Saskatchewan, Canada
50°27'0N 105°49'0W (Grid square: DO70ck)
Receivers: Grundig Satellit800; DX394; & Grundig YB400
Transceiver: Yaesu VX-5R
~~~~~~~~~~~~~~~~~~~~~~~~~~

[Non-text portions of this message have been removed]

195. FRS

Yahoo group: VX5
Date: 2003-07-03 15:59:24 UTC
From: C Green
Topic: 195 Message: 195

Does anyone know how to tune into the the privacy codes for the FRS channels? Motorola (and many other brands of radios) sells FRS radois with the basic 14 channels but they also have 38 privacy codes for each channel. I know the frequencies for each of the 14 channels and can transmit/receive each of them on my VX-5R. But when using a privacy code on an FRS radio, I can receive their signals but cannot transmit to them. Any suggestions?

Thanks,

Cameron

196. Re: [VX5] FRS

Yahoo group: VX5
Date: 2003-07-03 16:43:41 UTC
From: Lee Wilson
Topic: 195 Message: 196

You sshould be able to tone scan. Also web search will tell you the tones
for various radio brands
don't know off hand the site I found.

Lee

>From: "C Green" <greenc1972@...>
>Reply-To: VX5@yahoogroups.com
>To: VX5@yahoogroups.com
>Subject: [VX5] FRS
>Date: Thu, 03 Jul 2003 15:59:24 -0000
>
>Does anyone know how to tune into the the privacy codes for the FRS
>channels? Motorola (and many other brands of radios) sells FRS
>radois with the basic 14 channels but they also have 38 privacy codes
>for each channel. I know the frequencies for each of the 14 channels
>and can transmit/receive each of them on my VX-5R. But when using a
>privacy code on an FRS radio, I can receive their signals but cannot
>transmit to them. Any suggestions?
>
>Thanks,
>
>Cameron
>

_____
MSN 8 with e-mail virus protection service: 2 months FREE*
http://join.msn.com/?page=features/virus

197. Re: [VX5] FRS

Yahoo group: VX5
Date: 2003-07-03 16:27:50 UTC
From: Stephen Long
Topic: 195 Message: 197

Try This link.

http://www.hamsrus.com/frsfreq.html

-------Original Message-------

From: VX5@yahoogroups.com
Date: Thursday, July 03, 2003 8:59:45 AM
To: VX5@yahoogroups.com
Subject: [VX5] FRS

Does anyone know how to tune into the the privacy codes for the FRS channels? Motorola (and many other brands of radios) sells FRS radois with the basic 14 channels but they also have 38 privacy codes for each channel. I know the frequencies for each of the 14 channels and can transmit/receive each of them on my VX-5R. But when using a privacy code on an FRS radio, I can receive their signals but cannot transmit to them. Any suggestions?

Thanks,

Cameron

---------- Yahoo! Groups Sponsor ----------~-->
Get A Free Psychic Reading! Your Online Answer To Life's Important Questions

http://us.click.yahoo.com/Lj3uPC/Me7FAA/ySSFAA/ELTolB/TM
---~->

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/

.

[Non-text portions of this message have been removed]

198. Re: FRS

Yahoo group: VX5
Date: 2003-07-07 16:05:49 UTC
From: C Green
Topic: 195 Message: 198

The link helped alot... thank you.

--- In VX5@yahoogroups.com, "Stephen Long" <sllong@m...> wrote:
> Try This link.
>
> http://www.hamsrus.com/frsfreq.html
>
> -------Original Message-------
>
> From: VX5@yahoogroups.com
> Date: Thursday, July 03, 2003 8:59:45 AM
> To: VX5@yahoogroups.com
> Subject: [VX5] FRS
>
> Does anyone know how to tune into the the privacy codes for the FRS
> channels? Motorola (and many other brands of radios) sells FRS
> radois with the basic 14 channels but they also have 38 privacy
codes
> for each channel. I know the frequencies for each of the 14 channels
> and can transmit/receive each of them on my VX-5R. But when using a
> privacy code on an FRS radio, I can receive their signals but cannot
> transmit to them. Any suggestions?
>
> Thanks,
>
> Cameron
>
>
> ------------------------- Yahoo! Groups Sponsor ----------------------
~-->
> Get A Free Psychic Reading! Your Online Answer To Life's Important
Questions
>
> http://us.click.yahoo.com/Lj3uPC/Me7FAA/ySSFAA/ELTolB/TM
> ---
-~->
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to
http://docs.yahoo.com/info/terms/
>

>
> .
>
> [Non-text portions of this message have been removed]

199. Yaesu VX-5 R tri band HT FS

Yahoo group: VX5
Date: 2003-07-12 12:07:07 UTC
From: Ken Simpson, W8EK
Topic: 199 Message: 199

For Sale:

Yaesu VX-5 R tri-band HT

The VX-5 will cover the 6m, 2m, and 440 MHz ham
bands, with receive almost from DC to light. Actually
receive starts at the AM broadcast band, and goes to
about 100 MHz, so that means it includes all of the
public service bands outside of the ham bands, weather,
FM commercial, commercial TV, SW bands, and much
more. Power output is up to about 5 watts, in 3 steps.
Of course PL tones (encode and decode) are included,
plus much, much more.

This particular unit is almost like new. It is in its original
box, with all of the things that came with it originally,
including charger, Lithium Ion battery that seems to last
forever, belt clip, carrying strap, original manual, warranty
card, etc. All for $200 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

200. Yaesu HT accessory items FS

Yahoo group: VX5
Date: 2003-07-12 22:37:23 UTC
From: Ken Simpson, W8EK
Topic: 200 Message: 200

For Sale:

Accessory items for either VX-7, VX-5 or VX-1 dual band HTs
and others in that series:

Yaesu MH-37 A4B
Lightweight earphone and microphone with PTT switch.
Four conductor plug. Never used; like new. $25

For the Yaesu VX-5 (and I think VX-7 as well)
FNB-58 LI Lithium Battery
I thought I would need a spare battery for the VX-5,
but that has not been the case. Since I have the FBA-23
"AA" pack as a spare as well, I have no need for an
extra Lithium. I think this one has been charged 3 times.
Virtually like new, in its box, with paper work. $ 50

For the Yaesu VX-1
FNB-52 LI, Lithium Battery for VX-1
My wife found the same thing I did, on her VX-1, so the
spare battery is available. I think it has been charged
twice. Like new. $30

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

201. vx5r for sale

Yahoo group: VX5
Date: 2003-07-13 12:57:39 UTC
From: ctkpgdmndn
Topic: 201 Message: 201

I have a vx5r for sale. It is in mint condition with no problems. It comes with the usual box,manual,all orginal parts. I also will include the padded pouch that goes on your belt, two copies of the yaesu programming software with factory cable and a yaesu straight dc cable hook up. Reason for selling is that I want to get into APRS and I need to get rid of some stuff. Radio works and looks perfect. I am asking $250 plus shipping from 30041 in Georgia for all. You can contact me via direct email at ke4qdc@...

73,
KE4QDC
Ferrell

202. vx5r for sale

Yahoo group: VX5
Date: 2003-07-13 13:01:08 UTC
From: ctkpgdmndn
Topic: 201 Message: 202

I forgot on the previous post on the vx5r for sale. I also have mfj speaker mic that goes with it as well.

73
KE4QDC
Ferrell

203. Yaesu MH-37 earphone / microphone FS

Yahoo group: VX5
Date: 2003-07-22 00:38:16 UTC
From: Ken Simpson, W8EK
Topic: 203 Message: 203

Yaesu MH-37 A4B For Sale:

Lightweight earphone and microphone with PTT switch.
Four conductor plug fits VX-7, VX-5 or VX-1 dual band HTs
and others in that series. Never used; like new.
$25 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

204. vx5r for sale

Yahoo group: VX5
Date: 2003-07-23 00:17:37 UTC
From: ctkpgdmndn
Topic: 201 Message: 204

I am moving into APRS and want to sell my VX-5R. It is in mint condition. It includes the box, manual, factory antenna with 6m adapter, "THE POUCH" belt case, 2 copies of the yaesu programming software and cable with adapter, MFJ speaker mic. Asking $275 shipped but will entertain an offer. Ph 678-947-8085 or email me at ke4qdc@... for futher info.

I want to get the kenwood HT with the built in tnc to move into APRS. That is the only reason I am selling. Love the VX5R and it has been used very little.

Thanks
Derwin
KE4QDC

205. (no subject)

Yahoo group: VX5
Date: 2003-07-28 05:36:37 UTC
From: Wolfgang Welter DL2KBJ
Topic: 205 Message: 205

[Body unavailable in the source archive]

206. source for 6m ant extender

Yahoo group: VX5
Date: 2003-08-05 23:55:02 UTC
From: tedmcom
Topic: 206 Message: 206

I've emailed Yaesu, but no response. Am looking for the little extender for the VX-5R stock antenna for 6m use. Thanks!

207. Loose SMA fitting

Yahoo group: VX5
Date: 2003-08-08 22:17:49 UTC
From: Lionel
Topic: 207 Message: 207

I'm in the UK but assuming the SMA fitting is the same - here is what I did.

The fitting is loose because the nut on the top (with two slots) has loosend. Undo the nut completely by putting a small watch makers screwdriver in one of the slots. Drop a locking washer over the SMA and put back the screw.
Either tighten it by using the small screwdriver again, or using two at the same time in each slot. Alternatively use a angled circlip remover from a car spares/tool outlet. The points on a small circlip remover will fit into both slots and allow you to tighten it real tight.

The point is that you don't have to get inside the VX-5R. Its a mode to the outside of the SMA bush. It took me 5 mins or less including sorting out a suitable locking washer.

208. PMR 446

Yahoo group: VX5
Date: 2003-08-13 22:27:35 UTC
From: Lionel
Topic: 208 Message: 208

I can't seem to set my VX-5R to the PMR 446 freqs, e.g. 446.01875 although the VX-5R spec covers 420 - 470. The steps between the PMR channels are 0.0125.

Also my ADMS software comes back with 'invalid frequency'. How come it restricts me to certain frequencies. Has it been written only for US band plans?

Am I missing some subtle aspect of setting up the VX-5R? Any enlightenment welcome.

209. Earphone / mics FS

Yahoo group: VX5
Date: 2003-08-15 16:06:32 UTC
From: Ken Simpson, W8EK
Topic: 209 Message: 209

Earphone / microphones For Sale:

Yaesu MH-37 A4B
Lightweight earphone and microphone with PTT switch.
Four conductor plug fits VX-7, VX-5 or VX-1 dual band HTs
and others in that series. Never used; like new. $25

MFJ-288 I
Deluxe Headset with microphone and PTT switch.
Four conductor plug as above. Also never used;
like new. $25

Kenwood HMC-1
This is a VOX Headset/boom mic unit that can be used
on the TH-21 / 31 / 41 series of HTs, plus other
Kenwood HTs. In nice shape, with paper work for $25.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

210. Re: PMR 446

Yahoo group: VX5
Date: 2003-08-17 08:22:22 UTC
From: ke6qcv
Topic: 208 Message: 210

--- In VX5@yahoogroups.com, "Lionel" <lionelcarter@l...> wrote:
> I can't seem to set my VX-5R to the PMR 446 freqs, e.g. 446.01875
> although the VX-5R spec covers 420 - 470. The steps between the PMR
> channels are 0.0125.
>
> Also my ADMS software comes back with 'invalid frequency'. How come
> it restricts me to certain frequencies. Has it been written only
for
> US band plans?
>
> Am I missing some subtle aspect of setting up the VX-5R? Any
> enlightenment welcome.

Hello, that is because the frequency resolution of the VFO at its lowest setting is 5,000 HZ, so 446,015,000 HZ (446.015 MHz)is as close as you can get, to get where you want to go you would need a 50 HZ resolution (446,018,750 HZ or 446.01875 MHz) and that is not possible with the VX-5R. To get this tight of a frequency resolution in the VX-5R it would tripple the price of the HT.

The ADMS program would follow the frequency setting if the HT had the lower resolution in the VFO.

Terry

211. Re: source for 6m ant extender

Yahoo group: VX5
Date: 2003-08-17 21:50:03 UTC
From: ke6qcv
Topic: 206 Message: 211

--- In VX5@yahoogroups.com, "tedmcom" <tedm@t...> wrote:
> I've emailed Yaesu, but no response. Am looking for the little
> extender for the VX-5R stock antenna for 6m use. Thanks!

Hi try this place, http://www.powerwerx.com/category.asp?CtgID=1012

Terry

212. deleting memories

Yahoo group: VX5
Date: 2003-08-21 14:31:33 UTC
From: C Green
Topic: 212 Message: 212

Does anyone know how to delete memories from a vx5r without doing a factory reset? The only thing I have been successful with so far is writing over old memories... but I still have some junk saved that I want to get rid of. Any suggestions?

213. Re: [VX5] deleting memories

Yahoo group: VX5
Date: 2003-08-21 14:58:57 UTC
From: David Smart
Topic: 212 Message: 213

I don't think it's in the manual ...

Firstly, ensure the channel you want to clear is not the priority channel.

Then select the channel in the normal way, then hold down FW as for storing channels, then press MR.

Regards, David Smart

SmartWare Consulting
smartware@...
http://members.optushome.com.au/smartware/

----- Original Message -----
From: C Green
To: VX5@yahoogroups.com
Sent: Friday, August 22, 2003 12:31 AM
Subject: [VX5] deleting memories

Does anyone know how to delete memories from a vx5r without doing a factory reset? The only thing I have been successful with so far is writing over old memories... but I still have some junk saved that I want to get rid of. Any suggestions?

Yahoo! Groups Sponsor
ADVERTISEMENT

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

214. Readout LCD

Yahoo group: VX5
Date: 2003-08-21 23:15:52 UTC
From: NR5A
Topic: 214 Message: 214

I can't get to my manual untill hopefully tomorrow nite. I've got a VX5R that I got used, and its been doing a good job for me. I've got it on the desk now, scanning my memory channels. I just noticed in the middle the channels are flashing by as it should be in scan mode. But to the right it says Lit 7.4V?? What does the Lite mean?? Time to charge batts? Just wondering and now its driving me nuts.

Jerry - NR5A - South Dakota

[Non-text portions of this message have been removed]

215. Re: [VX5] Readout LCD

Yahoo group: VX5
Date: 2003-08-22 03:36:25 UTC
From: Russell Hall
Topic: 214 Message: 215

This is showing that you are using the Lithium battery & current voltage is 7.4V. The feature is accessed by pressing and holding "3", stop the scan then press & hold "3" to "turn off" the voltage readout. If you have alpha tags programmed with your frequencies, press & hold "2" to get them back.

FYI:

Press & hold "1"--in VFO, shows main & sub
"4"--large display
"5"--icon mode
"6"--operating time
"7"--temperature
"8"--barometer (if equipped)
"9"--altitude (if equipped)

Russell

----- Original Message -----
From: "NR5A" <nr5a@...>
To: <VX5@yahoogroups.com>
Sent: Thursday, August 21, 2003 6:15 PM
Subject: [VX5] Readout LCD

> I can't get to my manual untill hopefully tomorrow nite. I've got a VX5R that I got used, and its been doing a good job for me. I've got it on the desk now, scanning my memory channels. I just noticed in the middle the channels are flashing by as it should be in scan mode. But to the right it says Lit 7.4V?? What does the Lite mean?? Time to charge batts? Just wondering and now its driving me nuts.
>
> Jerry - NR5A - South Dakota
>
> [Non-text portions of this message have been removed]
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

216. Re: [VX5] Readout LCD

Yahoo group: VX5
Date: 2003-08-23 00:52:49 UTC
From: Ferrell Brown
Topic: 214 Message: 216

Lit stands for litinum battery and that is your current battery voltage. If you will hold down the 3 key for longer than 1 second it will take that off the display. If you ever want to know your battery voltage you can hold down the 3 key to check it

73
KE4QDC
Ferrell

Do you Yahoo!?
Yahoo! SiteBuilder - Free, easy-to-use web site design software
http://sitebuilder.yahoo.com

217. low power on 2m

Yahoo group: VX5
Date: 2003-08-31 21:31:40 UTC
From: Lionel
Topic: 217 Message: 217

I now only get 1w on 2m. If I change to 70 I get the full 5w.
If I progress through the power level settings the 70 band steps up
as expected to 5w. The 2m band step up only to 1w (LII) and then
stays at 1w through LIII and full power.

Does anyone recognise what kind of fault would cause this?
Is it a common fault?

Lionel

218. استفسار

Yahoo group: VX5
Date: 2003-09-22 14:59:17 UTC
From: YazanAswad
Topic: 218 Message: 218

[The full message body has unrecoverable character-encoding damage in Yahoo's archived raw text. Yahoo's separately preserved message snippet follows.]

اخواني الاعزاء.....تحية طيبة لقد كنت دائما عضوا في العرب تايمز و لكن اضطررت و بسبب

219. واباحثوا عن صدام

Yahoo group: VX5
Date: 2003-09-25 10:01:28 UTC
From: YazanAswad
Topic: 219 Message: 219

[The full message body has unrecoverable character-encoding damage in Yahoo's archived raw text. Yahoo's separately preserved message snippet follows.]

البحث عن صدام! عبدالله الذوادي صحيفة اخبار الخليج داخت القوات الأمريكية في العراق

220. ال اله الا انت سبحانك انى كنت من الظالمين

Yahoo group: VX5
Date: 2003-09-25 10:03:36 UTC
From: YazanAswad
Topic: 220 Message: 220

[The full message body has unrecoverable character-encoding damage in Yahoo's archived raw text. Yahoo's separately preserved message snippet follows.]

دينن العظيم اعطانا الكتير من المنحواله‌بات لندخل عن طريقه‌ا الجنه ... ولكن مشكلتنا انن

221. Re: [VX5] Digest Number 138

Yahoo group: VX5
Date: 2003-09-25 11:19:56 UTC
From: charliecomerford@att.net
Topic: 221 Message: 221

[The full message body has unrecoverable character-encoding damage in Yahoo's archived raw text. Yahoo's separately preserved message snippet follows.]

outta here what a waste

222. Gone to groups.yahoo.com/group/YAESUVX5

Yahoo group: VX5
Date: 2003-09-26 17:37:16 UTC
From: John Bartley
Topic: 222 Message: 222

[The full message body has unrecoverable character-encoding damage in Yahoo's archived raw text. Yahoo's separately preserved message snippet follows.]

Likewise. No anti-spammer control, I m bailing, too. Post a note in groups.yahoo.com/group/YAESUVX5 if you ever want to do anything but host spam. ... ===== --

223. Re: [VX5] Gone to groups.yahoo.com/group/YAESUVX5

Yahoo group: VX5
Date: 2003-09-27 16:45:42 UTC
From: Noel
Topic: 222 Message: 223

First ever spam and you run, huh?

So you want to go to the fighting and other crap...

Your welcome to it.

Also, please don't spam for other groups. Thanks.

Noel

On Fri, 2003-09-26 at 13:37, John Bartley wrote:
> Likewise.
> No anti-spammer control, I'm bailing, too.
>
> Post a note in groups.yahoo.com/group/YAESUVX5 if you ever want to do
> anything but host spam.
>
>
> --- VX5@yahoogroups.com wrote:
> > Message: 1
> > Date: Thu, 25 Sep 2003 11:19:56 +0000
> > From: charliecomerford@...
> > Subject: Re: Digest Number 138
> >
> > outta here what a waste
>
> > > Message: 1
> > > Date: Thu, 25 Sep 2003 15:01:28 +0500
> > > From: "YazanAswad" <yazanaswad@...>
> > > Subject: ??????? ?? ????
> > >
> > > ????? ?? ????!
> > >
> > >

224. Won't turn on w/o placing it in charger

Yahoo group: VX5
Date: 2003-10-09 18:25:29 UTC
From: Denny
Topic: 224 Message: 224

Groups,
My VX-5R has developed a "quirk" that once it shuts off, by itself, w/o ANY timer(s) being set, and residing in the charger socket, it won't turn back on w/o removing it from the charger & putting it back in. This is maddening. Any one have any ideas? I have switched from the Yaesu battery to an aftermarket one with the same results. Any help would be appreciated.

DENNIS FOX
K1DMF
HILLSBORO BEACH, FL.
ICW MILEMARKER #69
ARRL PIO - N. BROWARD CO.
COMMUNICATIONS DIR. - DEERFIELD BEACH CERT
SKYWARN - ARES - RACES

[Non-text portions of this message have been removed]

225. Earphone / microphone FS

Yahoo group: VX5
Date: 2003-10-25 13:58:28 UTC
From: Ken Simpson, W8EK
Topic: 225 Message: 225

Earphone / microphone For Sale:

MFJ-288
Deluxe Headset with microphone and PTT switch.
Four conductor plug fits VX-7, VX-5 or VX-1 dual band HTs
and others of this series. Never used;
like new. $25 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

226. Using the vx5r in the car

Yahoo group: VX5
Date: 2003-11-08 21:09:26 UTC
From: David
Topic: 226 Message: 226

Just wanted to know how people were using these radios in their car.
I will be driving to Toronto and wanted to take my radio but not
sure if it would be worth trying to use it as a mobile. I have a
mobile antenna and spkr/mic but I think it would be too clumsy.

Any ideas are appreciated.

Thanks All,
Dave

227. Re: [VX5] Using the vx5r in the car

Yahoo group: VX5
Date: 2003-11-09 19:17:45 UTC
From: Jason Roberts
Topic: 226 Message: 227

Hi David.

With an external antenna (mag mount type) it works fine for me and clips nicely to the lip of the ashtray (non-smoker).

Can however be a bit difficult to drive and program these so I suggest loading it with all the channels you are interested in before the trip and let it scan them.

I run on battery power only and carry a spare, but the cigarette lighter power option is one you may want to consider.

Cheers,

Jas

----- Original Message -----
From: "David" <ke6ex@...>
To: <VX5@yahoogroups.com>
Sent: Sunday, November 09, 2003 10:09 AM
Subject: [VX5] Using the vx5r in the car

> Just wanted to know how people were using these radios in their car.
> I will be driving to Toronto and wanted to take my radio but not
> sure if it would be worth trying to use it as a mobile. I have a
> mobile antenna and spkr/mic but I think it would be too clumsy.
>
>
> Any ideas are appreciated.
>
>
> Thanks All,
> Dave
>
>
>
> To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
>
>
> Your use of Yahoo! Groups is subject to http://docs.yahoo.com/info/terms/
>
>
>

228. Re: [VX5] Using the vx5r in the car

Yahoo group: VX5
Date: 2003-11-10 03:43:32 UTC
From: Chris Albertson
Topic: 226 Message: 228

--- Jason Roberts <jasonz62@...> wrote:
> Hi David.
>
> With an external antenna (mag mount type) it works fine for me and
> clips
> nicely to the lip of the ashtray (non-smoker).
>
> Can however be a bit difficult to drive and program these so I
> suggest
> loading it with all the channels you are interested in before the
> trip
> and let it scan them.
>
> I run on battery power only and carry a spare, but the cigarette
> lighter
> power option is one you may want to consider.

Yes. Go to Radio Shack and get a cord. They have various ends,
you pick out the one that fits the radio and it pushes on the
cig. ligher cord. Just under $10.00 The radio actyally works
better with a mag mount antenna then with the little rubber one.
But it will never a 35W moble unit.

=====
Chris Albertson
Home: 310-376-1029 chrisalbertson90278@...
Cell: 310-990-7550
Office: 310-336-5189 Christopher.J.Albertson@...
KG6OMK

Do you Yahoo!?
Protect your identity with Yahoo! Mail AddressGuard
http://antispam.yahoo.com/whatsnewfree

229. RE: [VX5] Using the vx5r in the car

Yahoo group: VX5
Date: 2003-11-10 20:59:16 UTC
From: David Guretzki
Topic: 226 Message: 229

Just make sure to check whether the cord is fused or not and that the fuse is large enough to enable you to draw the full amperage needed. Some of these cords come with very small fuses...

David Guretzki
VE5DLM
Caronport, SK Canada

-----Original Message-----
From: Chris Albertson [mailto:chrisalbertson90278@...]
Sent: Sunday, November 09, 2003 9:44 PM
To: VX5@yahoogroups.com
Subject: Re: [VX5] Using the vx5r in the car [text][mx]

--- Jason Roberts <jasonz62@...> wrote:
> Hi David.
>
> With an external antenna (mag mount type) it works fine for me and
> clips
> nicely to the lip of the ashtray (non-smoker).
>
> Can however be a bit difficult to drive and program these so I
> suggest
> loading it with all the channels you are interested in before the
> trip
> and let it scan them.
>
> I run on battery power only and carry a spare, but the cigarette
> lighter
> power option is one you may want to consider.

Yes. Go to Radio Shack and get a cord. They have various ends, you pick out the one that fits the radio and it pushes on the cig. ligher cord. Just under $10.00 The radio actyally works better with a mag mount antenna then with the little rubber one. But it will never a 35W moble unit.

=====
Chris Albertson
Home: 310-376-1029 chrisalbertson90278@...
Cell: 310-990-7550
Office: 310-336-5189 Christopher.J.Albertson@...
KG6OMK

_____
Do you Yahoo!?
Protect your identity with Yahoo! Mail AddressGuard
http://antispam.yahoo.com/whatsnewfree
<http://antispam.yahoo.com/whatsnewfree>

Yahoo! Groups Sponsor

ADVERTISEMENT

<http://rd.yahoo.com/M=267637.4116719.5338353.1261774/D=egroupweb/S=1705063108:HM/A=1853618/R=0/SIG=11tr8mk9u/*http://www.netflix.com/Default?mqso=60178338&partid=4116719> click here

<http://us.adserver.yahoo.com/l?M=267637.4116719.5338353.1261774/D=egroupmail/S=:HM/A=1853618/rand=852545854>

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service
<http://docs.yahoo.com/info/terms/> .

[Non-text portions of this message have been removed]

230. Re: [VX5] Using the vx5r in the car

Yahoo group: VX5
Date: 2003-11-19 07:55:40 UTC
From: W9MAQ@aol.com
Topic: 226 Message: 230

In a message dated 11/8/03 4:05:21 PM Central Standard Time,
ke6ex@... writes:

> but I think it would be too clumsy.
>
> I found it clumsy too. I found that as a hand held it was great but
> lacked all the extras that make a regular mobile workable. 73s Jim
>

[Non-text portions of this message have been removed]

231. Yaesu Data Transfer Cable for: VX-5 VX-7 VX-1 FT-50 FT-11 FT-40 FT-51

Yahoo group: VX5
Date: 2004-02-19 15:50:28 UTC
From: jathib
Topic: 231 Message: 231

The subject of Transfer cables has arisen from time to time and I decided to see if I could make a solution for those of you who don't want to spend a fortune on a cable to transfer your radio's data to your PC and back again.

EVE and VX5-COMMANDER are excellent programs for this purpose.
VX7-Commander works great for the VX-7r
Also there is the FT50-Manager for the FT-50
I'm sure if you look around the web you will find other FREE software solutions for this truly needed option.
(I hardly ever program something with the keypad on the radio anymore)

I have tried several schematics for a transfer cable and finally decided on 2 designs.
One is the 6 transistor direct ADMS-1 replacement.
The other is the 2 transistor design that works in most applications with some instruction.

I have made a few Homebrew cables if anyone is interested.
They are all tested and work fine.

If you are interested you can leave me a message here or email me at:
jathib@y...

I can send you pictures of the finished products if you desire.

Thanks,
Jude(KC5YLK

232. Re: [VX5] Yaesu Data Transfer Cable for: VX-5 VX-7 VX-1 FT-50 FT-11 FT-40 FT-51

Yahoo group: VX5
Date: 2004-02-19 18:50:51 UTC
From: John Eldridge
Topic: 231 Message: 232

Jude, I am interested in the cable designs that
you built. Do you have a pointer to or can you
post the 2 designs that you talk about.

Thanks, John (KB5ENN)
email: kb5enn@...

At 03:50 PM 2/19/04 +0000, you wrote:
>The subject of Transfer cables has arisen from time to time and I
>decided to see if I could make a solution for those of you who don't
>want to spend a fortune on a cable to transfer your radio's data to
>your PC and back again.
>
>I have tried several schematics for a transfer cable and finally
>decided on 2 designs.
>One is the 6 transistor direct ADMS-1 replacement.
>The other is the 2 transistor design that works in most applications
>with some instruction.
>
>I have made a few Homebrew cables if anyone is interested.
>They are all tested and work fine.
>
>If you are interested you can leave me a message here or email me at:
>jathib@y...
>
>I can send you pictures of the finished products if you desire.
>
>Thanks,
>Jude(KC5YLK

233. External speaker mic transmit

Yahoo group: VX5
Date: 2004-03-15 17:32:10 UTC
From: jathib
Topic: 233 Message: 233

Hello Group!

Has anyone had a problem transmitting with an external Speaker/Mic on the 2 meter band?

When I do this the back light comes on.

It's like a toggle switch (every other transmission it turns off/then on)

It works fine on 70 CM (440Mhz)...

I seem to remember on the FT-50R when transmitting on 2 meters, it would cause the HT to remain in transmit.
(Could be a sheilding problem)

Just wondering if anyone else had experienced this problem.

Thanks
KC5YLK-Jude

234. Is there an adapter to use my Yaesu speaker/mic with my F6A???

Yahoo group: VX5
Date: 2004-03-16 18:20:09 UTC
From: icomanus
Topic: 234 Message: 234

Hello,

I have a Yaesu speaker/mic that I use with my VX-5R. Does anyone know of an adapter that will allow me to use this with my F6A?

(I have seen an adapter to use a F6A speaker/mic on the Yaesu but not the other way around)

Thanks in advance for your help!

Take Care and 73's
Mark
KC8WlZ
Cleveland, Ohio

235. Yaesu VX-5 R tri-band HT FS

Yahoo group: VX5
Date: 2004-03-27 14:28:35 UTC
From: Ken Simpson, W8EK
Topic: 235 Message: 235

For Sale:

Yaesu VX-5 R tri-band HT

The VX-5 will cover the 6m, 2m, and 440 MHz ham
bands, with receive almost from DC to light. Actually
receive starts at the AM broadcast band, and goes to
about 1000 MHz, so that means it includes all of the
public service bands outside of the ham bands, weather,
FM commercial, commercial TV, SW bands, and much
more. Power output is up to about 5 watts, in 3 steps.
Of course PL tones (encode and decode) are included,
plus much, much more.

This particular unit is almost like new. It is in its original
box, with all of the things that came with it originally,
including charger, Lithium Ion battery that seems to last
forever, belt clip, carrying strap, original manual, warranty
card, etc. All for $200 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

236. Yaesu VX5R FS

Yahoo group: VX5
Date: 2004-03-30 16:56:01 UTC
From: John Geiger
Topic: 236 Message: 236

I have just purchased a VX7R, so need to sell my trusty VX5R to pay for it. I love this HT, but decided to go with the dual receive and waterproofing instead.

The VX5R is in excellent condition, and will cover MARS and CAP transmitting. Comes with all of the standard accessories, including all antenna pieces. It is about 2 years old, but looks and works great. Hope I don't regret selling this. I will take $150 plus a little for shipping for it.

73s John NE0P

_____
Do you Yahoo!?
Yahoo! Finance Tax Center - File online. File on time.
http://taxes.yahoo.com/filing.html

237. Yaesu VX-5 R, tri-band HT FS

Yahoo group: VX5
Date: 2004-04-03 11:34:34 UTC
From: Ken Simpson, W8EK
Topic: 237 Message: 237

For Sale:

Yaesu VX-5 R tri-band HT

The VX-5 will cover the 6m, 2m, and 440 MHz ham bands, with receive almost from DC to light. Actually receive starts at the AM broadcast band, and goes to about 1000 MHz, so that means it includes all of the public service bands outside of the ham bands, weather, FM commercial, commercial TV, SW bands, and much more. Power output is up to about 5 watts, in 4 steps. Of course PL tones (encode and decode) are included, plus much, much more.

This particular unit is almost like new. It is in its original box, with all of the things that came with it originally, including charger, Lithium Ion battery that seems to last forever, belt clip, carrying strap, original manual, warranty card, etc. All for $200 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

238. Yaesu VX-5 R, tri-band HT FS

Yahoo group: VX5
Date: 2004-04-03 12:09:51 UTC
From: Ken Simpson, W8EK
Topic: 237 Message: 238

For Sale:

Yaesu VX-5 R tri-band HT

The VX-5 will cover the 6m, 2m, and 440 MHz ham bands, with receive almost from DC to light. Actually receive starts at the AM broadcast band, and goes to about 1000 MHz, so that means it includes all of the public service bands outside of the ham bands, weather, FM commercial, commercial TV, SW bands, and much more. Power output is up to about 5 watts, in 4 steps. Of course PL tones (encode and decode) are included, plus much, much more.

This particular unit is almost like new. It is in its original box, with all of the things that came with it originally, including charger, Lithium Ion battery that seems to last forever, belt clip, carrying strap, original manual, warranty card, etc. All for $200 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

239. FS: FBA-23 battery case

Yahoo group: VX5
Date: 2004-04-07 05:29:03 UTC
From: John Geiger
Topic: 239 Message: 239

I have a mint condition FBA-23 battery case for sale.
This is the AA cell case for the VX-5R and VX-7R HTs.
It sells for $30 new plus shipping. I will ship for
$17 in US. Can take paypal, check, or mo.

73s John NE0P

_____
Do you Yahoo!?
Yahoo! Small Business $15K Web Design Giveaway
http://promotions.yahoo.com/design_giveaway/

240. mic adapter

Yahoo group: VX5
Date: 2004-04-28 10:00:28 UTC
From: righto99
Topic: 240 Message: 240

Does anyone know where I can get a TNC cable for the VX-150, without having to use their CT-44 mic adapter? Or how about just a jack that I can wire myself?
John KA4CHT

241. ARS

Yahoo group: VX5
Date: 2004-04-29 19:56:31 UTC
From: Ron Morris
Topic: 241 Message: 241

When I use Menu #6 I can not activate the ARS. Any thoughts?

Thanks...

242. ship radios

Yahoo group: VX5
Date: 2004-05-16 02:56:20 UTC
From: Pete Flynn
Topic: 242 Message: 242

I just got home from a cruise and being a Ham, was intrigued by the antenna "farm" on the ship. It several identical whips that looked like 6M "fullsize", and a bunch of short stubbies that were hard to estimate. Sadly, there was no contact with the radio officer and no tours since security has been increased. And also, the line forbids bringing radio gear aboard, so my VX5 stayed home.
Does anyone know about the gear on ships?
Pete

243. Re: [VX5] ship radios

Yahoo group: VX5
Date: 2004-05-16 05:55:26 UTC
From: Chris Albertson
Topic: 242 Message: 243

--- Pete Flynn <pikeman666@...> wrote:
> I just got home from a cruise and being a Ham, was intrigued by the
> antenna "farm" on the ship. It several identical whips that looked
> like 6M "fullsize", and a bunch of short stubbies that were hard to
> estimate. Sadly, there was no contact with the radio officer and no
> tours since security has been increased. And also, the line forbids
> bringing radio gear aboard, so my VX5 stayed home.
> Does anyone know about the gear on ships?
> Pete
>
>

Being a boat owner I know a little.

Now days a ship is likly to have a satalite phone and satalite
TV. But the "normal" marine radios are a lot like ham HF and VHF.
They also carry a number of radars (S band and X band)

The marine SSB uses bands very close to ham HF going from 160 to
10 meters. They use SSB voice, fax and digital. The normal
radio, the one most used is VHF, close to 2M, from memory,
maybe 150 or 160 Mhz. One difference is that the marine bands
are channelized. The channels all have asigned purposes. The
system works well.

There are marine/SSB radios you can buy that will transmit on
both services. On a small sailboat you'd use a long wire antenna
and an automatic ant. tunner but a ship could have a better setup.
I think they are limited to 150 watts on HF

For SSB you need a no-test lincense but VHF nothing, just a credit
card to pay for the radio unless you take it outside the US.

=====
Chris Albertson
Home: 310-376-1029 chrisalbertson90278@...
Cell: 310-990-7550
Office: 310-336-5189 Christopher.J.Albertson@...
KG6OMK

____
Do you Yahoo!?
SBC Yahoo! - Internet access at a great low price.
http://promo.yahoo.com/sbc/

244. FOR SALE VX 1-R

Yahoo group: VX5
Date: 2004-06-05 13:13:02 UTC
From: bobdonchez
Topic: 244 Message: 244

hello all
before i list on ebay- i am finally selling the following
VX 1-R - some nicks but works fine- carried it mountainbiking for years
1 brand new battery (in yaesu package)
original box and manual
original battery
antenna
charger
spare entire vx1- broken - bought for case but board is there
fba-20 aa battery adapter
6 volt adapter for car (with plug on end)

unit transmits fine - pics upon request

$100 - you pay shipping
bob donchez - wb3hyb
610-833-2966

245. Vx5 to kenwood mic adapter

Yahoo group: VX5
Date: 2004-06-16 00:13:59 UTC
From: mikefromhc
Topic: 245 Message: 245

Does anyone know of sucha beast?
I just bought a new bone contact microphone and would like to use it
with my "work" radio, a Kenwood.

246. RE: [VX5] Vx5 to kenwood mic adapter

Yahoo group: VX5
Date: 2004-06-16 05:47:15 UTC
From: Noel Shrum
Topic: 245 Message: 246

I think you would have to build it...

Noel

-----Original Message-----
From: mikefromhc [mailto:md.painter@...]
Sent: Tuesday, June 15, 2004 8:14 PM
To: VX5@yahoogroups.com
Subject: [VX5] Vx5 to kenwood mic adapter

Does anyone know of sucha beast?
I just bought a new bone contact microphone and would like to use it
with my "work" radio, a Kenwood.

247. Paket DB-9 Pinout

Yahoo group: VX5
Date: 2004-06-18 03:15:08 UTC
From: ab8e
Topic: 247 Message: 247

I need help on the construction of a Paket cable.

Wondering about the Cap and 2k resistor in the manual
on page 11.

What do they do?
Do i realy need it?

What is the DB-9 Pinout for the Kantronics pk-2 TNC?

248. six meter antenna stub

Yahoo group: VX5
Date: 2004-09-18 18:52:31 UTC
From: Dan Gilliam
Topic: 248 Message: 248

I purchased my vx5 used and the guy did not have the stub.
Anyone with an extra for sale?
Thanks, Dan
KE4PDO

249. Re: [VX5] Digest Number 161

Yahoo group: VX5
Date: 2004-09-19 21:53:29 UTC
From: Philip Spiegel
Topic: 249 Message: 249

My VX 5 is displaying the temperature screen on the unit when I turn it off. It does not show the temperature when it is on but only when it is off. Otherwise it is functioning normally. Is there anyway that I can get rid of this? It never used to do this and It is draining the battery much quicker because of the issue. Hope someone can help!

Thanks,
Phil
KG6JQU

On 9/19/04 1:31 AM, "VX5@yahoogroups.com" <VX5@yahoogroups.com> wrote:

>
> There is 1 message in this issue.
>
> Topics in this digest:
>
> 1. six meter antenna stub
> From: "Dan Gilliam" <ke4pdo@...>
>
>
> _____
> _____
>
> Message: 1
> Date: Sat, 18 Sep 2004 18:52:31 -0000
> From: "Dan Gilliam" <ke4pdo@...>
> Subject: six meter antenna stub
>
> I purchased my vx5 used and the guy did not have the stub.
> Anyone with an extra for sale?
> Thanks, Dan
> KE4PDO
>
>
>
> _____
> _____
>
>
>
> ---
> Yahoo! Groups Links
>
>
>

>
> ---
>

250. Re: [VX5] Digest Number 161

Yahoo group: VX5
Date: 2004-09-19 23:06:30 UTC
From: David Smart
Topic: 249 Message: 250

Yep. It's the very last of the options - up in the 40's. I don't have the unit with me so I can't tell you the exact number, but bring up the options and rotate the dial anticlockwise until you hit option 1, then one more click. It allows you to select any combination of the temp, baro and alt for display with the unit off (plus a "none" of course).

I've found that the battery flattens PDQ with this display on.

Dave S

----- Original Message -----
From: Philip Spiegel
To: VX5@yahoogroups.com
Sent: Monday, September 20, 2004 7:53 AM
Subject: Re: [VX5] Digest Number 161

My VX 5 is displaying the temperature screen on the unit when I turn it off.
It does not show the temperature when it is on but only when it is off.
Otherwise it is functioning normally. Is there anyway that I can get rid of
this? It never used to do this and It is draining the battery much quicker
because of the issue. Hope someone can help!

Thanks,
Phil
KG6JQU

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.766 / Virus Database: 513 - Release Date: 17/09/04

[Non-text portions of this message have been removed]

251. Re: [VX5] Digest Number 161

Yahoo group: VX5
Date: 2004-09-26 03:59:37 UTC
From: W9MAQ@aol.com
Topic: 249 Message: 251

In a message dated 9/19/04 4:54:44 PM, pspiegel@... writes:

> My VX 5 is displaying the temperature screen on the unit when I turn it
> off.
> It does not show the temperature when it is on but only when it is off.
> Otherwise it is functioning normally. Is there anyway that I can get rid of
> this?
>

Funny ,mine did the same thing this week. I think it will go away when
you move to the larger font. Mine did not show the temp when I used the
larger font. 73s Jim W9MAQ

[Non-text portions of this message have been removed]

252. Re: [VX5] Digest Number 161

Yahoo group: VX5
Date: 2004-09-26 05:58:52 UTC
From: David Smart
Topic: 249 Message: 252

No I don't think it's got anything to do with the fonts - this is a display when the radio is off, not on.

It's Option 45.

The display of temperature while the radio is on is set by holding down 7. Holding down 2 returns to displaying tags. Certainly, selecting double-sized display (holding down 4) does remove these second-line displays when the radio is on.

Dave S

----- Original Message -----
From: W9MAQ@...
To: pspiegel@... ; VX5@yahoogroups.com
Sent: Sunday, September 26, 2004 1:59 PM
Subject: Re: [VX5] Digest Number 161

In a message dated 9/19/04 4:54:44 PM, pspiegel@... writes:

> My VX 5 is displaying the temperature screen on the unit when I turn it
> off.
> It does not show the temperature when it is on but only when it is off.
> Otherwise it is functioning normally. Is there anyway that I can get rid of
> this?
>

Funny ,mine did the same thing this week. I think it will go away when
you move to the larger font. Mine did not show the temp when I used the
larger font. 73s Jim W9MAQ

Outgoing mail is certified Virus Free.
Checked by AVG anti-virus system (http://www.grisoft.com).
Version: 6.0.769 / Virus Database: 516 - Release Date: 24/09/04

[Non-text portions of this message have been removed]

253. Re: six meter antenna stub

Yahoo group: VX5
Date: 2004-11-09 08:03:51 UTC
From: kb7zxq
Topic: 248 Message: 253

--- In VX5@yahoogroups.com, "Dan Gilliam" <ke4pdo@y...> wrote:
> I purchased my vx5 used and the guy did not have the stub.
> Anyone with an extra for sale?
> Thanks, Dan
> KE4PDO Sorry Dan, you may have to go right to yasue for this one. You can try some of the dealers like Amateur Electronics Supply or Ham Radio Outlet. If you have the owners manuel it may have the part number in it or email Yesau website. Good Luck, Joseph

254. Re: six meter antenna stub

Yahoo group: VX5
Date: 2004-11-09 08:04:47 UTC
From: kb7zxq
Topic: 248 Message: 254

--- In VX5@yahoogroups.com, "Dan Gilliam" <ke4pdo@y...> wrote:
> I purchased my vx5 used and the guy did not have the stub.
> Anyone with an extra for sale?
> Thanks, Dan
> KE4PDO

255. Re: [VX5] Re: six meter antenna stub

Yahoo group: VX5
Date: 2004-11-09 17:17:15 UTC
From: Phil on the Job
Topic: 248 Message: 255

Don't worry about it, you'll never use it. You will probably never use the stock antenna either. I don't think I've ever seen a serious ham in the field with the stock antenna on their VX-5

What you will need is a HT saver, sma to bnc adapter and an aftermarket belt clip, like the antenna the stock one sucks.

Phil
KC2GDF
----- Original Message -----
From: kb7zxq
To: VX5@yahoogroups.com
Sent: Tuesday, November 09, 2004 3:04 AM
Subject: [VX5] Re: six meter antenna stub

--- In VX5@yahoogroups.com, "Dan Gilliam" <ke4pdo@y...> wrote:
> I purchased my vx5 used and the guy did not have the stub.
> Anyone with an extra for sale?
> Thanks, Dan
> KE4PDO

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/VX5/

b.. To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

256. Thinking of buying

Yahoo group: VX5
Date: 2005-01-13 15:02:12 UTC
From: wd4nhh
Topic: 256 Message: 256

Hi guys I'm new to the list and I'm thinking of buying an
VX-5R or the ICOM IC-T90A . I would like to hear some pro's and con's
for both of these radios.

Thanks,
T.J. WD4NHH

257. Re: [VX5] Thinking of buying

Yahoo group: VX5
Date: 2005-01-13 18:10:32 UTC
From: Dan Williams
Topic: 256 Message: 257

No experience with the ICOM but I have used a VX-5R for about 3 years. Excellent radio. No issues and easy to program with ADMS software.

Dan Williams
KD7LTV
----- Original Message -----
From: wd4nhh
To: VX5@yahoogroups.com
Sent: Thursday, January 13, 2005 7:02 AM
Subject: [VX5] Thinking of buying

Hi guys I'm new to the list and I'm thinking of buying an
VX-5R or the ICOM IC-T90A . I would like to hear some pro's and con's
for both of these radios.

Thanks,
T.J. WD4NHH

Yahoo! Groups Sponsor
ADVERTISEMENT

Yahoo! Groups Links

a.. To visit your group on the web, go to:
http://groups.yahoo.com/group/VX5/

b.. To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.

[Non-text portions of this message have been removed]

258. Re: [VX5] Thinking of buying

Yahoo group: VX5
Date: 2005-01-13 18:17:55 UTC
From: Bryan Johns
Topic: 256 Message: 258

Not to mention being smaller than many handheld microphones yet still
giving 5 watts output.

Bryan Johns
K4GDW
bjohns@...
http://www.greendragonweb.com

"The key, the whole key, and nothing but the key so help me Codd."

On Thu, 13 Jan 2005, Dan Williams wrote:

>
> No experience with the ICOM but I have used a VX-5R for about 3 years. Excellent radio.
No issues and easy to program with ADMS software.
>
> Dan Williams
> KD7LTV
> ----- Original Message -----
> From: wd4nhh
> To: VX5@yahoogroups.com
> Sent: Thursday, January 13, 2005 7:02 AM
> Subject: [VX5] Thinking of buying
>
>
>
> Hi guys I'm new to the list and I'm thinking of buying an
> VX-5R or the ICOM IC-T90A . I would like to hear some pro's and con's
> for both of these radios.
>
> Thanks,
> T.J. WD4NHH
>
>
>
>
> Yahoo! Groups Sponsor
> ADVERTISEMENT
>
>
>
>
>
> ---
> Yahoo! Groups Links

>
> a.. To visit your group on the web, go to:
> http://groups.yahoo.com/group/VX5/
>
> b.. To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
>
> c.. Your use of Yahoo! Groups is subject to the Yahoo! Terms of Service.
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

259. Re: [VX5] Thinking of buying

Yahoo group: VX5
Date: 2005-01-13 19:22:19 UTC
From: Chris Albertson
Topic: 256 Message: 259

My only problem with the VX5 is also it's best feature. It is small. I have big fingers and poor eyes. It would be nice if the butons AND the print on the buttons were 4x larger but then the radio would be to large. Oh well with new glasses and a small stick to push the buttons it works well.

I've used it in my car with a magnetic mount antenna and a cig. lighter plug. Does well enough that way to hit any repeter that has line of sight. I also bought an aftermarket HT ant. it's rughtly a foot long flexible wire. It was well worth the $20 or so that I paid.

--- wd4nhh <wd4nhh@...> wrote:

>
> Hi guys I'm new to the list and I'm thinking of buying an
> VX-5R or the ICOM IC-T90A . I would like to hear some pro's and con's
> for both of these radios.
>
> Thanks,
> T.J. WD4NHH
>
>
>
>

=====
Chris Albertson
Home: 310-376-1029 chrisalbertson90278@...
Cell: 310-990-7550
Office: 310-336-5189 Christopher.J.Albertson@...
KG6OMK

Do you Yahoo!?
Read only the mail you want - Yahoo! Mail SpamGuard.
http://promotions.yahoo.com/new_mail

260. RE: [VX5] Thinking of buying

Yahoo group: VX5
Date: 2005-01-13 19:36:18 UTC
From: Schachter, Abe
Topic: 256 Message: 260

The display can be switched to large characters by pressing and holding the number "4" on the keypad for one second. If you have programmed name tags into the memories they will be displayed in large characters as well.

If the keypad is uncomfortably small you can program the memories for all of your favorite frequencies and leave the rig in Memory Recall mode. This way all you have to do is turn the channel dial on top to select where you want to operate.

73,
Abe N3BBF

-----Original Message-----
From: Chris Albertson [mailto:chrisalbertson90278@...]
Sent: Thursday, January 13, 2005 2:22 PM
To: VX5@yahoogroups.com
Subject: Re: [VX5] Thinking of buying

My only problem with the VX5 is also it's best feature. It is small. I have big fingers and poor eyes. It would be nice if the butons AND the print on the buttons were 4x larger but then the radio would be to large. Oh well with new glasses and a small stick to push the buttons it works well.

I've used it in my car with a magnetic mount antenna and a cig. lighter plug. Does well enough that way to hit any repeter that has line of sight. I also bought an aftermarket HT ant. it's rughtly a foot long flexible wire. It was well worth the $20 or so that I paid.

261. New Yaseu VX-5R group!!!!!!!!!!!

Yahoo group: VX5
Date: 2005-01-21 12:57:57 UTC
From: geodude2010
Topic: 261 Message: 261

>>>>>>>>>> http://groups.yahoo.com/group/VX-5R-Yaseu/ <<<<<<<<<<

Help,We need more members! This group is for all owners and future owners of the Yaseu VX-5R. Not sure which HT to get? Get the VX-5R! Learn more by joining this group! The VX-5R is a miniature tri band FM transceiver with extensive receive frequency coverage, providing leading-edge features for 2M, 440MHz and 50MHz amateur communications along with unmatched monitoring capability. The VX-5R's super thin profile and durable lightweight design allows you to take it anywhere-hiking, skiing, or while walking around town, and its operation flexibility brings the user many avenues of operating enjoyment. Besides the 50, 144, and 430 MHz transmit operation, the VX-5R provides receive coverage of the AM and FM broadcast bands, HF short-wave bands up to 16 MHz, VHF and UHF TV bands, the VHF AM aircraft band, and a wide range of commercial and public safety frequencies! With its unique optional Barometer pressure sensor unit provides readout of barometric pressure and altitude while mountain climbing and hiking.

For Any kind of information you can contact geodude2010@....

263. Re: [VX5] Prefer google groups?

Yahoo group: VX5
Date: 2005-04-16 11:24:30 UTC
From: Noel Shrum
Topic: 263 Message: 263

I do not allow spamming here.

264. VX-5R Belt Clip Adapter

Yahoo group: VX5
Date: 2005-04-20 05:04:06 UTC
From: Joe
Topic: 264 Message: 264

I bought a VX-5R two months ago. I love the radio but hate the little plastic belt clip. I started experimenting with a few ideas and aftermarket clips and wound up making a small adapter that allows one to use one of the nice locking quick draw clips sold for cell phones. The thing worked so well I decided to have a few of them manufactured to offer for sale. I have put up a web page that details the clip adapter with pictures.

If you hate the factory VX-5R belt clip, please check this out. It might be what you have been looking for at a resonable price.

http://www.mresoftware.com/vxclip/

Emery Wooten - KC5LIO

265. Re: [VX5] VX-5R Belt Clip Adapter

Yahoo group: VX5
Date: 2005-04-21 12:13:45 UTC
From: phil on the job
Topic: 264 Message: 265

Nice Job,

Here's some other options for clips made by other resourceful HAMs.
http://www.dslextreme.com/users/rdashoff/VX-5r.htm

http://technodaddy.com/kb9teg/

Here's the one I use

http://home.comcast.net/~sllewd/store.html

Phil
KC2GDF

----- Original Message -----
From: "Joe" <mrewooten@...>
To: <VX5@yahoogroups.com>
Sent: Wednesday, April 20, 2005 1:04 AM
Subject: [VX5] VX-5R Belt Clip Adapter

>
>
> I bought a VX-5R two months ago. I love the radio but hate the
> little plastic belt clip. I started experimenting with a few ideas
> and aftermarket clips and wound up making a small adapter that allows
> one to use one of the nice locking quick draw clips sold for
> cell phones. The thing worked so well I decided to have a few of
> them manufactured to offer for sale. I have put up a web page that
> details the clip adapter with pictures.
>
> If you hate the factory VX-5R belt clip, please check this out. It
> might be what you have been looking for at a resonable price.
>
> http://www.mresoftware.com/vxclip/
>
> Emery Wooten - KC5LIO
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>

>
>
>
>

266. Re: VX-5R Belt Clip Adapter

Yahoo group: VX5
Date: 2005-04-20 13:58:46 UTC
From: Joe
Topic: 264 Message: 266

Thanks Phil. I looked at those in my search for a clip but the
problem is that you can't use them with the CSC-73 protective
leather case. The VX-CLIP adapter allows you use a clip like
technodaddy's with the case.

Emery - KC5LIO

--- In VX5@yahoogroups.com, phil on the job <silverbk@e...> wrote:
> Nice Job,
>
> Here's some other options for clips made by other resourceful HAMs.
> http://www.dslextreme.com/users/rdashoff/VX-5r.htm
>
>
> http://technodaddy.com/kb9teg/
>
> Here's the one I use
>
> http://home.comcast.net/~sllewd/store.html
>
> Phil
> KC2GDF
>
>
>
> ----- Original Message -----
> From: "Joe" <mrewooten@h...>
> To: <VX5@yahoogroups.com>
> Sent: Wednesday, April 20, 2005 1:04 AM
> Subject: [VX5] VX-5R Belt Clip Adapter
>
>
> >
> >
> > I bought a VX-5R two months ago. I love the radio but hate the
> > little plastic belt clip. I started experimenting with a few
ideas
> > and aftermarket clips and wound up making a small adapter that
allows
> > one to use one of the nice locking quick draw clips sold for
> > cell phones. The thing worked so well I decided to have a few of
> > them manufactured to offer for sale. I have put up a web page
that
> > details the clip adapter with pictures.
> >

> > If you hate the factory VX-5R belt clip, please check this out.
It
> > might be what you have been looking for at a resonable price.
> >
> > http://www.mresoftware.com/vxclip/
> >
> > Emery Wooten - KC5LIO
> >
> >
> >
> >
> >
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
> >
> >
> >
> >

267. Convert from Metric to English.

Yahoo group: VX5
Date: 2005-05-09 23:32:20 UTC
From: Al G.
Topic: 267 Message: 267

Is there a way to convert the readout of the Baramoter, Altimiter and Thermometer from Metric to English?

268. FS - VX-5RS +

Yahoo group: VX5
Date: 2005-05-10 11:15:13 UTC
From: John Schneider
Topic: 268 Message: 268

Hello,

I have a silver VX-5 in as-new condition with original box, manual, battery and wall charger. The radio has seen little use and the battery seems to hold a charge forever. The radio will also be shipped with ADMS software, the programming cable and a Diamond dual-Band antenna.

$225.00 + shipping

Please email direct if interested.

John, KB2COP
thecop@...

269. erasing memory

Yahoo group: VX5
Date: 2005-06-24 03:31:19 UTC
From: flame500000
Topic: 269 Message: 269

Does anyone know how to competely erace a stored memory channel and not just maskit.

270. RE: [VX5] erasing memory

Yahoo group: VX5
Date: 2005-06-24 04:09:22 UTC
From: David Smith
Topic: 269 Message: 270

Yes.

> Does anyone know how to competely erace a stored memory
> channel and not just maskit.

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.
Version: 7.0.323 / Virus Database: 267.8.0/27 - Release Date: 6/23/2005

271. RE: [VX5] erasing memory

Yahoo group: VX5
Date: 2005-06-24 04:10:39 UTC
From: David Smith
Topic: 269 Message: 271

You have to use a program such as adms, eve,or commander.

> -----Original Message-----
> From: VX5@yahoogroups.com [mailto:VX5@yahoogroups.com] On
> Behalf Of flame500000
> Sent: Thursday, June 23, 2005 9:31 PM
> To: VX5@yahoogroups.com
> Subject: [VX5] erasing memory
>
>
> Does anyone know how to competely erace a stored memory
> channel and not just maskit.
>
>
>
>
>
> _____
>
> Yahoo! Groups Links
>
>
> * To visit your group on the web, go to:
> http://groups.yahoo.com/group/VX5/
>
> * To unsubscribe from this group, send an email to:
> VX5-unsubscribe@yahoogroups.com
> <mailto:VX5-unsubscribe@yahoogroups.com?subject=Unsubscribe>
>
> * Your use of Yahoo! Groups is subject to the Yahoo!
> Terms of Service <http://docs.yahoo.com/info/terms/> .
>
>
> --
> No virus found in this incoming message.
> Checked by AVG Anti-Virus.
> Version: 7.0.323 / Virus Database: 267.8.0/27 - Release Date:
> 6/23/2005
>
>
>

--
No virus found in this outgoing message.
Checked by AVG Anti-Virus.

Version: 7.0.323 / Virus Database: 267.8.0/27 - Release Date: 6/23/2005

272. Re: erasing memory

Yahoo group: VX5
Date: 2005-06-24 19:16:00 UTC
From: flame500000
Topic: 269 Message: 272

So theres no way to erase a channel w/o formatting the radio or
spending 35 bucks on a cable.
If so can anyone point me to a site explaining how to make a cable.

arghhh,
Andrew KB3MKC

273. FA - VX-5RS

Yahoo group: VX5
Date: 2005-06-26 20:37:52 UTC
From: John Schneider
Topic: 273 Message: 273

http://cgi.ebay.com/ws/eBayISAPI.dll?ViewItem&item=5785162228

274. vx5 program

Yahoo group: VX5
Date: 2005-06-28 22:09:57 UTC
From: armyscout94
Topic: 274 Message: 274

does any one know the site to get the commander program for the vx5r

275. Does Not Turn On

Yahoo group: VX5
Date: 2005-07-14 05:05:24 UTC
From: s1t2luze
Topic: 275 Message: 275

VX-5R does not turn on since using EVE software to program memory groups. After sending data to radio and program completed, radio did not automatically come on and unable to turn on using power button. Tried resetting to no avail. Any help would be appreciated.

276. hello

Yahoo group: VX5
Date: 2005-07-27 22:26:17 UTC
From: cns100
Topic: 276 Message: 276

hello

[Non-text portions of this message have been removed]

277. RE: [VX5] hello

Yahoo group: VX5
Date: 2005-07-28 00:12:12 UTC
From: Bryan Johns
Topic: 276 Message: 277

Wednesday, July 27, 2005 5:26 PM, cns100 uttered:

> hello

Go ahead...

--
Bryan Johns
K4GDW
bjohns@...
http://www.greendragonweb.com

"...income redistribution is simply a legal version of what a thief does -- namely, take the rightful property of one person for the benefit of another. The primary distinction between this behavior and that of Congress is legality." --Walter Williams

278. help w/EVE software

Yahoo group: VX5
Date: 2005-09-19 02:50:28 UTC
From: w6nct
Topic: 278 Message: 278

I'm trying to program my VX5R w/the EVE software and get errors reading or writing the radio. It acts likt the file format is bad; but I suspect that it might be getting garbaged somehow. I don't see anywhere referencing the expected BAUD rate. Does anyone know it?

Thx.

Vern

279. Re: vx5 program

Yahoo group: VX5
Date: 2005-09-20 01:52:41 UTC
From: w6nct
Topic: 274 Message: 279

```
--- In VX5@yahoogroups.com, "armyscout94" <bloodhoundsearch@a...> wrote:
> does any one know the site to get the commander program for the vx5r

Try http://www.kc8unj.com/

<<< vern >>>
```

280. Re: help w/EVE software (UPDATED)

Yahoo group: VX5
Date: 2005-09-20 01:57:52 UTC
From: w6nct
Topic: 278 Message: 280

--- In VX5@yahoogroups.com, "w6nct" <w6nct@a...> wrote:
>
> I'm trying to program my VX5R w/the EVE software and get errors
> reading or writing the radio. It acts likt the file format is bad;
> but I suspect that it might be getting garbaged somehow. I don't see
> anywhere referencing the expected BAUD rate. Does anyone know it?

A nice gentleman replied (separately) and indicated 9600 Baud. I tried resetting my PC to 9600, and still can't get EVE (or YARD) to read. I even tried doing a MasterReset of the radio, then retrying (no luck).

Does anyone have any suggestions of what I could try, or what I should check?

<<< vern >>>

281. Re: [VX5] Re: help w/EVE software (UPDATED)

Yahoo group: VX5
Date: 2005-09-20 02:09:09 UTC
From: Nick San2che
Topic: 278 Message: 281

Mine was doing the same thing, and when I finally
changed the bit rate to 7, it worked. I also went thru
and selected what ports I had available and tried
them.
Good Luck...

--- w6nct <w6nct@...> wrote:

> --- In VX5@yahoogroups.com, "w6nct" <w6nct@a...>
> wrote:
> >
> > I'm trying to program my VX5R w/the EVE software
> and get errors
> > reading or writing the radio. It acts likt the
> file format is bad;
> > but I suspect that it might be getting garbaged
> somehow. I don't see
> > anywhere referencing the expected BAUD rate. Does
> anyone know it?
>
> A nice gentleman replied (separately) and indicated
> 9600 Baud. I
> tried resetting my PC to 9600, and still can't get
> EVE (or YARD) to
> read. I even tried doing a MasterReset of the
> radio, then retrying
> (no luck).
>
> Does anyone have any suggestions of what I could
> try, or what I should
> check?
>
> <<< vern >>>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

282. VX-5R Non Ham Bands Missing

Yahoo group: VX5
Date: 2005-09-21 01:16:08 UTC
From: barrow35048
Topic: 282 Message: 282

I just purchased a VX-5R on ebay. The three Ham bands appear to work, but "all" the other bands do not show up. When I use the Band button to go through the bands only the 50, 144, and 430MHZ frequencies show up. Also, when I attempt to use the WX button to call up the weather band diretly it doesn't show up. Anyone know what could be causing this? Thanks, Bob

283. Re: [VX5] VX-5R Non Ham Bands Missing

Yahoo group: VX5
Date: 2005-09-21 13:26:05 UTC
From: Phil on the Job
Topic: 282 Message: 283

Make sure that the radio is not in idiot mode.

Is radio modded?

Can you put a freq in manuall with the vfo, or do just memory freqs show up?

----- Original Message -----
From: "barrow35048" <bob.barrow@...>
To: <VX5@yahoogroups.com>
Sent: Tuesday, September 20, 2005 9:16 PM
Subject: [VX5] VX-5R Non Ham Bands Missing

>I just purchased a VX-5R on ebay. The three Ham bands appear to
> work, but "all" the other bands do not show up. When I use the Band
> button to go through the bands only the 50, 144, and 430MHZ
> frequencies show up. Also, when I attempt to use the WX button to
> call up the weather band diretly it doesn't show up. Anyone know
> what could be causing this? Thanks, Bob
>
>
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>

284. RE: [VX5] VX-5R Non Ham Bands Missing

Yahoo group: VX5
Date: 2005-09-22 02:01:54 UTC
From: Barrow, Robert W (Bob)
Topic: 282 Message: 284

Thanks for the response.

Sorry, but I don't know what the idiot mode is.

I also am not sure what "modded" is but the radio is not in the set mode condition.

I can manually put in frequencies within the ham band it is in.

I have tried doing the "microprocessor reset" and the "set mode reset" described in the manual and neither helped.

Thanks again, Bob

From: VX5@yahoogroups.com [mailto:VX5@yahoogroups.com] On Behalf Of Phil on the Job
Sent: Wednesday, September 21, 2005 8:26 AM
To: VX5@yahoogroups.com
Subject: Re: [VX5] VX-5R Non Ham Bands Missing

Make sure that the radio is not in idiot mode.

Is radio modded?

Can you put a freq in manuall with the vfo, or do just memory freqs show up?

----- Original Message -----
From: "barrow35048" <bob.barrow@...>
To: <VX5@yahoogroups.com>
Sent: Tuesday, September 20, 2005 9:16 PM
Subject: [VX5] VX-5R Non Ham Bands Missing

>I just purchased a VX-5R on ebay. The three Ham bands appear to
> work, but "all" the other bands do not show up. When I use the Band
> button to go through the bands only the 50, 144, and 430MHZ
> frequencies show up. Also, when I attempt to use the WX button to
> call up the weather band diretly it doesn't show up. Anyone know
> what could be causing this? Thanks, Bob
>
>
>
>
>
>
> Yahoo! Groups Links

>
>
>
>
>
>
>

SPONSORED LINKS

Hobby and craft supply
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and
+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84
&.sig=Sz5ebNg-ZsVyHTzaR4PnAg>

Craft hobby
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supp
ly&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=_8V4k
QCK4PEN_MzUUBx-hQ>

Hobbies and crafts
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.si
g=J-__6L1W_lZQ58dekNdHLA>

Ham radio
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply
&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=OzrEr-g
q6h7guAFs73WsoQ>

YAHOO! GROUPS LINKS

* Visit your group "VX5 <http://groups.yahoo.com/group/VX5> " on
the web.

* To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com
<mailto:VX5-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

****
This email and any files transmitted with it from the ElPaso
Corporation are confidential and intended solely for the
use of the individual or entity to whom they are addressed.
If you have received this email in error please notify the
sender.
****

[Non-text portions of this message have been removed]

285. Re: [VX5] VX-5R Non Ham Bands Missing

Yahoo group: VX5
Date: 2005-09-22 02:27:14 UTC
From: Phil on the Job
Topic: 282 Message: 285

Bob,

Are you a HAM? What are you using the radio for?

Here is how to set the radio for idiot mode:

Not documented feature for Yaesu VX-5R
Turn Your VX-5R while holding down MR/skp/sc key. You kan hear the special sound. Now your rig is in IDIOT -mod. Only large digits on the display, may be used only MR mode, user can change only squelch and TX power. No more! VFO, the preferencies and other features are blocked.

Now you can give it to police officer, your old grandmother or to your wife for simple use.

To cancel: turn off, turn on while holding MR. You have your VX-5R back for normal use.

Here's a good link to learn about the mods, they are not for the beginner, especially a non HAM. Basically it allows you to transmit outside of the ham bands, which in most cases is illegal.

http://www.ham.dmz.ro/yaesu/vx-5r-idiot-mod.php

286. RE: [VX5] VX-5R Non Ham Bands Missing

Yahoo group: VX5
Date: 2005-09-22 03:18:44 UTC
From: Barrow, Robert W (Bob)
Topic: 282 Message: 286

I still have a ham license (KC4KI) but have been inactive for about 20 years. I wanted this VX-5R to use as a ham rig but also wanted to be able to monitor aircraft and weather.

Now for the good news! I went to the web site you suggested and there was the solution as follows:

Yaesu VX-5 R (VX 5 R VX5R) expanded frequency mod

After performing the reset on a VX5-R (pressing [VFO] + [MR] + [4] + [PWR], the radio only receives and transmits in the 6M, 2M and 79cm hambands, try this to restore full coverage:

Press [BAND] + [HM/RV] + [TX PO} and [PWR] simultaneously.

I had to do this to restore all 11 bands and enable out of band Transmit after performing the VX-5R expanded frequency mod.

I did this and now appear to be able to get all the bands. I really appreciate your leading me in the right direction.

Thanks very much, Bob

From: VX5@yahoogroups.com [mailto:VX5@yahoogroups.com] On Behalf Of Phil on the Job
Sent: Wednesday, September 21, 2005 9:27 PM
To: VX5@yahoogroups.com
Subject: Re: [VX5] VX-5R Non Ham Bands Missing

Bob,

Are you a HAM? What are you using the radio for?

Here is how to set the radio for idiot mode:

Not documented feature for Yaesu VX-5R
Turn Your VX-5R while holding down MR/skp/sc key. You kan hear the special
sound. Now your rig is in IDIOT -mod. Only large digits on the display, may
be used only MR mode, user can change only squelch and TX power. No more!
VFO, the preferencies and other features are blocked.

Now you can give it to police officer, your old grandmother or to your wife

for simple use.

To cancel: turn off, turn on while holding MR. You have your VX-5R back for
normal use.

Here's a good link to learn about the mods, they are not for the beginner,
especially a non HAM. Basically it allows you to transmit outside of the ham
bands, which in most cases is illegal.

http://www.ham.dmz.ro/yaesu/vx-5r-idiot-mod.php

SPONSORED LINKS

Hobby and craft supply
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and
+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84
&.sig=Sz5ebNg-ZsVyHTzaR4PnAg>

Craft hobby
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supp
ly&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=_8V4k
QCK4PEN_MzUUBx-hQ>

Hobbies and crafts
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+cra
ft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.si
g=J-__6L1W_lZQ58dekNdHLA>

Ham radio
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply
&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=OzrEr-g
q6h7guAFs73WsoQ>

YAHOO! GROUPS LINKS

* Visit your group "VX5 <http://groups.yahoo.com/group/VX5> " on
the web.

* To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com
<mailto:VX5-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo! Terms of
Service <http://docs.yahoo.com/info/terms/> .

****
This email and any files transmitted with it from the ElPaso

Corporation are confidential and intended solely for the
use of the individual or entity to whom they are addressed.
If you have received this email in error please notify the
sender.
****

[Non-text portions of this message have been removed]

287. Re: help w/EVE software (UPDATED)

Yahoo group: VX5
Date: 2005-09-23 03:21:44 UTC
From: w6nct
Topic: 278 Message: 287

--- In VX5@yahoogroups.com, Nick San2che <san2che@y...> wrote:
> Mine was doing the same thing, and when I finally
> changed the bit rate to 7, it worked. I also went thru
> and selected what ports I had available and tried
> them.
> Good Luck...
>

Thanks, I'll try it.

<<< vern >>>

288. Vx5R Mod problems

Yahoo group: VX5
Date: 2005-11-19 20:34:52 UTC
From: kg4ekc
Topic: 288 Message: 288

I did the mod on my wife and my VX5R to change the belt clip to a cell phone clip. I then started to have problems with one radio and then the second radio. I sent the first radio back to and they fixed it the second radio came back with a new belt clip on it and that was the work order. When I called Customer Service they told me that the screw was screwed in too deep and damaged the board on the radio. The good thing for me was that they fixed both radios without charge to me. It was without a doubt my fault. They were very nice to me. I was thinking that I got a bad batch of radios when I had to send two back for service. Now I realize it was my fault and thought I ought to pass that on so no one else has that problem.

I am still shocked that they fixed these radios under warranty. Very pleased with the company.

Greg Dressel
KG4EKC

289. please REMOVE ME FROM THE GROUP - I NO LONGER OWN AN vx 5r

Yahoo group: VX5
Date: 2005-11-24 22:19:30 UTC
From: bobdonchez
Topic: 289 Message: 289

i couldnt figure out how to remove myself.
thank you
bob donchez

290. Re: [VX5] please REMOVE ME FROM THE GROUP - I NO LONGER OWN AN vx 5r

Yahoo group: VX5
Date: 2005-11-24 22:34:38 UTC
From: Chris Albertson
Topic: 289 Message: 290

--- bobdonchez <wb3hyb@...> wrote:

> i couldnt figure out how to remove myself.
> thank you
> bob donchez

None of us can remove you. You have to do it yourself.

Notice at the bottom of every e-mail the system sends to you are
instructions that read as follows:

To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com

You need to send this from the email account that the system sends the
messages to
It will look at the "From:" address to know who to remove. But that it
will not remove
you right away. It sends a confirmation meesage. When you reply to
that
confirmation you be be off the list for good.

Chris Albertson
Home: 310-376-1029 chrisalbertson90278@...
Cell: 310-990-7550
Office: 310-336-5189 Christopher.J.Albertson@...
KG6OMK

_____
Yahoo! Mail - PC Magazine Editors' Choice 2005
http://mail.yahoo.com

291. HT speaker microphones FS

Yahoo group: VX5
Date: 2006-02-25 16:05:20 UTC
From: Ken Simpson, W8EK
Topic: 291 Message: 291

HT speaker microphones For Sale:

Pryme Speaker mic
Fits Yeasu VX-1, 2, 5, 6, 7, FT-60, and others that take the
single pin connector with 4 conductors.
Close to new condition for $25.

Speaker microphone for HT
It says Densei SM-505 on it, but appears to be the same as
the Icom HM-46 speaker-mic. It fits Icom, Yaesu, and others
that take the 2.5 mm and 3.5 mm connectors. Very nice
condition for $18.

Yaesu MH19A2B ear bud and mini-mic.
With 2.5 mm and 3.5 mm connections.
It works fine and looks fine. $18

MFJ 286 speaker microphone
This speaker mic can be used on most Kenwood
HTs. It is a standard size speaker mic -- not one
of the little sub-miniature types. It has not been
used. With paper work for $15.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

292. vx5r mars vs freeband mods

Yahoo group: VX5
Date: 2006-05-18 10:13:41 UTC
From: valuedprofile
Topic: 292 Message: 292

Does anyone know if enabling the freeband mod on a radio that already has the MARS mod will cause me to lose the MARS mod?

In other words, if I remove ALL of the solder pads per the instructions of various mods guidelines, will I get both the freeband and the MARS mods? (I have a series 2, methinks, 8Nxxxxxx.)

All advice welcomed!

f

293. RE: [VX5] vx5r mars vs freeband mods

Yahoo group: VX5
Date: 2006-05-18 10:45:54 UTC
From: Kutche, Jerry
Topic: 292 Message: 293

I have all of mine removed.. It is a slightly Older unit.. But works great.. Both MARS and FREEBAND... I however do not recommend TXing out of the hams bands.. Unless you have a quality Antenna.. And that may not offer enough protection.. As the units is optimized to the ham bands and the finals can get excessively warm... Who knows what kind of damage can occur if prolonged use out of band occurs...

Jerry N9LYA

From: VX5@yahoogroups.com [mailto:VX5@yahoogroups.com] On Behalf Of valuedprofile
Sent: Thursday, May 18, 2006 6:14 AM
To: VX5@yahoogroups.com
Subject: [VX5] vx5r mars vs freeband mods

Does anyone know if enabling the freeband mod on a radio that already has the MARS mod will cause me to lose the MARS mod?

In other words, if I remove ALL of the solder pads per the instructions of various mods guidelines, will I get both the freeband and the MARS mods? (I have a series 2, methinks, 8Nxxxxxx.)

All advice welcomed!

f

SPONSORED LINKS

Hobby
<http://groups.yahoo.com/gads?t=ms&k=Hobby+and+craft+supply&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=Sz5ebNg-ZsVyHTzaR4PnAg> and craft supply

Craft
<http://groups.yahoo.com/gads?t=ms&k=Craft+hobby&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=_8V4kQCK4PEN_MzUUBx-hQ> hobby

Hobbies
<http://groups.yahoo.com/gads?t=ms&k=Hobbies+and+crafts&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=J-__6L1W_lZQ58dekNdHLA> and crafts

Ham
<http://groups.yahoo.com/gads?t=ms&k=Ham+radio&w1=Hobby+and+craft+supply&w2=Craft+hobby&w3=Hobbies+and+crafts&w4=Ham+radio&c=4&s=84&.sig=OzrEr-gq6h7guAF

s73WsoQ> radio

YAHOO! GROUPS LINKS

* Visit your group "VX5 <http://groups.yahoo.com/group/VX5> " on the web.

* To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com
<mailto:VX5-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

294. New file uploaded to VX5

Yahoo group: VX5
Date: 2006-05-19 07:23:45 UTC
From: VX5@yahoogroups.com
Topic: 72 Message: 294

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the VX5
group.

File : /YaesuVX5R_MODS2.pdf
Uploaded by : valuedprofile <defaultprofile@...>
Description : VX5R Mods 2

You can access this file at the URL:
http://groups.yahoo.com/group/VX5/files/YaesuVX5R_MODS2.pdf

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

valuedprofile <defaultprofile@...>
```

295. VX5R back here again!

Yahoo group: VX5
Date: 2006-05-23 16:43:26 UTC
From: John
Topic: 295 Message: 295

Just got a Yaesu VX5R in yesterday with a late serial number (traded a VX2R for it). I had forgotten how much I like this HT! Glad to have it back again. I have even had a VX6R recently, and while that HT has some great features I with the 5R had, I think the VX5R is a better all around performer-just not underwater!

Does everyone else on here love their VX5R as much?

73s John W5TD

---

296. RE: [VX5] VX5R back here again!

Yahoo group: VX5
Date: 2006-05-23 18:18:57 UTC
From: Kutche, Jerry
Topic: 295 Message: 296

Hi John.... I bought one, I think 3rd generation early on.. many years ago, and it has been great... I take mine everywhere... I do not like water so underwater usage would never be a problem... hihi

73 Jerry N9LYA

From: VX5@yahoogroups.com [mailto:VX5@yahoogroups.com] On Behalf Of John
Sent: Tuesday, May 23, 2006 12:43 PM
To: vx5@yahoogroups.com; vx-5r@yahoogroups.com; vx-5yaesu@yahoogroups.com
Subject: [VX5] VX5R back here again!

Just got a Yaesu VX5R in yesterday with a late serial number (traded a VX2R for it). I had forgotten how much I like this HT! Glad to have it back again. I have even had a VX6R recently, and while that HT has some great features I with the 5R had, I think the VX5R is a better all around performer-just not underwater!

Does everyone else on here love their VX5R as much?

73s John W5TD

YAHOO! GROUPS LINKS

* Visit your group "VX5 <http://groups.yahoo.com/group/VX5> " on the web.

* To unsubscribe from this group, send an email to:
VX5-unsubscribe@yahoogroups.com
<mailto:VX5-unsubscribe@yahoogroups.com?subject=Unsubscribe>

* Your use of Yahoo! Groups is subject to the Yahoo!
<http://docs.yahoo.com/info/terms/> Terms of Service.

[Non-text portions of this message have been removed]

297. scan range and steps of the vx5r

Yahoo group: VX5
Date: 2006-05-24 00:34:29 UTC
From: valuedprofile
Topic: 297 Message: 297

First, sometimes I want to listen to frequencies that aren't within the standard steps of the vx5r.

Is there a way to get an additional digit or at least be able to tune it to .001 instead of the standard step of .005, which seems to be the minimum in the settings options? Know what I mean? Try to tune in to, say, 7.234 MHZ! Seems to be a BIG limitation to listening to HF/SW.

Secondly, I'd like to scan between a range and have it continuously loop between the high and low of that range.

Say I want to scan from 3.0 to 8.0 mhz, starting over at 3.0 once it gets to 8.0. Can't seem to figure out how to program that in, if it's even possible. I have the same issue with my 7800R.

Any you Yaesu gurus have advice?

Thanks!

73, Frank K2NCC

(cross-posted in VX5)

298. Programming dilemma

Yahoo group: VX5
Date: 2006-06-13 17:35:54 UTC
From: Jeff McRae
Topic: 298 Message: 298

Hopefully this is one of those □Oh □ that□s an easy one□ fixes .

Programmed my VX-5 about 2 years ago, used EVE to set the Virtual Jumpers, then VX-5 Commander to input about a hundred various memories. Took a while □ but made it work.

Friend of mine gave me access to a linked system □ input those memories into VX-5 Commander. Plus I decided to add some Aviation frequencies (I work for LAX, be nice to monitor, I thought!), saved the file.

Exported it to the VX-5, and the HT reset itself to no memories whatsoever! Subsequent tries with both EVE and VX-5 Commander have proved frustrating □ it appears the radio isn□t willing to talk to the PC (the dreaded CLONE ERROR message)

As I recall, there was an undocumented issue of copying the □Radio ID□ file and pasting it into a new EVE file. Might be an issue with the laptop □ I don□t know how to tell if it□s actually trying to send anything out the serial port (but suspect that it did □ otherwise why did the HT default?)

Really don□t want to reprogram all this stuff by hand, right now taking the VX-5 to the range and using it for .45 practice is looking better and better all the time .

```
Jeff
KG6TY

---------------------------------
New Yahoo! Messenger with Voice. Call regular phones from your PC and save big.

[Non-text portions of this message have been removed]
```

299. Update

Yahoo group: VX5
Date: 2006-06-15 18:14:30 UTC
From: Jeff McRae
Topic: 299 Message: 299

Well, I'm getting there. I got EVE to download and upload - according to the "read" of the VX-5, all the memories are there (good thing)

HOWEVER - in Memory Recall mode - all I get is 144.000, turning the rotary knob does nothing.....

Anyone?

Jeff
KG6TY

How low will we go? Check out Yahoo! Messenger□s low PC-to-Phone call rates.

[Non-text portions of this message have been removed]

300. Continuing saga...

Yahoo group: VX5
Date: 2006-06-16 14:36:14 UTC
From: Jeff McRae
Topic: 300 Message: 300

Ok, made some progress yesterday, mostly through trial and error. It appears that one of the problems is that the radio has decided to ☐Mask☐ all but the priority memory channels (they☐re there ☐ just not able to access them)

Is there a ☐master unmask☐ command on the HT itself?

The other problem is that about half of the memories got corrupted ☐ all sorts of strange symbols in there in place of numbers and text ☐ I☐ll need to clean those out too.

Jeff
KG6TY

Ring'em or ping'em. Make PC-to-phone calls as low as 1¢/min with Yahoo! Messenger with Voice.

[Non-text portions of this message have been removed]

301. New file uploaded to VX5

Yahoo group: VX5
Date: 2006-06-23 03:17:17 UTC
From: VX5@yahoogroups.com
Topic: 72 Message: 301

```
Hello,

This email message is a notification to let you know that
a file has been uploaded to the Files area of the VX5
group.

File : /washco_ares_races_freqs.zip
Uploaded by : valuedprofile <defaultprofile@...>
Description : WashCO ARES/RACES Freqs for the VX5R (21JUN06)

You can access this file at the URL:
http://groups.yahoo.com/group/VX5/files/washco_ares_races_freqs.zip

To learn more about file sharing for your group, please visit:
http://help.yahoo.com/help/us/groups/files

Regards,

valuedprofile <defaultprofile@...>
```

302. VX5R low rf output on UHF

Yahoo group: VX5
Date: 2006-09-14 14:11:08 UTC
From: David Semones
Topic: 302 Message: 302

I just purchased a used VX5R at a local hamfest and have discoverd that it has very low rf output on 440Mhz. I tried a total reset but that did not help. Does anyone know of an adjustment for this? I compared the output of another 440 ht I have here through a SWR bridge/dummy load and the VX5R has about 1/10th the output of the IC24. I get the same output with all 4 power settings. Any help is appreciated.

Thanks, Jerry K4FJK

303. Re: [VX5] VX5R low rf output on UHF

Yahoo group: VX5
Date: 2006-09-14 17:40:20 UTC
From: Gregory Dressel
Topic: 302 Message: 303

I had a problem with one of mine that I changed the hanger to a cell phone thing. The screw actually damaged the board. Yeasu fixed it under warranty and I am still not sure why as I was the one who damaged the radio. They told me to be very careful. The only symptom was very low transmit on 440

Greg Dressel
KG4EKC

David Semones <jerrysem@...> wrote: I just purchased a used VX5R at a local hamfest and have discoverd
that it has very low rf output on 440Mhz. I tried a total reset but
that did not help. Does anyone know of an adjustment for this? I
compared the output of another 440 ht I have here through a SWR
bridge/dummy load and the VX5R has about 1/10th the output of the
IC24. I get the same output with all 4 power settings. Any help is
appreciated.

Thanks, Jerry K4FJK

How low will we go? Check out Yahoo! Messenger□s low PC-to-Phone call rates.

[Non-text portions of this message have been removed]

304. Re: [VX5] VX5R low rf output on UHF

Yahoo group: VX5
Date: 2006-09-14 20:20:51 UTC
From: Jerry Semones
Topic: 302 Message: 304

Okay, thanks Gregg. I did add a hanger clip on it so
I guess its possible I did the same thing. I bought
the hanger at a hamfest and all it is is a small
circular piece held onto the back of the radio with a
small screw. I'll check into it. Thanks again.
Jerry K4FJK

--- Gregory Dressel <kg4ekc@...> wrote:

> I had a problem with one of mine that I changed the
> hanger to a cell phone thing. The screw actually
> damaged the board. Yeasu fixed it under warranty
> and I am still not sure why as I was the one who
> damaged the radio. They told me to be very careful.
> The only symptom was very low transmit on 440
>
> Greg Dressel
> KG4EKC
>
> David Semones <jerrysem@...> wrote:
> I just purchased a used VX5R
> at a local hamfest and have discoverd
> that it has very low rf output on 440Mhz. I tried
> a total reset but
> that did not help. Does anyone know of an
> adjustment for this? I
> compared the output of another 440 ht I have here
> through a SWR
> bridge/dummy load and the VX5R has about 1/10th the
> output of the
> IC24. I get the same output with all 4 power
> settings. Any help is
> appreciated.
>
> Thanks, Jerry K4FJK
>
>
>
>
>
>
> ---
> How low will we go? Check out Yahoo! Messenger?s low
> PC-to-Phone call rates.
>

> [Non-text portions of this message have been
> removed]
>
>
>
>
> Yahoo! Groups Links
>
>
>
>
>
>
>
>
>
>

Do You Yahoo!?
Tired of spam? Yahoo! Mail has the best spam protection around
http://mail.yahoo.com

305. Travel with radio and frequencies for Brooklyn NY

Yahoo group: VX5
Date: 2006-11-23 14:47:55 UTC
From: Tim ODonnell
Topic: 305 Message: 305

I am going to spend Christmas in Brooklyn NY this year. I am planning to take my VX5 with me. Has anybody traveled with their radio recently? Are the TSA folks being jerks about HAM radios and associated gear??? I am planning to carry my radio on board in a Universal radio bag with my spare antennas and power supplies etc. If you have taken your portable on a trip recently I would love to hear about it.

I am also looking for Repeater Frequncies in Brooklyn. So if any have some good active repeater freqs I would love to have them

Thanks!

Tim, N5TJO

306. Re: [VX5] Travel with radio and frequencies for Brooklyn NY

Yahoo group: VX5
Date: 2006-11-24 01:32:30 UTC
From: Nick San2che
Topic: 305 Message: 306

Goto these links for some listings.
http://www.qsl.net/n2row/
http://members.aol.com/nyrocketscience/wa2jqz/ny2meters.htm

Do you Yahoo!?
Everyone is raving about the all-new Yahoo! Mail beta.
http://new.mail.yahoo.com

307. FS: Yaesu HT accessories

Yahoo group: VX5
Date: 2007-02-03 20:05:39 UTC
From: John Geiger
Topic: 307 Message: 307

I have a couple of spare accessories I don't need for the Yaesu VX5R HT. I am asking $15 shipped for #1 and #2 or $35 for all three shipped. Here is what I have:

1. FBA23 AA battery case-works with VX5R, VX6R, VX7R
2. CD-15 rapid charger-this will work with the VX5R but not the VX6R or VX7R

I also have a leather carry case for the VX5R. It is not a Yaesu product, but fits the VX5R nicely. However, it does cover up the keypad and display, so you would need to remove the HT to change frequency. Has a nice belt loop on it also. I am asking $10 shipped for it.

73s Johh W5TD

8:00? 8:25? 8:40? Find a flick in no time
with the Yahoo! Search movie showtime shortcut.
http://tools.search.yahoo.com/shortcuts/#news

308. Re: FS: Yaesu HT accessories

Yahoo group: VX5
Date: 2007-02-04 00:29:01 UTC
From: bhump007
Topic: 307 Message: 308

--- In VX5@yahoogroups.com, John Geiger <johngeig@...> wrote:
>
> I have a couple of spare accessories I don't need for
> the Yaesu VX5R HT. I am asking $15 shipped for #1 and
> #2 or $35 for all three shipped. Here is what I have:
>
> 1. FBA23 AA battery case-works with VX5R, VX6R, VX7R
> 2. CD-15 rapid charger-this will work with the VX5R
> but not the VX6R or VX7R
>
> I also have a leather carry case for the VX5R. It is
> not a Yaesu product, but fits the VX5R nicely.
> However, it does cover up the keypad and display, so
> you would need to remove the HT to change frequency.
> Has a nice belt loop on it also. I am asking $10
> shipped for it.
>
> 73s Johh W5TD
>
> John Do you accept paypal? email me personally if you wish

bruceman009@... kb8saf i'll take all 3
>
>

> 8:00? 8:25? 8:40? Find a flick in no time
> with the Yahoo! Search movie showtime shortcut.
> http://tools.search.yahoo.com/shortcuts/#news
>

309. FS: Yaesu VX5R triband HT

Yahoo group: VX5
Date: 2007-02-21 20:14:53 UTC
From: John Geiger
Topic: 309 Message: 309

I have for sale a Yaesu VX5R HT in close to mint condition. Only selling because I just purchased a VX7R for the waterproof and dual receive capabilities.

The VX5R does 5 watts on 6m/2m/70cm, with wide receive covering shortwave, AM and FM broadcast bands, TV audio, and most VHF/UHF frequencies.

The physical and electrical condition of this HT is excellent, and it comes with a good battery, antenna, charger, original manual, and original box. You would have trouble telling this HT from new, and it is in the 4J serial number range, which is one of the last production runs of the VX5R. You will not be disappointed with this HT.

I am asking $150 plus $5 for shipping in the CONUS. International shipping can be worked out. I can take paypal, checks, or non-postal money orders.

73s John W5TD

Food fight? Enjoy some healthy debate
in the Yahoo! Answers Food & Drink Q&A.
http://answers.yahoo.com/dir/?link=list&sid=396545367

310. vx5 modification

Yahoo group: VX5
Date: 2007-11-19 02:47:04 UTC
From: wd8oor
Topic: 310 Message: 310

I made the free band mod on my vx5 (sn# 1E66xxxx)

it still works in the ham bads but nothing else (xmit or rec)

it orginally had jumpers on pads 4 & 5 only

I left 5 jumper on
removed jumper 4
put new jumber on 3

This was a mod for the series three radio's

any help would be appreciated

Thanks

311. Parts for a VX-5R

Yahoo group: VX5
Date: 2007-12-24 17:16:18 UTC
From: ranger_ward
Topic: 311 Message: 311

I am looking for a non-working VX-5R that I can get mine working with. Not able to afford much but if you have one to give or sale just let me know. You can e-mail me at kg4ujq@...

Thanks, GOD Bless and Merry Christmas,
Tommy Ward

312. Which kind of modification was performed?

Yahoo group: VX5
Date: 2008-01-23 21:00:23 UTC
From: Engram
Topic: 312 Message: 312

I gather the VX-5R can be modified in hardware (jumpers cut) or in software (virtual jumpers changes). Without pulling off the tape and removing the barometer is there any way to tell whether the hardware or the software was changed? If there is no other way, how do I remove the tape and barometer safely to inspect the hardware jumpers? I was told this transceiver was purchased new from the distributor about 3 years ago (Serial #1178nnnn - where nnnn is unique to my radio). Is this early, midway, or late in the serial number range? Because the transmit ranges are pretty broad (48-70MHz, 108-222MHz, 300-580MHz) I am a little concerned about accidentally transmitting outside of the usual amateur radio frequencies. Can I clear out software modification with some keyboard reset sequence - and restore broad transmit range if needed in an emergency at a future date? If the hardware modification was done - can I restore ham only frequency range in the same way by using software virtual jumpers without resoldering physical jumpers? If so, would a keyboard originated hardware reset in the field restore broad transmit range - in an emergency? This would seem to be ideal - a radio with hardware jumpers changed, changed back to ham only using software virtual jumpers, and changable to broad transmit range in an emergency in the field with a keyboard originated hardware reset.

313. Yaesu VX-5 tri band HT FS

Yahoo group: VX5
Date: 2008-02-02 14:39:02 UTC
From: Ken Simpson, W8EK
Topic: 313 Message: 313

For Sale:

Yaesu VX-5 R tri-band HT

The VX-5 will cover the 6m, 2m, and 440 MHz ham
bands, with receive almost from DC to light. Actually
receive starts at the AM broadcast band, and goes to
about 1000 MHz, so that means it includes all of the
public service bands outside of the ham bands, weather,
FM commercial, commercial TV, SW bands, and much
more. Power output is up to about 5 watts, in 4 steps.
Of course PL tones (encode and decode) are included,
plus much, much more.

This particular unit is in nice shape. It includes the things
that came with it originally, including charger and Lithium
Ion battery that seems to last forever. Of course it works
fine.

All for $180 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

314. Charging Error message??

Yahoo group: VX5
Date: 2009-03-07 03:51:22 UTC
From: Briggs Longbothum
Topic: 314 Message: 314

Hello...anybody here in this group anymore??

For the first time my VX-5R has shown a "Charging Error" message. I have no idea what causes this or what it means but if I disconnect and then reconnect the charger, it seems ok and charges to completion!

Does anyone know what or why such a message would show in the midst of what seems to be a normal charging cycle???

Tnx in advance for any insight and/or help.

Briggs, ab2nj

315. Re: [VX5] Charging Error message??

Yahoo group: VX5
Date: 2009-03-07 08:47:55 UTC
From: David Smart
Topic: 314 Message: 315

Yes, still here. :-)

Haven't had this message myself. Couple of questions though ...

Has it happened with more than one battery?

Is your battery old?

Is the charger original or a substitute power pack? (You didn't say whether it's the drop in charger or not.) If it's a substitute power pack, is it possible that it's supplying over voltage? My Uniden 396 scanner gives a similar error if the supplied voltage is too high.

My suspicion is that something is getting marginal, and the battery would be a prime suspect. It will probably get worse as time goes on.

Regards, Dave S

----- Original Message -----
From: "Briggs Longbothum" <ab2nj@...>
To: <VX5@yahoogroups.com>
Sent: Saturday, March 07, 2009 2:51 PM
Subject: [VX5] Charging Error message??

> Hello...anybody here in this group anymore??
>
> For the first time my VX-5R has shown a "Charging Error" message. I have
> no idea what causes this or what it means but if I disconnect and then
> reconnect the charger, it seems ok and charges to completion!
>
> Does anyone know what or why such a message would show in the midst of
> what seems to be a normal charging cycle???
>
> Tnx in advance for any insight and/or help.
>
> Briggs, ab2nj
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

316. Tx Audio levels

Yahoo group: VX5
Date: 2009-07-11 19:13:03 UTC
From: mike.2e0btk
Topic: 316 Message: 316

Hi, my VX-5R has very low tx audio, menu 38 is set to OFF. Is there a mod to increase tx audio levels?

317. Re: Tx Audio levels

Yahoo group: VX5
Date: 2009-07-11 22:07:26 UTC
From: Briggs Longbothum
Topic: 316 Message: 317

Check www.mods.dk for any applicable mods to the VX-5R. Check: 1) the mic 'hole' isn't fouled, then 2)your "split" to make sure it is an even 600 (2m only) and not 605 or 595 or if some other odd split crept in somehow. -Briggs, ab2nj

--- In VX5@yahoogroups.com, "mike.2e0btk" <mike.2e0btk@...> wrote:
>
> Hi, my VX-5R has very low tx audio, menu 38 is set to OFF. Is there a mod to increase tx audio levels?
>

318. Re: Charging Error message??

Yahoo group: VX5
Date: 2009-07-11 22:15:28 UTC
From: Briggs Longbothum
Topic: 314 Message: 318

The "charge error" message first appeared on a new battery pack! Now (July '09) the charge error message comes on along with the orange LED but not right away and it never goes to completion (never says "charge complete'! Original batter back works normally so I do suspect the new (Oct. '08) pack which is still under warranty. W&W Mfg will replace it when I send it back. The guys at HRO suspect the Lithium-ION batter pack may have a board in that originates this oddball message. I will be returning the battery pack for replacement. W&W and HRO were all very helpful.

Tnx for your reply too. -Briggs, ab2nj

--- In VX5@yahoogroups.com, "David Smart" <smartware.consulting@...> wrote:
>
> Yes, still here. :-)
>
> Haven't had this message myself. Couple of questions though ...
>
> Has it happened with more than one battery?
>
> Is your battery old?
>
> Is the charger original or a substitute power pack? (You didn't say whether
> it's the drop in charger or not.) If it's a substitute power pack, is it
> possible that it's supplying over voltage? My Uniden 396 scanner gives a
> similar error if the supplied voltage is too high.
>
> My suspicion is that something is getting marginal, and the battery would be
> a prime suspect. It will probably get worse as time goes on.
>
> Regards, Dave S
>
> ----- Original Message -----
> From: "Briggs Longbothum" <ab2nj@...>
> To: <VX5@yahoogroups.com>
> Sent: Saturday, March 07, 2009 2:51 PM
> Subject: [VX5] Charging Error message??
>
>
> > Hello...anybody here in this group anymore??
> >
> > For the first time my VX-5R has shown a "Charging Error" message. I have
> > no idea what causes this or what it means but if I disconnect and then
> > reconnect the charger, it seems ok and charges to completion!
> >
> > Does anyone know what or why such a message would show in the midst of
> > what seems to be a normal charging cycle???

> >
> > Tnx in advance for any insight and/or help.
> >
> > Briggs, ab2nj
> >
> >
> >
> > ----------
> >
> > Yahoo! Groups Links
> >
> >
> >
>

319. Yaesu Speaker mics, battery, mics, etc. FS

Yahoo group: VX5
Date: 2009-10-23 12:59:00 UTC
From: Ken Simpson, W8EK
Topic: 319 Message: 319

Yaesu Items For Sale:

Lithium battery for Yaesu VX-2 or VX-3 HTs
Spare Lithium Ion battery pack for Yaesu VX-2 or VX-3.
It fits the new VX-3, as well as the earlier VX-2.
1200 mahr capacity. It holds a charge fine, and is
basically new. $20

Yaesu MH-34 b 4 b speaker microphone
This is the one that fits the Yaesu VX-8, VX-7, VX-6,
VX-5, VX-3, VX-2, VX-1, and that series of HTs. I think
it also fits the FT-50 and FT-60, and maybe others. It
has a single 4 conductor, 3.5 mm plug on it. This one
is just like new. $30

Yaesu YM-24 A speaker mic.
Fits FT-207, 208, plus many others. It has the
odd little round connector on it like Yaesu, Wilson,
Santec, and others used in the 1970s and 80s.
This particular unit works fine, and looks great
also. $20

Yaesu MH-31 B 8 dynamic hand microphone
This is the Yaesu hand microphone that has the round
8 pin connector on it. It will go with virtually any Yaesu
rig that uses the round 8 pin connector. It has up, down,
and fst switches, and well as a tone switch, in addition
to the PTT switch.
This particular unit works 100%, and is still unused in
its original box. It even includes the new shiny, chrome
mic holder for $40.

Yaesu MH-15a8 Touch Tone DTMF Hand Microphone
Has 16 digit DTMF pad on the back with an Up-Down
switch on the top in addition to the PTT button.
8 pin round connector. $40

Yaesu YD-844 Desk Microphone

This is a 50 K impedance desk microphone that really
looks sharp. It has a standard PTT switch on it, and
also a locking PTT switch. The YD-844 dynamic base
station microphone is an optional accessory made by
Yaesu. Made of a heavy cast metal it uses a dynamic
50K ohm element.

A picture can be seen at
http://www.eham.net/data/classifieds/images/289870.jpg
or
http://www.foxtango.org/ft-library/FT-Library/Eighties/yd-844.jpg

This particular mic works fine and looks very close to new.
No scratches or imperfections. $100

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Yaesu FT-207
Yaesu FT-209

Wrist Strap for Yaesu FT-209, and probably others $4

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

320. Replacing rubber port covers

Yahoo group: VX5
Date: 2010-01-11 17:34:18 UTC
From: BriggsL
Topic: 320 Message: 320

I have a cherished VX-5R and the rubber "L-shaped" cover that protects the charger & spk-mic is worn out and won't stay closed over the charger port. Does anyone know if/how this removes and is it replaceable (where can I get the part??) Help, need to know asap!

Briggs ab2nj Gloucester, Ma.

321. FS: Yaesu VX5R triband antenna

Yahoo group: VX5
Date: 2010-02-08 23:12:18 UTC
From: John Geiger
Topic: 321 Message: 321

I have the stock triband antenna from the Yaesu VX5R available. It has both the 6 meter coil with it, and the smaller tip for it when the 6m coil isn't being used. It is in very good condition and works fine. I am asking $15 shipped and can take paypal/check/MO.

73s John AA5JG

322. FS: 2m SMA antenna

Yahoo group: VX5
Date: 2010-02-08 23:30:26 UTC
From: John Geiger
Topic: 322 Message: 322

I have for sale a 2 meter SMA HT antenna. Looks like it is from a Yaesu VX150. About 5 inches long, and in very good shape. This would be a good antenna if you need a slightly shorter antenna for your Icom or Yaesu HT (it is only 2/3 the size of the VX5R antenan) but don't need 70cm coverage. I am asking $11 shipped in the US, and can take paypal/check/MO.

73s John AA5JG

323. Yaesu VX5R squelch problem

Yahoo group: VX5
Date: 2010-02-08 23:34:46 UTC
From: John Geiger
Topic: 323 Message: 323

I have just picked up a Yaesu VX5R HT that has a squelch problem (I knew about this when I bought it). When the squelch is closed it won't open up for any received signals. You have to have the squelch opened (or use the monitor button) to even hear the signals. The same thing happens if you open up the squelch setting but then use tone squelch to quiet the receiver. However, it doesn't seem to have this problem on the wideFM mode. Anyone else have a problem like this and know what is wrong or how to fix it?

73s John AA5JG

324. VX-5R Wanted!

Yahoo group: VX5
Date: 2010-02-08 23:49:34 UTC
From: BriggsL
Topic: 324 Message: 324

I'm afraid I may have dealt my HT a mortal blow when I had to open it up to install a new port cover. Long frustrating story but it doesn't go the way Yaesu said it did!
I am looking to buy another 100% working VX-5R if anyone has or knows of one that ix excess to owner's needs. Must be in good and working condition.
Thank you in advance. -Briggs Longbothum, ab2nj Gloucester, Ma.

325. Re: [VX5] VX-5R Wanted!

Yahoo group: VX5
Date: 2010-02-08 23:56:54 UTC
From: Bill Tarkington
Topic: 324 Message: 325

I have a perfect VX5 with many accessories. Not sure what it is worth, but am willing to part with it. But, not unless sold with the accessories as they are all specific to the VX5. Just do not use the HT much anymore, or any HT for that matter. Mostly a home body now, so not into mobile or HTs like I once was. If seriously interested, will do an inventory of what I have.
----- Original Message -----
From: BriggsL
To: VX5@yahoogroups.com
Sent: Monday, February 08, 2010 5:49 PM
Subject: [VX5] VX-5R Wanted!

I'm afraid I may have dealt my HT a mortal blow when I had to open it up to install a new port cover. Long frustrating story but it doesn't go the way Yaesu said it did!
I am looking to buy another 100% working VX-5R if anyone has or knows of one that ix excess to owner's needs. Must be in good and working condition.
Thank you in advance. -Briggs Longbothum, ab2nj Gloucester, Ma.

[Non-text portions of this message have been removed]

326. Re: VX-5R Wanted!

Yahoo group: VX5
Date: 2010-02-09 00:45:25 UTC
From: BriggsL
Topic: 324 Message: 326

Hi Bill--

Wow, that was a super fast reply to my inquiry. I thought I'd have to search for a long time to find a good one.

Yes, I am seriously interested and though I already have most accessories, I would be willing to consider your entire package. I do, however, need a decent picture of the front face so I know the display is fully functional and the buttons are readable. Please i ndicate what you need for your package deal) and I'll get back with you in short order. I thought of buying into a
newer model but I already know the VX-5R and do not want to learn a new HT again just to have the latest and greatest. The VX-5R is several models old already but I do like it and it works for me. Got a hamfest coming up this weekend and I've been looking for one for a few weeks now.

Anxious to hear back from you.

Ciao for now & 73,
Briggs, ab2nj

ab2nj "at" arrl "dot" net

--- In VX5@yahoogroups.com, "Bill Tarkington" <K3YC@...> wrote:
>
> I have a perfect VX5 with many accessories. Not sure what it is worth, but am willing to part with it. But, not unless sold with the accessories as they are all specific to the VX5. Just do not use the HT much anymore, or any HT for that matter. Mostly a home body now, so not into mobile or HTs like I once was. If seriously interested, will do an inventory of what I have.
> ----- Original Message -----
> From: BriggsL
> To: VX5@yahoogroups.com
> Sent: Monday, February 08, 2010 5:49 PM
> Subject: [VX5] VX-5R Wanted!
>
>
>
> I'm afraid I may have dealt my HT a mortal blow when I had to open it up to install a new port cover. Long frustrating story but it doesn't go the way Yaesu said it did!
> I am looking to buy another 100% working VX-5R if anyone has or knows of one that ix excess to owner's needs. Must be in good and working condition.
> Thank you in advance. -Briggs Longbothum, ab2nj Gloucester, Ma.
>
>
>
>

>
> [Non-text portions of this message have been removed]
>

327. Re: [VX5] VX-5R Wanted!

Yahoo group: VX5
Date: 2010-02-09 01:35:31 UTC
From: mike
Topic: 324 Message: 327

i have two mint vx5r i will sell

--- On Mon, 2/8/10, BriggsL <ab2nj@arrl.net> wrote:

From: BriggsL <ab2nj@...>
Subject: [VX5] VX-5R Wanted!
To: VX5@yahoogroups.com
Date: Monday, February 8, 2010, 6:49 PM

I'm afraid I may have dealt my HT a mortal blow when I had to open it up to install a new port cover. Long frustrating story but it doesn't go the way Yaesu said it did!
I am looking to buy another 100% working VX-5R if anyone has or knows of one that ix excess to owner's needs. Must be in good and working condition.
Thank you in advance. -Briggs Longbothum, ab2nj Gloucester, Ma.

[Non-text portions of this message have been removed]

328. Re: [VX5] Re: VX-5R Wanted!

Yahoo group: VX5
Date: 2010-02-09 01:36:59 UTC
From: mike
Topic: 324 Message: 328

i have two mint vx5 mint i would sell

--- On Mon, 2/8/10, BriggsL <ab2nj@arrl.net> wrote:

From: BriggsL <ab2nj@...>
Subject: [VX5] Re: VX-5R Wanted!
To: VX5@yahoogroups.com
Date: Monday, February 8, 2010, 7:45 PM

Hi Bill--

Wow, that was a super fast reply to my inquiry. I thought I'd have to search for a long time to find a good one.

Yes, I am seriously interested and though I already have most accessories, I would be willing to consider your entire package. I do, however, need a decent picture of the front face so I know the display is fully functional and the buttons are readable. Please i ndicate what you need for your package deal) and I'll get back with you in short order. I thought of buying into a
newer model but I already know the VX-5R and do not want to learn a new HT again just to have the latest and greatest. The VX-5R is several models old already but I do like it and it works for me. Got a hamfest coming up this weekend and I've been looking for one for a few weeks now.

Anxious to hear back from you.

Ciao for now & 73,
Briggs, ab2nj

ab2nj "at" arrl "dot" net

--- In VX5@yahoogroups. com, "Bill Tarkington" <K3YC@...> wrote:
>
> I have a perfect VX5 with many accessories. Not sure what it is worth, but am willing to part with it. But, not unless sold with the accessories as they are all specific to the VX5. Just do not use the HT much anymore, or any HT for that matter. Mostly a home body now, so not into mobile or HTs like I once was. If seriously interested, will do an inventory of what I have.
> ----- Original Message -----
> From: BriggsL
> To: VX5@yahoogroups. com
> Sent: Monday, February 08, 2010 5:49 PM
> Subject: [VX5] VX-5R Wanted!
>
>
>
> I'm afraid I may have dealt my HT a mortal blow when I had to open it up to install a new

port cover. Long frustrating story but it doesn't go the way Yaesu said it did!
> I am looking to buy another 100% working VX-5R if anyone has or knows of one that ix excess to owner's needs. Must be in good and working condition.
> Thank you in advance. -Briggs Longbothum, ab2nj Gloucester, Ma.
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

329. Re: [VX5] Re: VX-5R Wanted!

Yahoo group: VX5
Date: 2010-02-09 03:12:20 UTC
From: Bill Tarkington
Topic: 324 Message: 329

See that Mike has also responded with two HTs for offering. I will respond as soon as I can, but in the mean time, have no problem if you can strike a good deal with Mike for one of his HTs.
----- Original Message -----
From: BriggsL
To: VX5@yahoogroups.com
Sent: Monday, February 08, 2010 6:45 PM
Subject: [VX5] Re: VX-5R Wanted!

Hi Bill--

Wow, that was a super fast reply to my inquiry. I thought I'd have to search for a long time to find a good one.

Yes, I am seriously interested and though I already have most accessories, I would be willing to consider your entire package. I do, however, need a decent picture of the front face so I know the display is fully functional and the buttons are readable. Please i ndicate what you need for your package deal) and I'll get back with you in short order. I thought of buying into a
newer model but I already know the VX-5R and do not want to learn a new HT again just to have the latest and greatest. The VX-5R is several models old already but I do like it and it works for me. Got a hamfest coming up this weekend and I've been looking for one for a few weeks now.

Anxious to hear back from you.

Ciao for now & 73,
Briggs, ab2nj

ab2nj "at" arrl "dot" net

--- In VX5@yahoogroups.com, "Bill Tarkington" <K3YC@...> wrote:
>
> I have a perfect VX5 with many accessories. Not sure what it is worth, but am willing to part with it. But, not unless sold with the accessories as they are all specific to the VX5. Just do not use the HT much anymore, or any HT for that matter. Mostly a home body now, so not into mobile or HTs like I once was. If seriously interested, will do an inventory of what I have.
> ----- Original Message -----
> From: BriggsL
> To: VX5@yahoogroups.com
> Sent: Monday, February 08, 2010 5:49 PM
> Subject: [VX5] VX-5R Wanted!
>
>
>
> I'm afraid I may have dealt my HT a mortal blow when I had to open it up to install a new

port cover. Long frustrating story but it doesn't go the way Yaesu said it did!
> I am looking to buy another 100% working VX-5R if anyone has or knows of one that ix excess to owner's needs. Must be in good and working condition.
> Thank you in advance. -Briggs Longbothum, ab2nj Gloucester, Ma.
>
>
>
>
>
> [Non-text portions of this message have been removed]
>

[Non-text portions of this message have been removed]

330. FS: Special Yaesu VX5R Manual

Yahoo group: VX5
Date: 2010-02-09 03:23:32 UTC
From: John Geiger
Topic: 330 Message: 330

I have for sale a special Yaesu VX5R manual which would be perfect for anyone who has trouble reading the small print on the factory manual, or just anyone who doesn't have a manual with their VX5R. This manual has been enlarged so it is on 8 1/2" by 11" pages, and is spiral bound with a nice plastic cover on it.

I am asking $7 shipped for it and can take paypal/check/MO.

73s John AA5JG

331. FS: VX7R antenna (works fine on VX5R)

Yahoo group: VX5
Date: 2010-02-14 00:04:48 UTC
From: John Geiger
Topic: 331 Message: 331

I have for sale the antenna from a Yaesu VX7R HT. It is missing the 6 meter coil but works fine on 2m and 70cm, and should also work on 222 since the VX7R covers that band, so it is really a triband antenna. I am asking $15 shipped in the US and can take paypal/check/MO.

73s John AA5JG

332. Re: VX-5R Wanted!

Yahoo group: VX5
Date: 2010-02-16 17:43:18 UTC
From: BriggsL
Topic: 324 Message: 332

--- In VX5@yahoogroups.com, mike <ian500@...> wrote:
>
> i have two mint vx5rÂ i will sell
>
------> Mike, I've replied to you several times but have heard nothing further from you! If you are interested in selling either or both, pls reply asap. [ab2nj "at" arrl "dot" net]. Thank you, Briggs, ab2nj

333. repeater problem

Yahoo group: VX5
Date: 2010-03-18 12:46:51 UTC
From: wn2r
Topic: 333 Message: 333

Good Morning everyone,

I have a VX5 and I can hear the repeater input but not the output. Any ideas on what is happening here? Iam sure it is a setting I do not have right. Thanks all in advance for the response.

73,
Fred N2FJ

334. Re: [VX5] repeater problem

Yahoo group: VX5
Date: 2010-03-18 13:24:55 UTC
From: philip porteus
Topic: 333 Message: 334

The radio should read the repeater output frequency in the memory slot, then add the offset and pl if needed. You have the input entered.

73

On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:

>
>
> Good Morning everyone,
>
> I have a VX5 and I can hear the repeater input but not the output. Any
> ideas on what is happening here? Iam sure it is a setting I do not have
> right. Thanks all in advance for the response.
>
> 73,
> Fred N2FJ
>
>
>

[Non-text portions of this message have been removed]

335. Re: repeater problem

Yahoo group: VX5
Date: 2010-03-18 13:37:04 UTC
From: wn2r
Topic: 333 Message: 335

Thanks for the reply. I should have said that I have the output entered and have to hit the hm/rv button to hear the input of the repeater.
--- In VX5@yahoogroups.com, philip porteus <silverbk@...> wrote:
>
> The radio should read the repeater output frequency in the memory slot, then
> add the offset and pl if needed. You have the input entered.
>
> 73
>
> On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
>
> >
> >
> > Good Morning everyone,
> >
> > I have a VX5 and I can hear the repeater input but not the output. Any
> > ideas on what is happening here? Iam sure it is a setting I do not have
> > right. Thanks all in advance for the response.
> >
> > 73,
> > Fred N2FJ
> >
> >
> >
>
>
> [Non-text portions of this message have been removed]
>

336. Re: repeater problem

Yahoo group: VX5
Date: 2010-03-18 13:32:56 UTC
From: wn2r
Topic: 333 Message: 336

I have the output entered I should have said that I have to hit the hm/rv button to hear the input of the repeater..

--- In VX5@yahoogroups.com, philip porteus <silverbk@...> wrote:
>
> The radio should read the repeater output frequency in the memory slot, then
> add the offset and pl if needed. You have the input entered.
>
> 73
>
> On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
>
> >
> >
> > Good Morning everyone,
> >
> > I have a VX5 and I can hear the repeater input but not the output. Any
> > ideas on what is happening here? Iam sure it is a setting I do not have
> > right. Thanks all in advance for the response.
> >
> > 73,
> > Fred N2FJ
> >
> >
> >
>
>
> [Non-text portions of this message have been removed]
>

337. Re: repeater problem

Yahoo group: VX5
Date: 2010-03-18 13:34:48 UTC
From: wn2r
Topic: 333 Message: 337

I have the output entered I should have said that I have to hit the hm/rv button to hear the input of the repeater..

--- In VX5@yahoogroups.com, philip porteus <silverbk@...> wrote:
>
> The radio should read the repeater output frequency in the memory slot, then
> add the offset and pl if needed. You have the input entered.
>
> 73
>
> On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
>
> >
> >
> > Good Morning everyone,
> >
> > I have a VX5 and I can hear the repeater input but not the output. Any
> > ideas on what is happening here? Iam sure it is a setting I do not have
> > right. Thanks all in advance for the response.
> >
> > 73,
> > Fred N2FJ
> >
> >
> >
>
>
> [Non-text portions of this message have been removed]
>

338. Re: [VX5] Re: repeater problem

Yahoo group: VX5
Date: 2010-03-18 17:34:36 UTC
From: philip porteus
Topic: 333 Message: 338

This radio is fairly simple, enter the output, offset and pl if needed and she should work. Generally I have found that if you can hear the repeater you should be able to key it. Also check your power setting, it's very easy to change by accident on the VX-5. Also in addition to having the correct PL you must set the radio for tone of tone squelch.

There is a cheat sheet guide posted here, or you can double check the manual. If you are at the home QTH in NJ, you should have tons of repeaters to choose from.

It's possible that this particular repeater is too far for your HT, you could be hearing a close higher power station on the input.

Have you verified the PL? Some repeaters change periodically. If you tell me which repeater it is, I'll see if I can key it from the school QTH.

On Thu, Mar 18, 2010 at 8:32 AM, wn2r <n2fj@...> wrote:

>
>
> I have the output entered I should have said that I have to hit the hm/rv
> button to hear the input of the repeater..
>
> --- In VX5@yahoogroups.com <VX5%40yahoogroups.com>, philip porteus
> <silverbk@...> wrote:
> >
> > The radio should read the repeater output frequency in the memory slot,
> then
> > add the offset and pl if needed. You have the input entered.
> >
> > 73
> >
> > On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
> >
> > >
> > >
> > > Good Morning everyone,
> > >
> > > I have a VX5 and I can hear the repeater input but not the output. Any
> > > ideas on what is happening here? Iam sure it is a setting I do not have
> > > right. Thanks all in advance for the response.
> > >
> > > 73,
> > > Fred N2FJ
> > >
> > >

> > >
> >
> >
> > [Non-text portions of this message have been removed]
> >
>
>
>

[Non-text portions of this message have been removed]

339. Re: [VX5] Re: repeater problem

Yahoo group: VX5
Date: 2010-03-21 03:03:34 UTC
From: Fred Bennett
Topic: 333 Message: 339

I was about a mile from the repeater today and still did not get the output of the machine to come through but can hear stations on the reverse of the machine.. note sure what is going on here
----- Original Message -----
From: "philip porteus" <silverbk@...>
To: <VX5@yahoogroups.com>
Sent: Thursday, March 18, 2010 1:34 PM
Subject: Re: [VX5] Re: repeater problem

> This radio is fairly simple, enter the output, offset and pl if needed and
> she should work. Generally I have found that if you can hear the repeater
> you should be able to key it. Also check your power setting, it's very
> easy
> to change by accident on the VX-5. Also in addition to having the correct
> PL
> you must set the radio for tone of tone squelch.
>
> There is a cheat sheet guide posted here, or you can double check the
> manual. If you are at the home QTH in NJ, you should have tons of
> repeaters
> to choose from.
>
> It's possible that this particular repeater is too far for your HT, you
> could be hearing a close higher power station on the input.
>
> Have you verified the PL? Some repeaters change periodically. If you tell
> me
> which repeater it is, I'll see if I can key it from the school QTH.
>
>
>
> On Thu, Mar 18, 2010 at 8:32 AM, wn2r <n2fj@...> wrote:
>
>>
>>
>> I have the output entered I should have said that I have to hit the hm/rv
>> button to hear the input of the repeater..
>>
>> --- In VX5@yahoogroups.com <VX5%40yahoogroups.com>, philip porteus
>> <silverbk@...> wrote:
>> >
>> > The radio should read the repeater output frequency in the memory slot,
>> then
>> > add the offset and pl if needed. You have the input entered.
>> >

>> > 73
>> >
>> > On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
>> >
>> > >
>> > >
>> > > Good Morning everyone,
>> > >
>> > > I have a VX5 and I can hear the repeater input but not the output.
>> > > Any
>> > > ideas on what is happening here? Iam sure it is a setting I do not
>> > > have
>> > > right. Thanks all in advance for the response.
>> > >
>> > > 73,
>> > > Fred N2FJ
>> > >
>> > >
>> > >
>> >
>> >
>> > [Non-text portions of this message have been removed]
>> >
>>
>>
>>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

340. Re: [VX5] Re: repeater problem

Yahoo group: VX5
Date: 2010-03-21 04:55:07 UTC
From: David Smart
Topic: 333 Message: 340

Almost certainly you have the two frequencies interchanged. You need the radio to be listening on the TX frequency of the repeater.

Which repeater is it, and what frequency have you programmed into the radio?

Regards, Dave S

----- Original Message -----
From: "Fred Bennett" <n2fj@...>
To: <VX5@yahoogroups.com>
Sent: Sunday, March 21, 2010 2:03 PM
Subject: Re: [VX5] Re: repeater problem

>I was about a mile from the repeater today and still did not get the output
> of the machine to come through but can hear stations on the reverse of the
> machine.. note sure what is going on here
> ----- Original Message -----
> From: "philip porteus" <silverbk@...>
> To: <VX5@yahoogroups.com>
> Sent: Thursday, March 18, 2010 1:34 PM
> Subject: Re: [VX5] Re: repeater problem
>
>
>> This radio is fairly simple, enter the output, offset and pl if needed
>> and
>> she should work. Generally I have found that if you can hear the repeater
>> you should be able to key it. Also check your power setting, it's very
>> easy
>> to change by accident on the VX-5. Also in addition to having the correct
>> PL
>> you must set the radio for tone of tone squelch.
>>
>> There is a cheat sheet guide posted here, or you can double check the
>> manual. If you are at the home QTH in NJ, you should have tons of
>> repeaters
>> to choose from.
>>
>> It's possible that this particular repeater is too far for your HT, you
>> could be hearing a close higher power station on the input.
>>
>> Have you verified the PL? Some repeaters change periodically. If you tell
>> me
>> which repeater it is, I'll see if I can key it from the school QTH.
>>
>>
>>

>> On Thu, Mar 18, 2010 at 8:32 AM, wn2r <n2fj@...> wrote:
>>
>>>
>>>
>>> I have the output entered I should have said that I have to hit the
>>> hm/rv
>>> button to hear the input of the repeater..
>>>
>>> --- In VX5@yahoogroups.com <VX5%40yahoogroups.com>, philip porteus
>>> <silverbk@...> wrote:
>>> >
>>> > The radio should read the repeater output frequency in the memory
>>> > slot,
>>> then
>>> > add the offset and pl if needed. You have the input entered.
>>> >
>>> > 73
>>> >
>>> > On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
>>> >
>>> > >
>>> > >
>>> > > Good Morning everyone,
>>> > >
>>> > > I have a VX5 and I can hear the repeater input but not the output.
>>> > > Any
>>> > > ideas on what is happening here? Iam sure it is a setting I do not
>>> > > have
>>> > > right. Thanks all in advance for the response.
>>> > >
>>> > > 73,
>>> > > Fred N2FJ
>>> > >
>>> > >
>>> > >
>>> >
>>> >
>>> > [Non-text portions of this message have been removed]
>>> >
>>>
>>>
>>>
>>
>>
>> [Non-text portions of this message have been removed]
>>
>>
>>
>> ------------------------------------
>>

>> Yahoo! Groups Links
>>
>>
>>
>>
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.5.437 / Virus Database: 271.1.1/2760 - Release Date: 03/20/10
19:33:00

341. Re: [VX5] Re: repeater problem

Yahoo group: VX5
Date: 2010-03-21 12:49:11 UTC
From: Fred Bennett
Topic: 333 Message: 341

I have the repeater output showing in the window, and rx nothing from that when I hit the hm/rv button to check the input of the repeater I can hear on the input of the repeater. The repeater is 146.925 - and I have 146.925 in the window WHen I listen to 146.325 the input I can hear some stations working the repeater. Thanks for the responses... something wierd is going on somewhere
----- Original Message -----
From: David Smart
To: VX5@yahoogroups.com
Sent: Sunday, March 21, 2010 12:55 AM
Subject: Re: [VX5] Re: repeater problem

Almost certainly you have the two frequencies interchanged. You need the radio to be listening on the TX frequency of the repeater.

Which repeater is it, and what frequency have you programmed into the radio?

Regards, Dave S

----- Original Message -----
From: "Fred Bennett" <n2fj@...>
To: <VX5@yahoogroups.com>
Sent: Sunday, March 21, 2010 2:03 PM
Subject: Re: [VX5] Re: repeater problem

>I was about a mile from the repeater today and still did not get the output
> of the machine to come through but can hear stations on the reverse of the
> machine.. note sure what is going on here
> ----- Original Message -----
> From: "philip porteus" <silverbk@...>
> To: <VX5@yahoogroups.com>
> Sent: Thursday, March 18, 2010 1:34 PM
> Subject: Re: [VX5] Re: repeater problem
>
>
>> This radio is fairly simple, enter the output, offset and pl if needed
>> and
>> she should work. Generally I have found that if you can hear the repeater
>> you should be able to key it. Also check your power setting, it's very
>> easy
>> to change by accident on the VX-5. Also in addition to having the correct
>> PL
>> you must set the radio for tone of tone squelch.
>>
>> There is a cheat sheet guide posted here, or you can double check the
>> manual. If you are at the home QTH in NJ, you should have tons of
>> repeaters

>> to choose from.
>>
>> It's possible that this particular repeater is too far for your HT, you
>> could be hearing a close higher power station on the input.
>>
>> Have you verified the PL? Some repeaters change periodically. If you tell
>> me
>> which repeater it is, I'll see if I can key it from the school QTH.
>>
>>
>>
>> On Thu, Mar 18, 2010 at 8:32 AM, wn2r <n2fj@...> wrote:
>>
>>>
>>>
>>> I have the output entered I should have said that I have to hit the
>>> hm/rv
>>> button to hear the input of the repeater..
>>>
>>> --- In VX5@yahoogroups.com <VX5%40yahoogroups.com>, philip porteus
>>> <silverbk@...> wrote:
>>> >
>>> > The radio should read the repeater output frequency in the memory
>>> > slot,
>>> then
>>> > add the offset and pl if needed. You have the input entered.
>>> >
>>> > 73
>>> >
>>> > On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
>>> >
>>> > >
>>> > >
>>> > > Good Morning everyone,
>>> > >
>>> > > I have a VX5 and I can hear the repeater input but not the output.
>>> > > Any
>>> > > ideas on what is happening here? Iam sure it is a setting I do not
>>> > > have
>>> > > right. Thanks all in advance for the response.
>>> > >
>>> > > 73,
>>> > > Fred N2FJ
>>> > >
>>> > >
>>> > >
>>> >
>>> >
>>> > [Non-text portions of this message have been removed]
>>> >

>>>
>>>
>>>
>>
>>
>> [Non-text portions of this message have been removed]
>>
>>
>>
>> ------------------------------------
>>
>> Yahoo! Groups Links
>>
>>
>>
>>
>
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 8.5.437 / Virus Database: 271.1.1/2760 - Release Date: 03/20/10
19:33:00

[Non-text portions of this message have been removed]

342. Re: [VX5] Re: repeater problem

Yahoo group: VX5
Date: 2010-03-21 14:27:53 UTC
From: David Smart
Topic: 333 Message: 342

Not knowing which repeater you're trying to hear, we can't look up its requirements. Which one is it?

If you're hearing the input but not the output, check that you don't have tone squelch turned on. If you have, it would mean that you could hear the input (where transmissions are using tone to open the repeater) but not the output (which probably strips the tone off).

Regards, Dave S

----- Original Message -----
From: "Fred Bennett" <n2fj@...>
To: <VX5@yahoogroups.com>
Sent: Sunday, March 21, 2010 11:49 PM
Subject: Re: [VX5] Re: repeater problem

>I have the repeater output showing in the window, and rx nothing from that
>when I hit the hm/rv button to check the input of the repeater I can hear
>on the input of the repeater. The repeater is 146.925 - and I have 146.925
>in the window WHen I listen to 146.325 the input I can hear some stations
>working the repeater. Thanks for the responses... something wierd is going
>on somewhere
> ----- Original Message -----
> From: David Smart
> To: VX5@yahoogroups.com
> Sent: Sunday, March 21, 2010 12:55 AM
> Subject: Re: [VX5] Re: repeater problem
>
>
>
> Almost certainly you have the two frequencies interchanged. You need the
> radio to be listening on the TX frequency of the repeater.
>
> Which repeater is it, and what frequency have you programmed into the
> radio?
>
> Regards, Dave S
>
> ----- Original Message -----
> From: "Fred Bennett" <n2fj@...>
> To: <VX5@yahoogroups.com>
> Sent: Sunday, March 21, 2010 2:03 PM
> Subject: Re: [VX5] Re: repeater problem
>
> >I was about a mile from the repeater today and still did not get the
> output

> > of the machine to come through but can hear stations on the reverse of
> the
> > machine.. note sure what is going on here
> > ----- Original Message -----
> > From: "philip porteus" <silverbk@...>
> > To: <VX5@yahoogroups.com>
> > Sent: Thursday, March 18, 2010 1:34 PM
> > Subject: Re: [VX5] Re: repeater problem
> >
> >
> >> This radio is fairly simple, enter the output, offset and pl if needed
> >> and
> >> she should work. Generally I have found that if you can hear the
> repeater
> >> you should be able to key it. Also check your power setting, it's very
> >> easy
> >> to change by accident on the VX-5. Also in addition to having the
> correct
> >> PL
> >> you must set the radio for tone of tone squelch.
> >>
> >> There is a cheat sheet guide posted here, or you can double check the
> >> manual. If you are at the home QTH in NJ, you should have tons of
> >> repeaters
> >> to choose from.
> >>
> >> It's possible that this particular repeater is too far for your HT,
> you
> >> could be hearing a close higher power station on the input.
> >>
> >> Have you verified the PL? Some repeaters change periodically. If you
> tell
> >> me
> >> which repeater it is, I'll see if I can key it from the school QTH.
> >>
> >>
> >>
> >> On Thu, Mar 18, 2010 at 8:32 AM, wn2r <n2fj@...> wrote:
> >>
> >>>
> >>>
> >>> I have the output entered I should have said that I have to hit the
> >>> hm/rv
> >>> button to hear the input of the repeater..
> >>>
> >>> --- In VX5@yahoogroups.com <VX5%40yahoogroups.com>, philip porteus
> >>> <silverbk@...> wrote:
> >>> >
> >>> > The radio should read the repeater output frequency in the memory
> >>> > slot,

> >>> then
> >>> > add the offset and pl if needed. You have the input entered.
> >>> >
> >>> > 73
> >>> >
> >>> > On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
> >>> >
> >>> > >
> >>> > >
> >>> > > Good Morning everyone,
> >>> > >
> >>> > > I have a VX5 and I can hear the repeater input but not the
> output.
> >>> > > Any
> >>> > > ideas on what is happening here? Iam sure it is a setting I do
> not
> >>> > > have
> >>> > > right. Thanks all in advance for the response.
> >>> > >
> >>> > > 73,
> >>> > > Fred N2FJ
> >>> > >
> >>> > >
> >>> > >
> >>> >
> >>> >
> >>> > [Non-text portions of this message have been removed]
> >>> >
> >>>
> >>>
> >>>
> >>
> >>
> >> [Non-text portions of this message have been removed]
> >>
> >>
> >>
> >> ------------------------------------
> >>
> >> Yahoo! Groups Links
> >>
> >>
> >>
> >>
> >
> >
> >
> >
> > ------------------------------------
> >

> > Yahoo! Groups Links
> >
> >
> >
>
> ---
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 8.5.437 / Virus Database: 271.1.1/2760 - Release Date: 03/20/10
> 19:33:00
>
>
>
>
>
> [Non-text portions of this message have been removed]
>
>
>
> ---
>
> Yahoo! Groups Links
>
>
>

No virus found in this incoming message.
Checked by AVG - www.avg.com
Version: 9.0.791 / Virus Database: 271.1.1/2760 - Release Date: 03/21/10
06:33:00

343. Re: [VX5] Re: repeater problem

Yahoo group: VX5
Date: 2010-03-21 14:43:31 UTC
From: philip porteus
Topic: 333 Message: 343

What does the window say when you key up?

Is this the repeater?

146.925
NJHardyston Twpw2VER151.4TS
If so then you need the window to say TS - and have a tone of 151.4 in the memory

On Sun, Mar 21, 2010 at 8:49 AM, Fred Bennett <n2fj@...> wrote:

>
>
> I have the repeater output showing in the window, and rx nothing from that
> when I hit the hm/rv button to check the input of the repeater I can hear on
> the input of the repeater. The repeater is 146.925 - and I have 146.925 in
> the window WHen I listen to 146.325 the input I can hear some stations
> working the repeater. Thanks for the responses... something wierd is going
> on somewhere
>
> ----- Original Message -----
> From: David Smart
> To: VX5@yahoogroups.com <VX5%40yahoogroups.com>
> Sent: Sunday, March 21, 2010 12:55 AM
> Subject: Re: [VX5] Re: repeater problem
>
> Almost certainly you have the two frequencies interchanged. You need the
> radio to be listening on the TX frequency of the repeater.
>
> Which repeater is it, and what frequency have you programmed into the
> radio?
>
> Regards, Dave S
>
> ----- Original Message -----
> From: "Fred Bennett" <n2fj@... <n2fj%40n2fj.com>>
> To: <VX5@yahoogroups.com <VX5%40yahoogroups.com>>
> Sent: Sunday, March 21, 2010 2:03 PM
> Subject: Re: [VX5] Re: repeater problem
>
> >I was about a mile from the repeater today and still did not get the
> output
> > of the machine to come through but can hear stations on the reverse of
> the
> > machine.. note sure what is going on here
> > ----- Original Message -----

> > From: "philip porteus" <silverbk@... <silverbk%40escape.com>>
> > To: <VX5@yahoogroups.com <VX5%40yahoogroups.com>>
> > Sent: Thursday, March 18, 2010 1:34 PM
> > Subject: Re: [VX5] Re: repeater problem
> >
> >
> >> This radio is fairly simple, enter the output, offset and pl if needed
> >> and
> >> she should work. Generally I have found that if you can hear the
> repeater
> >> you should be able to key it. Also check your power setting, it's very
> >> easy
> >> to change by accident on the VX-5. Also in addition to having the
> correct
> >> PL
> >> you must set the radio for tone of tone squelch.
> >>
> >> There is a cheat sheet guide posted here, or you can double check the
> >> manual. If you are at the home QTH in NJ, you should have tons of
> >> repeaters
> >> to choose from.
> >>
> >> It's possible that this particular repeater is too far for your HT, you
> >> could be hearing a close higher power station on the input.
> >>
> >> Have you verified the PL? Some repeaters change periodically. If you
> tell
> >> me
> >> which repeater it is, I'll see if I can key it from the school QTH.
> >>
> >>
> >>
> >> On Thu, Mar 18, 2010 at 8:32 AM, wn2r <n2fj@... <n2fj%40n2fj.com>>
> wrote:
> >>
> >>>
> >>>
> >>> I have the output entered I should have said that I have to hit the
> >>> hm/rv
> >>> button to hear the input of the repeater..
> >>>
> >>> --- In VX5@yahoogroups.com <VX5%40yahoogroups.com> <VX5%
> 40yahoogroups.com>, philip porteus
> >>> <silverbk@...> wrote:
> >>> >
> >>> > The radio should read the repeater output frequency in the memory
> >>> > slot,
> >>> then
> >>> > add the offset and pl if needed. You have the input entered.
> >>> >

> >>> > 73
> >>> >
> >>> > On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
> >>> >
> >>> > >
> >>> > >
> >>> > > Good Morning everyone,
> >>> > >
> >>> > > I have a VX5 and I can hear the repeater input but not the output.
> >>> > > Any
> >>> > > ideas on what is happening here? Iam sure it is a setting I do not
> >>> > > have
> >>> > > right. Thanks all in advance for the response.
> >>> > >
> >>> > > 73,
> >>> > > Fred N2FJ
> >>> > >
> >>> > >
> >>> > >
> >>> >
> >>> >
> >>> > [Non-text portions of this message have been removed]
> >>> >
> >>>
> >>>
> >>>
> >>
> >>
> >> [Non-text portions of this message have been removed]
> >>
> >>
> >>
> >> ------------------------------------
> >>
> >> Yahoo! Groups Links
> >>
> >>
> >>
> >>
> >
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
>

> ----------
>
> No virus found in this incoming message.
> Checked by AVG - www.avg.com
> Version: 8.5.437 / Virus Database: 271.1.1/2760 - Release Date: 03/20/10
> 19:33:00
>
> [Non-text portions of this message have been removed]
>
>
>

[Non-text portions of this message have been removed]

344. Re: [VX5] Re: repeater problem

Yahoo group: VX5
Date: 2010-03-21 14:49:18 UTC
From: philip porteus
Topic: 333 Message: 344

Try entering everything again from scratch into a new memory slot

Here is a quickie cheat sheet attached pdf

YAESU VX-5 YAESU VX-5
SIMPLEX FREQS REPEATER FREQS
select frequency in VFO select frequency in VFO
press F/W press F/W, press ?1"
press ?1", press PTT rotate dial to TONE
press F/W 1 second press ?BAND?
press F/W to store rotate dial to TONE SET
press ?BAND?
TONE ENCODE rotate dial to TONE FREQ
press F/W then ?1" press ?2", press PTT
rotate dial to TONE press F/W 1 second
press BAND press F/W to store
rotate dial to TONE SET REVERSE
press BAND press F/W then MONI
rotate dial to TONE FREQ SQUELCH
press PTT to save press F/W then ?0"
POWER CHANGE
KEYBOARD LOCK press tx/po
press F/W then TX/PO BATTERY VOLTAGE
press and hold ?3"
RON GREEN KG6RLG

On Sun, Mar 21, 2010 at 10:43 AM, philip porteus <silverbk@...>wrote:

> What does the window say when you key up?
>
> Is this the repeater?
>
>
> 146.925
> NJHardyston Twpw2VER151.4TS
> If so then you need the window to say TS - and have a tone of 151.4 in the
> memory
>
>
>
>
>
> On Sun, Mar 21, 2010 at 8:49 AM, Fred Bennett <n2fj@n2fj.com> wrote:
>
>>
>>

>> I have the repeater output showing in the window, and rx nothing from that
>> when I hit the hm/rv button to check the input of the repeater I can hear on
>> the input of the repeater. The repeater is 146.925 - and I have 146.925 in
>> the window WHen I listen to 146.325 the input I can hear some stations
>> working the repeater. Thanks for the responses... something wierd is going
>> on somewhere
>>
>> ----- Original Message -----
>> From: David Smart
>> To: VX5@yahoogroups.com <VX5%40yahoogroups.com>
>> Sent: Sunday, March 21, 2010 12:55 AM
>> Subject: Re: [VX5] Re: repeater problem
>>
>> Almost certainly you have the two frequencies interchanged. You need the
>> radio to be listening on the TX frequency of the repeater.
>>
>> Which repeater is it, and what frequency have you programmed into the
>> radio?
>>
>> Regards, Dave S
>>
>> ----- Original Message -----
>> From: "Fred Bennett" <n2fj@... <n2fj%40n2fj.com>>
>> To: <VX5@yahoogroups.com <VX5%40yahoogroups.com>>
>> Sent: Sunday, March 21, 2010 2:03 PM
>> Subject: Re: [VX5] Re: repeater problem
>>
>> >I was about a mile from the repeater today and still did not get the
>> output
>> > of the machine to come through but can hear stations on the reverse of
>> the
>> > machine.. note sure what is going on here
>> > ----- Original Message -----
>> > From: "philip porteus" <silverbk@... <silverbk%40escape.com>>
>> > To: <VX5@yahoogroups.com <VX5%40yahoogroups.com>>
>> > Sent: Thursday, March 18, 2010 1:34 PM
>> > Subject: Re: [VX5] Re: repeater problem
>> >
>> >
>> >> This radio is fairly simple, enter the output, offset and pl if needed
>> >> and
>> >> she should work. Generally I have found that if you can hear the
>> repeater
>> >> you should be able to key it. Also check your power setting, it's very
>> >> easy
>> >> to change by accident on the VX-5. Also in addition to having the
>> correct
>> >> PL
>> >> you must set the radio for tone of tone squelch.
>> >>

>> >> There is a cheat sheet guide posted here, or you can double check the
>> >> manual. If you are at the home QTH in NJ, you should have tons of
>> >> repeaters
>> >> to choose from.
>> >>
>> >> It's possible that this particular repeater is too far for your HT, you
>> >> could be hearing a close higher power station on the input.
>> >>
>> >> Have you verified the PL? Some repeaters change periodically. If you
>> tell
>> >> me
>> >> which repeater it is, I'll see if I can key it from the school QTH.
>> >>
>> >>
>> >>
>> >> On Thu, Mar 18, 2010 at 8:32 AM, wn2r <n2fj@... <n2fj%40n2fj.com>>
>> wrote:
>> >>
>> >>>
>> >>>
>> >>> I have the output entered I should have said that I have to hit the
>> >>> hm/rv
>> >>> button to hear the input of the repeater..
>> >>>
>> >>> --- In VX5@yahoogroups.com <VX5%40yahoogroups.com> <VX5%
>> 40yahoogroups.com>, philip porteus
>> >>> <silverbk@...> wrote:
>> >>> >
>> >>> > The radio should read the repeater output frequency in the memory
>> >>> > slot,
>> >>> then
>> >>> > add the offset and pl if needed. You have the input entered.
>> >>> >
>> >>> > 73
>> >>> >
>> >>> > On Thu, Mar 18, 2010 at 7:46 AM, wn2r <n2fj@...> wrote:
>> >>> >
>> >>> > >
>> >>> > >
>> >>> > > Good Morning everyone,
>> >>> > >
>> >>> > > I have a VX5 and I can hear the repeater input but not the output.
>> >>> > > Any
>> >>> > > ideas on what is happening here? Iam sure it is a setting I do not
>> >>> > > have
>> >>> > > right. Thanks all in advance for the response.
>> >>> > >
>> >>> > > 73,
>> >>> > > Fred N2FJ
>> >>> > >

```
>> >>> > >
>> >>> > >
>> >>> >
>> >>> >
>> >>> > [Non-text portions of this message have been removed]
>> >>> >
>> >>>
>> >>>
>> >>>
>> >>
>> >>
>> >> [Non-text portions of this message have been removed]
>> >>
>> >>
>> >>
>> >> ------------------------------------
>> >>
>> >> Yahoo! Groups Links
>> >>
>> >>
>> >>
>> >>
>> >
>> >
>> >
>> >
>> > ------------------------------------
>> >
>> > Yahoo! Groups Links
>> >
>> >
>> >
>>
>> ------------------------------------------------------------
>>
>> No virus found in this incoming message.
>> Checked by AVG - www.avg.com
>> Version: 8.5.437 / Virus Database: 271.1.1/2760 - Release Date: 03/20/10
>> 19:33:00
>>
>> [Non-text portions of this message have been removed]
>>
>>
>>
>
>

[Non-text portions of this message have been removed]
```

345. VX-5 Handheld for Sale

Yahoo group: VX5
Date: 2010-04-15 02:22:59 UTC
From: Chris Schwab
Topic: 345 Message: 345

All:

I have a Yeasu VX-5 for sale. Here's the description:

The Yaesu VX-5R is a triple band (6M, 2M & 440 MHz) HT with extensive receive coverage, and leading-edge features. It receives the AM and FM broadcast bands, shortwave (AM) to 16 MHz, VHF and UHF TV audio, VHF Air and public service frequencies. The specific ranges covered are: 0.5-16, 47-729 and 800-999 (less cellular). The die-cast aluminum housing, augmented by an extensive gasketing system sets a new standard for water resistance among amateur HTs. This robust construction has earned it a MIL-STD 810 rating.

The supplied FNB-58LI 7.2 V 1100 mAh Lithium-ion battery provides 5 watts out on 6M and 2M and 4.5 watts on 440 MHz. Features include: 16 digit 9 memory DTMF autodialer, CTCSS/DCS, 220 memories, aluminum die-cast case and 8 character alphanumeric display.

At only 2.3 x 3.4 x 1.1 inches (58x87x28 mm) it will go with you everywhere. The VX5R comes with SMA Antenna, FNB-58LI Lithium Ion Battery, NC-72B Battery Charger, Belt Clip and Wrist Strap.

Features
220 Alpha Memories
AM/FM BCB
SW to 16 MHz
CTCSS/DCS
European Tone Burst
Wideband Receive
Dual Watch
ARTS-Automatic In-Range Transponder
Backlit Keypad & LCD

Electronically, this radio is 10+. Physically, this had been my favorite radio with some wear to show it, and is probably about a 7 or an 8, with some scratches on the edges of the radio. I'm including the original box (see attached picture)

This radio includes the Yaesu SU-1 barometric module which provides both barometric pressure and altitude measuring capability, and has been MARS/CAP modified. I'm also including a MFJ-295 hand held microphone.

Originally with accessories, this would have gone for around $280, I'm asking $150 plus shipping for the package.

73!
Chris N4BSA

--
Chris Schwab
Asst Cub Master Pack 484
Buffalo Patrol SR1022

[Non-text portions of this message have been removed]

346. Re: [VX5] VX-5 Handheld for Sale

Yahoo group: VX5
Date: 2010-04-16 19:12:48 UTC
From: tony vanuitert
Topic: 345 Message: 346

Is this unit still avail? I am very interested

73's
Tony
kc7mdl

From: Chris Schwab <chris.schwab@...>
To: VX5@yahoogroups.com
Sent: Wed, April 14, 2010 8:22:59 PM
Subject: [VX5] VX-5 Handheld for Sale

All:

I have a Yeasu VX-5 for sale. Here's the description:

The Yaesu VX-5R is a triple band (6M, 2M & 440 MHz) HT with extensive receive coverage, and leading-edge features. It receives the AM and FM broadcast bands, shortwave (AM) to 16 MHz, VHF and UHF TV audio, VHF Air and public service frequencies. The specific ranges covered are: 0.5-16, 47-729 and 800-999 (less cellular). The die-cast aluminum housing, augmented by an extensive gasketing system sets a new standard for water resistance among amateur HTs. This robust construction has earned it a MIL-STD 810 rating.

The supplied FNB-58LI 7.2 V 1100 mAh Lithium-ion battery provides 5 watts out on 6M and 2M and 4.5 watts on 440 MHz. Features include: 16 digit 9 memory DTMF autodialer, CTCSS/DCS, 220 memories, aluminum die-cast case and 8 character alphanumeric display.

At only 2.3 x 3.4 x 1.1 inches (58x87x28 mm) it will go with you everywhere. The VX5R comes with SMA Antenna, FNB-58LI Lithium Ion Battery, NC-72B Battery Charger, Belt Clip and Wrist Strap.

Features
220 Alpha Memories
AM/FM BCB
SW to 16 MHz
CTCSS/DCS
European Tone Burst
Wideband Receive
Dual Watch
ARTS-Automatic In-Range Transponder
Backlit Keypad & LCD

Electronically, this radio is 10+. Physically, this had been my favorite radio with some wear to show it, and is probably about a 7 or

an 8, with some scratches on the edges of the radio. I'm including the original box (see attached picture)

This radio includes the Yaesu SU-1 barometric module which provides both barometric pressure and altitude measuring capability, and has been MARS/CAP modified. I'm also including a MFJ-295 hand held microphone.

Originally with accessories, this would have gone for around $280, I'm asking $150 plus shipping for the package.

73!
Chris N4BSA
--
Chris Schwab
Asst Cub Master Pack 484
Buffalo Patrol SR1022

[Non-text portions of this message have been removed]

Yahoo! Groups Links

[Non-text portions of this message have been removed]

347. cancelling priority channel

Yahoo group: VX5
Date: 2010-06-09 19:05:42 UTC
From: cdfhgf
Topic: 347 Message: 347

1. My memory store number 2 has been set as the priority channel and therefore has a 'P' against the tag.

I can't find anything in the manual about how to unset the priority channel so I can change it to another memory store.

2. What does 'sub' mean in the display in the tag line?

I would be grateful if anyone can throw a light on these two points.

348. Re: [VX5] cancelling priority channel

Yahoo group: VX5
Date: 2010-06-09 22:20:15 UTC
From: David Smart
Topic: 347 Message: 348

Don't have the radio with me, but you don't unset the priority channel, you just set a new one.

Regards, Dave S

----- Original Message -----
From: "cdfhgf" <lionelcarter@...>
To: <VX5@yahoogroups.com>
Sent: Thursday, June 10, 2010 5:05 AM
Subject: [VX5] cancelling priority channel

> 1. My memory store number 2 has been set as the priority channel and
> therefore has a 'P' against the tag.
>
> I can't find anything in the manual about how to unset the priority
> channel so I can change it to another memory store.
>
> 2. What does 'sub' mean in the display in the tag line?
>
>
> I would be grateful if anyone can throw a light on these two points.
>
>
>
> ------------------------------------
>
> Yahoo! Groups Links
>
>
>
>

349. Re: cancelling priority channel

Yahoo group: VX5
Date: 2010-06-10 10:56:14 UTC
From: cdfhgf
Topic: 347 Message: 349

Thanks for that it worked a treat. I've made a lot of attempts to get rid of the P assuming you couldn't have two!!

I've decided 'sub' means subsidary but it is only a guess.

Regards,
2E0LRC

--- In VX5@yahoogroups.com, "David Smart" <smartware.consulting@...> wrote:
>
> Don't have the radio with me, but you don't unset the priority channel, you
> just set a new one.
>
> Regards, Dave S
>
> ----- Original Message -----
> From: "cdfhgf" <lionelcarter@...>
> To: <VX5@yahoogroups.com>
> Sent: Thursday, June 10, 2010 5:05 AM
> Subject: [VX5] cancelling priority channel
>
>
> > 1. My memory store number 2 has been set as the priority channel and
> > therefore has a 'P' against the tag.
> >
> > I can't find anything in the manual about how to unset the priority
> > channel so I can change it to another memory store.
> >
> > 2. What does 'sub' mean in the display in the tag line?
> >
> >
> > I would be grateful if anyone can throw a light on these two points.
> >
> >
> >
> > ------------------------------------
> >
> > Yahoo! Groups Links
> >
> >
> >
> >
>

350. Yaesu HT Accessories FS

Yahoo group: VX5
Date: 2011-01-26 23:02:18 UTC
From: Ken Simpson, W8EK
Topic: 350 Message: 350

Yaesu HT Accessories For Sale:

CMP 460A Speaker Mic
The CMP 460A is a waterproof Speaker Microphone for use with
the VX-5, VX-6, VX-7 and VX-8 HTs. It has a single 4 conductor
3.5 mm plug on it. This one works 100% and looks very close
to new. $35

CD-15 A Rapid charger
The CD-15A is a Lithium-Ion rapid charger that allows the battery
for the VX-5, VX-6, and VX-7 to charge in about 2.5 hours.
It requires the NC-72 supplied with the HT.
This one works fine and looks very close to new. $25

FNB-80 LI Lithium Battery
This is a 1500 mahr battery for use with the VX-5, VX-6, or VX-7.
This one has only been charged a couple times. It is basically
in new condition. $50

FNB-82 LI Lithium Battery
Real Yaesu Battery pack for Yaesu VX-2 or VX-3 HT
The FNB-82 LI Lithium Ion Battery Pack fits both the VX-2 and the
VX-3. 3.7 volts, 1000 mahr, works great, and holds a charge
like new. $22

FNB-88 LI Lithium Battery
This battery is similar to the FNB-80 above, but only 1100 mahr,
and fits VX-5, VX-6, and VX-7. It is also in close to new
condition. $35

Belt Clip for Yaesu FT-207, with hardware. $8

Wrist Strap for Yaesu FT-209, and probably others $4

Rubber Duck antennas for your HT:

All are for 2 meters, are in good condition,
and are $10 each, unless stated otherwise.
-
BNC - About 7 inches long
BNC - Original from Kenwood TH-215, about 5 inches long
BNC - Stubby about 4.5 inches long
-
5/16 inch threaded, as used by Motorola and others
Stubby - 4 inches long
-
Type F connector - 6.5 inches long

-
PL-259 connector - 6.5 inches long
HyGain 275, still in original packaging
-
PL-259 connector - Stubby - 4.6 inches long
Centurion, still in original package
-
Special for Kenwood TH-21 HT threaded connector
Stubby, about 4.5 inches long - $20
-
BNC Stubby for 440 MHz, 3 inches long

Rubber Duck Antennas with SMA Connectors:

All of these have SMA connectors as used by most modern
multiband HTs. All work fine, and look very close to new.
All provide gain over the standard rubber duck.

MFJ 1720 S, for 6 meters, 2 meters and 440 MHz
This MFJ Triple Band HT FlexiDuck antenna is 19 inches
tall. It is a 5/8 Wave on 440 MHz to give you 3.2 dB gain.
On 2 Meters it is 1/4 Wave antenna with 2.15 dBi gain.
On 6 Meters you get an efficient full size 1/4 Wave
antenna for full-size performance. $25

Full size SMA for 2 meters and 440 MHz
This is a very flexible antenna that is a full quarter wave
on both 2 meters and 440 MHz. $20

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

351. Yaesu HT Accessories FS

Yahoo group: VX5
Date: 2011-08-05 15:59:07 UTC
From: Ken Simpson, W8EK
Topic: 350 Message: 351

Yaesu HT Accessory Items For Sale:

Yaesu E-DC-5 B Cigarette Lighter Cord
DC Cable with voltage regulation, filtering and cigarette lighter plug. For many Yaesu handheld radios including FT-530/415/50R/FT-60R, VX-5/VX6/VX-7/VX-8/VX-170, etc.
These sell new for $27. Buy this one for only $18.

Real Yaesu Battery pack for Yaesu VX-2 or VX-3 HT
FNB-82 LI Lithium Ion Battery Pack fits both the VX-2 and the VX-3. 3.7 volts, 1000 mahr, works great, and holds a charge like new. $22

Yaesu NC-18 B Charger
Provides 14.5 V DC at 50 ma to charge many different HTs, including the Yaesu FT-411, FT-811, FT-911, FT-23, FT-209, FT-415, FT-410, FT-470, FT-727, FT-530, FT-703, and more.
Small 2.5 mm male plug. $10

Belt Clip for Yaesu FT-207, with hardware. $8

Wrist Strap for Yaesu FT-209, and probably others $4

Prices do not include shipping from Florida.

I also have many other accessories available such as many different types of HTs, VHF and UHF rigs, HF and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

352. Yaesu Mics, Speaker Mics, and related FS

Yahoo group: VX5
Date: 2011-10-09 19:33:25 UTC
From: Ken Simpson, W8EK
Topic: 352 Message: 352

Yaesu Microphones, Speaker Mics, and related items
For Sale:

Yaesu MH-1 Hand Microphone:

The Yaesu MH-1 b8 is the hand mic that is used on most of the Yaesu HF and some of the Yaesu VHF rigs. It is a hand mic that has a switch on the back with two audio frequency responses -- one for rag chewing, and one for more punch for DX. It has up and down switches, in addition to a "fast" switch. Of course it also has the normal PTT switch. It has a round 8 pin mic connector, wired for Yaesu.

This particular microphone looks like it might not have ever been used. I think it was probably put in a drawer when new, and left there. Of course it works fine. $38

Yaesu MH-31 B 8 dynamic hand microphone:

This is the Yaesu hand microphone that has the round 8 pin connector on it. It will go with virtually any Yaesu rig that uses the round 8 pin connector. It has up, down, and fst switches, and well as a tone switch, in addition to the PTT switch.
This particular unit works 100%, and appears to be unused. $40

Yaesu YM-22 DTMF Condenser Microphone
This mic has a 16 digit touch tone (DTMF) pad on the front. There are up and down buttons on the top, in addition to the PTT switch.
Stripped and tinned ends. Great condition. $40

Speaker Microphones:

Yaesu MH-34 b 4 b speaker microphone
This is the one that fits the Yaesu VX-8, VX-7, VX-6, VX-5, VX-3, VX-2, VX-1, and that series of HTs. I think it also fits the FT-50 and FT-60, and maybe others. It has a single 4 conductor, 3.5 mm plug on it. This one is just like new. $35

Yaesu YM-24 A speaker mic.
Fits FT-207, 208, plus many others. It has the odd little round connector on it like Yaesu, Wilson, and others used in the 1970s and 80s. This particular unit

works fine, and looks great also. $20

Pryme Speaker Microphone
This is the equivalent of the Yaesu MH-34 (above). It has the 4 conductor 1/8 inch plug on it. It works 100% and looks like it has not been used. $28

Radio Shack 19-310 speaker mic
This speaker mic fits most HTs that require the 3.5 mm and 2.5 mm plugs, such as Icom, Alinco, Radio Shack, some Yaesu, and others.
This one works fine and looks very close to new. $14

Azden SDX-316
This is the rounder style speaker mic that fits nicely in the palm of your hand. Has 3.5 mm and 2.5 mm plugs for Azden, Icom, some Yaesu, and others. $ 20

Pryme Speaker Microphone
This speaker mic has the 2.5 mm and 3.5 mm molded connector as used by Icom, Alinco, Radio Shack, some Yaesu, and others. It works fine and look line new. $20

MFJ-287 Speaker Microphone
This fits the TH-21/31/41 series HTs, TH-205, TH-215, TH-415, as well as others. It has a 3 conductor 3.5 mm plug and a 2 conductor 2.5 mm plug.
It works fine, and looks close to new. $15

Other Yaesu Items:

Real Yaesu Battery pack for Yaesu VX-2 or VX-3 HT
FNB-82 LI Lithium Ion Battery Pack fits both the VX-2 and the VX-3. 3.7 volts, 1000 mahr, works great, and holds a charge like new. $22

Yaesu NC-18 B Charger
Provides 14.5 V DC at 50 ma to charge many different HTs, including the Yaesu FT-411, FT-811, FT-911, FT-23, FT-209, FT-415, FT-410, FT-470, FT-727, FT-530, FT-703, and more. Small 2.5 mm male plug. $10

HT Belt Clips and Wrist Straps:

Belt Clips:
All include the hardware with the belt clip and are $8 each.
Kenwood BH-3 for Kenwood TH-21 / 31 / 41 series HTs
Motorola
Yaesu FT-207

Wrist Straps for various HTs - $4 each
Kenwood TH-215 / 225 / 415, TR-2500, etc.
Kenwood TR-2400

Yaesu FT-209

Prices do not include shipping from Florida.

I also have many other accessories available such as many different types of HTs, VHF and UHF rigs, HF and VHF/UHF antennas, etc.
Just too many to list here. Please e-mail your requests.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400

353. Yaesu HTs plus other misc items FS

Yahoo group: VX5
Date: 2014-12-27 15:32:35 UTC
From: Ken Simpson, W8EK
Topic: 353 Message: 353

Yaesu and related Items For Sale:

Dual Band HT, TriBand HT, Fox Tango Newsletters, VX-7
Accessories, several Microphones and Speaker Mics,
Communications Speakers, HT accessories, Original Manuals,
and more

Yaesu FT-470 Dual Band "Cross Band" HT:

The innovative Yaesu FT-470 2M/440 HT has many sophisticated
features. They are all built into a robustly built chassis with
rubber gasket seals around the easy-to-use external controls.
It boasts four VFOs and 42 memories plus an impressive back lit
dual band LCD. Power output can be as high at 5 watts per band.
It can also be used for "cross band" repeat.

Features
42 Memories
4 VFOs
DTMF Keypad
DTMF Auto Dialer
Scanning
Backlit Keypad
CTCSS Encode
Auto Repeater Shift
Auto Power Off

This one in in good shape and includes the HT itself, the dual
band rubber duck antenna, a battery that holds its charge,
charger, and paper work for only $110.

Yaesu PA-6 DC adapter
Can be used on the FT-470 above, so that the HT can be operated
from a 13 Volt DC source. It attaches to the FT-470 between the
battery and the HT itself. $25

Coiled DC cord
For use with the PA-6 above. Cord has the power plug for the
PA-6 on one end, with a cigarette lighter plug on the other,
and a coiled cord in between. $12

Buy the FT-470, PA-6, and DC cord together for $140.

Yaesu VX-5 RS tri-band HT:

The VX-5 will cover the 6m, 2m, and 440 MHz ham bands,
with receive almost from DC to light. Actually receive

starts at the AM broadcast band, and goes to about 1000
MHz, which means it includes all of the public service
bands outside of the ham bands, weather, FM commercial,
commercial TV, SW bands, and much more.

It provides 5 watts out on 6M and 2M and 4.5 watts on 440 MHz.
Features include: 16 digit 9 memory DTMF autodialer, CTCSS/DCS,
220 memories, aluminum die-cast case and 8 character alphanumeric
display. It is a compact 2.3 x 3.4 x 1.1 inches.

To say that this is better quality and has more features than
the Chinese HTs would be an understatement!

This particular unit works 100%, and is in very nice condition.
It includes a charger, a good Lithium Ion battery only a couple
months old, a second spare battery, a rubber duck complete with
the 6 meter extension, and paper work for $140.

Fox Tango Newsletters and "Green Sheet Catalog"

1977 FT Newsletters, Volume 6, bound edition with all newsletters from
1977, Looks new, $8

1978 FT Newsletters, also labeled Volume 6, like new, $8

Fox Tango #7, Winter 1979-80, Green Sheet Catalog, like new, $4

Fox Tango #8, Green Sheet Catalog, good condition, $3

Buy all four of the above for $20.

Yaesu Crystal
The crystal is an HC-25 cut for 33.02 MHz.
It says it is for a Yaesu FT-101. $15

VX-7 Nifty Mini Manual
A pocket reference to all of those commands that no one
remembers! For the VX-7. Spiral bound. $18

Yaesu MH-15 DTMF Touch Tone Microphone:
The MH-15 c6 is a hand microphone that features a 16 digit
DTMF Touch Tone Pad on the back, along with a lock/unlock
switch. The top has up/down buttons. Of course the PTT
is on the side. This one has the round 6 pin connector.
It works fine and looks close to new. $40

Yaesu YM-17 hand microphone:
The YM-17 is a hand microphone with up/down switches on
the top corner. It has the round 6 pin connector.
This one works fine and looks really great. $30

Yaesu YM-31 hand microphone:
The Yaesu YM-31 is a hand mic with a round 6 pin
connector. Apparently it is either similar or the

same as the MH-25A6j (not the MH-25 with the 8 pin
connector). It is a 600 ohm impedance hand microphone,
and has a Monitor on-off switch on the back.
It looks very similar to the Yaesu MH-1.
This one works fine and looks extremely nice. $25

Several Speaker Microphones:

All of these speaker mics have the 3.5 mm and 2.5 mm two
conductor plugs that are spaced about 3/8 inch apart, and
are molded into a single connector. They are used on Icom,
Yaesu, Radio Shack, Maxon, Ritron, Vertex and many other
radios.

Premier SPM-100
It is a lightweight and compact unit, featuring a powerful
speaker as well as a high-quality condenser-style microphone
element that produces excellent transmitted audio clarity.
The microphone may be secured to the user's lapel or shoulder.
It also features a built-in 3.5mm jack for using an external
earphone. $18

DM-100
Appears to be the same as the SPM-100 above, but just with
a different label. $18

Communications Speakers:

Realistic 21-549 A
This one is about 4 inches square but only about 2 inches
deep. It is rated for 5 watts, has an 8 ohm impedance, and
is listed as a 300 to 3000 Hz frequency response, making it
ideal for communications. 3.5 mm (1/8 inch) mono plug. It
is black in color, looks great, and sounds great. $18

Vanco SPB-5
Appears to be the same at above, but with a Vanco label.
Also includes gimbal mount. $15

Vanco SPB-6
Similar to SPB-5 above, but is considered a noise
cancelling speaker. 10 Watt rating. Still in original
box, new. $18

Yaesu HT Accessory Items:

Belt Clip for Yaesu FT-207, with hardware. $8

Wrist Strap for Yaesu FT-209, and others $4

Rubber Duck antennas for your HT:

All rubber ducks are for 2 meters, are in good
condition, and are $10 each, unless stated otherwise.

BNC - Dual Band (2 m and 440 MHz) Telescoping antenna
provides significant gain when extended, $18

BNC - As used on most HTs, 7 inches long

BNC - Original Alinco EA0024, about 4 inches long

BNC - Original from Kenwood TH-215, about 5 inches long

BNC - "Stubby" about 4 1/2 inches long

Type F connector - 6.5 inches long

BNC Stubby for 440 MHz, 3 inches long

Threaded (as used by Motorola, etc.) stubby for 440 MHz

Not a Rubber Duck, but can be used on your HT:
Telescoping Antenna w/ BNC about 19 inches long
can be used as a quarter wave antenna on 2 m,
or on 220, or 450 MHz if telescoped shorter. $12

Original Yaesu Manuals:

These are the manuals only, are all originals,
and not copies. Most are in close to new condition.

FNB-9,10,11,12 Battery packs, $2
FT-227 R, 2 meter "Memorizer", $7
FT-720 R, 2 meter mobile, $8
FTH-2005 HT, $5
FTS-8 tone squelch unit, $3
FTS-12 tone squelch unit, $3
MH-1B A2B speaker microphone, $2
SP-101 P, Speaker / Phone patch, $6
SP-901 P, speaker / Phone patch. $6
VX-1 dual band HT, $10
YC-601 digital readout, $10

These are original Yaesu operating manuals only,
in very nice condition.

I also have many other accessories available such as many
different types of microphones, HTs, HF, VHF and UHF rigs, HF
and VHF/UHF antennas, and many miscellaneous accessories.
Just too many to list here. Please e-mail your requests.

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-mail to W8EK@... or W8EK@...
Voice Phone (352) 732-8400